

Soil Series Information for Reclamation Planning in Alberta Volume 2 CANADIANA

APR 26 1994









CONSERVATION AND RECLAMATION COUNCIL Reclamation Research Technical Advisory Committee

Alberta's Reclamation Research Program

Regulating surface disturbances in Alberta is the responsibility of the Conservation and Reclamation Council. The Council Chairman is from Alberta Environmental Protection. The Council oversees a reclamation research program, established in 1978, to identify the most efficient methods for achieving acceptable reclamation in the province. Funding for the research program is provided by Alberta's Heritage Savings Trust Fund, Land Reclamation Program.

To assist with the development and administration of the research program, the Council appointed the inter-departmental Reclamation Research Technical Advisory Committee (RRTAC). Committee members represent the Alberta Departments of Agriculture, Food and Rural Development, Energy, and Environmental Protection, and the Alberta Research Council. The Committee updates research priorities, reviews research proposals, organizes workshops, and otherwise acts as the coordinating body for reclamation research in Alberta.

Additional information on the Reclamation Research Program may be obtained by contacting:

Chris Powter, Chairman
Reclamation Research Technical Advisory Committee
Alberta Environmental Protection
3rd Floor, Oxbridge Place
9820 - 106 Street
Edmonton, Alberta. T5K 2J6
(403) 427-4147

Additional copies of this report may be obtained at a cost of \$10.00 plus GST from:

Publication Services
Queen's Printers
11510 Kingsway Avenue
Edmonton, Alberta T5G 2Y5
(403) 427-4952

Prices quoted in the Reclamation Research Reports section of this Report do not include GST. Please make cheques payable to The Provincial Treasurer.

This report may be cited as:

Pedocan Land Evaluation Ltd., 1993. Soil Series Information for Reclamation Planning in Alberta. Alberta Conservation and Reclamation Council Report No. RRTAC 93-7. ISBN 0-7732-6041-2. Various pagings.

Soil Series Information for Reclamation Planning in Alberta Volume 2

by

Pedocan Land Evaluation Ltd.

Prepared for

ALBERTA CONSERVATION AND RECLAMATION COUNCIL (Reclamation Research Technical Advisory Committee)



2.11 Soils of Correlation Area #11

General Description of the Area

- Dark Gray Gray Soil Zone of central Alberta.
- Extends north from Sundre (between Edmonton and Drayton Valley) to Barrhead, then
 east to St. Paul and the Saskatchewan border. Also includes the Beaver Hills Upland.

Ecoregion/Climate


- Low Boreal Mixedwood ecoregion (transition between the Aspen Parkland and the Mid Boreal Mixedwood).
- Agroclimate is 2H and 3H (slight to moderate heat limitation).
- Growing season P-PE= -150 to -200 mm.
- The temperature is cooler and moisture is greater than the Black Soil Zone of the Aspen Parkland ecoregion.

Soils and Landscapes

- Soils in SCA 11 are Dark Gray Chernozemics and Luvisols with some Orthic Gray Luvisols. Depressional areas contain Gleysols (often with a peaty surface layer) and occasionally Organic soils.
- Solonetzic soils are common in areas where the Edmonton Formation softrock is exposed
 or is near the surface.
- Landscapes are dominantly undulating to hummocky moraines (till) with significant glaciolacustrine blankets over till.
- Profile development is generally 70 cm deep.
- Soils have 10 to 30 cm of dark gray colored A horizon, occasionally with a light gray, leached horizon (Ae) below.
- Cultivated Gray Luvisol soils have a dark colored Ap horizon but native soils have a gray, leached (Ae) horizon.

Soil Reclamation Issues

- Potential risk of soil erosion by water is generally severe to moderate, with some areas having a low risk.
- The potential risk of soil erosion by wind is low, except on sandy soils.
- Edmonton Formation softrock is typically sodic, Paskapoo Formation is typically not. Both occur in the area.
- Topsoil salvage of cultivated Luvisols should include the Ap and Ae horizons. In forested areas, the salvaged topsoil should include the Ae and all horizons above it.



09/01/93

SOIL SERIES: ANTON

(ATO)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

CHERNOZEMIC

SOIL CLASSIFICATION: GLEYED DARK GRAY

USUAL SOIL MOISTURE:

SURFACE STONINESS:

NON

0-2%

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-25	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	VFR	L	3.5	6.6		
BGJ	25-40	10YR	5/3	BROWN	WFSBK	VFR	L	0.7	7.3		
CKGJ	40-110	2.5Y	5/4	LIGHT OLIVE BROWN	STRAT	VFR	L		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	G				G (Topsoil)
BGJ	25-40	G	G		G				G (Subsoil)
CKGJ	40-110	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	15-45 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THICK	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.034	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOME VARIABILITY MAY BE FOUND IN THE SUBSURFACE MATERIAL WHERE TEXTURES MAY RANGE FROM SANDY LOAMS TO CLAY LOAMS. IT IS A VERY DESIRABLE SOIL TO CULTIVATE. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING

AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES: SOIL ZONE:

BENALTO

(BEN)

LANDFORM:

UNDULATING, HILLY

DARK GRAY-GRAY SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

2-15%

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

SLIGHTLY

MESIC

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AP	0-18	10YR	3/3	DARK BROWN	MFGR	FR	SIL		7.4	0.8	66.	0.1
AE	18-22	10YR	6/3	PALE BROWN	MMPL	FR	SIL					
BT	22-80	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		7.3	0.4	50.	0.2
CK	80-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.8	0.2	51.	0.3

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G		G	G	F	G	F (Topsoil)
AE	18-22	G	G						F (Topsoil)
BT	22-80	F	F		G	G	G	G	F (Subsoil)
CK	80-120	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

WIND EROSION RISK:

WATER EROSION K=:

THICKNESS RANGE:

20 cm 15-25 NOT OBVIOUS

NONE LOW 0.053

LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE VERY FEW STONES NEAR THE SURFACE. STONES ARE FOUND IN THE SUBSOIL. THE SURFACE HORIZON IS QUITE VARIABLE IN COLOR AND IS VERY

APPARENT IN THE FIELDS.

09/01/93

SOIL SERIES: BENALTO-ST (stBEN) LANDFORM:

UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES: USUAL SOIL MOISTURE: MESIC

2-15%

SOIL CLASSIFICATION: DARK GRAY LUVISOL PARENT MATERIAL:

STONY, MODERATELY FINE

TILL

SURFACE STONINESS:

VERY

TYPICAL SOIL PROFILE:

Horizon Depth C		Color	Code	Color Name	or Name Structure C		ructure Consistence Texture			EC	Sat%	SAR
AP	0-18	10YR	3/3	DARK BROWN	MFGR	FR	STSIL		7.4	0.8	66	0.1
AE	18-22	10YR	6/3	PALE BROWN	MMPL	FR	STSIL				50	
BT	22-80	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	STCL		7.3	0.4	51	0.2
CK	80-120	2.5Y	4/4	OLIVE BROWN	MA	F	STCL		7.8	0.2	0.	0.3

SOIL QUALITY RATINGS:

		ce Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
AP 0-1	8 G	P		G	 G	F	G	P (Topsoil)
AE 18-2	2 G	P						P (Topsoil)
BT 22-8	0 F	P		G	G	G	G	P (Subsoil)
CK 80-1	20 F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOI	L: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BENALTO THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

BENALTO-XS (xsBEN) LANDFORM:

UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

USUAL SOIL MOISTURE: MESIC

TYPICAL SLOPES:

2-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY FINE

TILL/GLACIOFLUVIAL

SURFACE STONINESS: SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	2.5	6.5	0.3	38.	0.3
BT	18-45	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL		6.2	0.2	36.	0.4
BC	45-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	CSL		6.2	0.2	22.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G	G	G	G	G	G	G (Topsoil)
BT	18-45	F	F		F	G	G	G	F (Subsoil)
BC	45-110	F	G		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20
THICKNESS RANGE:	15-2
COLOR CHANGE TO SUBSOIL:	NOT (
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODE
RISK ON 9-15% SLOPE:	HIGH

20 cm
15-25 cm
NOT OBVIOUS
NONE
LOW
0.053
LOW
MODERATE
TITOIT

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

VARIANT OF BENALTO THAT HAS SANDY TEXTURED MATERIAL WITHIN 1 M OF NOTES: THE SURFACE. THE UNDERLYING MATERIAL MAY HAVE UNSTABLE EXPOSED FACES WHEN VERTICALLY DITCHED.

NO

NO

NO

NO

NO

NO

NO

NO

NO

09/01/93

SOIL SERIES:

BLOOMSBURY

LANDFORM:

UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

KNOLLS

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

2-15%

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOIST NON

TYPICAL SOIL PROFILE:

Horizon	rizon Depth Color Code Color Name Structure Consisten		Consistence	onsistence Texture			EC	Sat%	SAR					
AP	0-17	10YR	5/3		BROWN		WFGR	FR	L	1.8	6.6			
BT	17-48	10YR	4/6	DARK	YELLOWISH	BROWN	MMSBK	F	C	0.8	6.4			
CK	48-120	2.5Y	6/4	LIGHT	YELLOWISH	BROWN	MA	FR-F	SICL		7.5			

(BLB)

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-17	G	G	F	G				F (Topsoil)
BT	17-48	F	P		F				P (Subsoil)
CK	48-120	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.063
RISK ON <5% SLOPE:	MODERATE

STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

HARD BEDROCK:

GRAVEL:

SODIC SOFTROCK:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: BLOOMSBURY SOILS HAVE LITTLE OR NO TOPSOIL IN FORESTED AREAS. INSTEAD, THEY HAVE A DISTINCT LIGHT GRAY AE HORIZON UNDERLYING THE LEAF LITTER. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE LF AND AE HORIZONS AND IS FAIRLY LIGHT IN COLOR. THE AP HORIZON IS ABOUT 15 CM IN THICKNESS.

MODERATE

HIGH

09/01/93

SOIL SERIES:

BOSCOMBE (BOB)

LANDFORM:

UNDULATING

2~5%

SOIL ZONE:

DARK GRAY-GRAY

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth Color Code Color Name		Color Name	Structure	o.c.	рН	EC	Sat%	SAR			
AP	0-15	10YR	2/1	BLACK	MFGR	FR	L	4.1	7.	3.3	54.	0.
BTGJ	15-45	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	SCL		7.	3.5	36.	0.
CKGJ	45-120	10YR	5/2	GRAYISH BROWN	MA	F	SCL		7.4	3.4	44.	0.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	G	F	G	 G	F (Topsoil)
BTGJ	15-45	F	F		G	F	G	G	F (Subsoil)
CKGJ	45-120	F	F		G	F	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES:

BOSCOMBE IS LIKE A GLEYED BENATLTO. THESE SOILS HAVE VERY FEW STONES NEAR THE SURFACE. STONES ARE FOUND IN THE SUBSOIL. THE SURFACE MATERIAL IS QUITE VARIABLE IN COLOR AND IS VERY APPARENT IN THE FIELDS. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

BRETON

(BTN)

LANDFORM:

UNDULATING, STEEP

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-45%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Color Code Color Name Structure Consistence Texture O.C.				o.c.	рН	EC	Sat%	SAR	
AP	0-15	10YR	3/4	DARK YELLOWISH BROWN	WFGR	FR	CL		6.8	1.	59.	
BT .	15-55	10YR	5/4	YELLOWISH BROWN	SFSBK	F	CL		7.9	0.4	45.	0.7
CK	55-110	10YR	6/4	LIGHT YELLOWISH BROWN	MA	F	CL		7.9	0.3	49.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	F		G	G	G ·		F (Topsoil)
BT .	15-55	F	F		F	G	G	G	F (Subsoil)
CK	55-110	F .	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K::
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RICK ON 9-15% SLOPE.

10-20 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS, TOPOGRAPHY LOW 0.059 LOW MODERATE HIGH

15 cm

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO **GRAVEL:** NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: IN FORESTED AREAS, BRETON SOILS HAVE LITTLE OR NO TOPSOIL (AH HORIZON). INSTEAD, THEY HAVE A THIN LH HORIZON AND A PLATY GRAYISH BROWN AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON IS A MIXTURE OF THE LH AND AE HORIZONS, IS ABOUT 15 CM IN THICKNESS AND LIGHT IN COLOR. THESE SOILS ARE DEVELOPED ON CONTINENTAL TILL OF THE PASKAPOO FORMATION. EXPOSURES OF PASKAPOO SANDSTONES ARE COMMONLY ASSOCIATED WITH BRETON SOILS.

09/01/93

SOIL SERIES:

BRETON-ST

(stBTN) LANDFORM:

UNDULATING, STEEP

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-45%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

STONY, MODERATELY FINE TILL

SURFACE STONINESS:

EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AP	0-15	10YR	3/4	DARK YELLOWISH BROWN	WFGR	FR	STCL			1.	59	
BT CK	15-55 55-110	10YR 10YR	5/4 6/4	YELLOWISH BROWN DARK YELLOWISH BROWN	SFSBK MA	F	STCL			0.4		0.7
	23-110	101K		DARK TELLOWISH BROWN			2101				49	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	P		G	G	G		P (Topsoil)
BT	15-55	F	P		F	G	G	G	P (Subsoil)
CK	55-110	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 15 cm 10-20 cm NOT OBVIOUS VERY THIN,

DISCONTINUOUS, STONY, TOPOGRAPHY

LOW 0.059 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BRETON THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

BRETON-XP

(xpBTN)

LANDFORM: UNDULATING, STEEP

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-45%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL MODERATELY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS: MESIC MODERATELY

PARENT MATERIAL:

TILL/SOFTROCK

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture			0.Ç.	рН	EC	Sat%	SAR
AE .	8-25	10YR	6/3	PALE BROWN	MMPL	FR	L		6.1	0.14		
AE	0-14	10YR	6/2	LIGHT BROWNISH GRAY	MMPL	VFR	SIL	0.9	6.6	0.3	33.	0.
BT	22-70	10YR	5/3	BROWN	MFSBK	F	CL		6.	0.2	33.	0.
BTGJ	33-50	10YR	5/3	BROWN	MMSBK	F	CL		5.5	0.14		
BC	75-100	10YR	4/3	BROWN-DARK BROWN	MA	F	SCL		5.4	0.24		
2BC	70-150	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	FR	SL		6.6	0.1	33.	0.4
2CK	100-135	2.5Y	5/4	LIGHT OLIVE BROWN	STRAT	FR	SIL		7.5	0.41		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	8-25	G	G		F	G			F (Topsoil)
AE	0-14	G	G	P	G	G	G	G	P (Topsoil)
BT	22-70	F	F		F	G	G	G	F (Subsoil)
BTGJ	33-50	F	F		F	G			F (Subsoil)
BC	75-100	F	F		P	G			P (Subsoil)
2BC	70-150	G	G		G	G	G	G	G (Subsoil)
2CK	100-135	G	G		G	G			G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:

ΊI	ND		ER	os	Ι	ON		R:	IS	K	:			
IΑ	ΤE	R	Ε	RO	S	IO	N]	Κ=	::				
	RI	S	K	ON		<5	કૃ	:	SI	0	PΕ	3:		
	RI	S	K	ON		5-	9	ક	S	L	OI	PΕ	:	
	RI	S	K	ON		9-	1	5	ક	S	L	PΩ	E	:

0	cm		
0-5		cm	
NOT	OBV:	IOUS	
VER'	TH:	IN,	
DISC	CONT	INUOU	S,
TOP	OGRA	PHY	
LOW			
0.05	59		
LOW			
MODE	ERATI	E	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES	SALINE OR SODIC LOWER SUBSOIL:	NO
--	--------------------------------	----

NOTES: VARIANT OF BRETON THAT HAS WEATHERED BEDROCK WITHIN 1 M OF THE SURFACE. THE UNDERLYING SOFTROCK IS USUALLY NON SALINE-SODIC AND SANDY LOAM TO SILT LOAM TEXTURED. EXPOSED FACES OF THE SANDIER TEXTURED SOFTROCK MAY BE UNSTABLE. OCCASIONALLY, A CONSOLIDATED BEDROCK SLAB MAY BE ENCOUNTERED.

HIGH

09/01/93

SOIL SERIES:

SOIL ZONE:

BROSSEAU-CRZR

LANDFORM:

ROLLING

(crzrBSU) DARK GRAY-GRAY TYPICAL SLOPES:

6-15%

SOIL CLASSIFICATION: REGO DARK GRAY CHERNOZEMIC SURFACE STONINESS:

USUAL SOIL MOISTURE:

MOIST

NON

(CARBONATED)

PARENT MATERIAL:

FINE SOFTROCK

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure (Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHEK	0-13 13-45	10YR M 3/1 2.5Y M 3/2	VERY DARK GRAY VERY DARK GRAYISH	WFGR WFSBK	FR	SIC	6.2	6.6		
CK	45-100	2.51 M 3/2 2.5Y M 4/4	OLIVE BROWN	MA	F	CL		7.2		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AHEK	0-13	G .	P	G	G				P (Topsoil)
BCK	13-45	F	G		G				G (Subsoil)
CK	45-100	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm THICKNESS RANGE: 10-15 COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: LOW WATER EROSION K =: 0.026 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BROSSEAU THAT HAS REGO PROFILES AND IS CARBONATED.

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SCA 11

09/01/93

SOIL SERIES: BROSSEAU-ER (erBSU) LANDFORM: ROLLING
SOIL ZONE: DARK GRAY-GRAY TYPICAL SLOPES: 6-15%
SOIL CLASSIFICATION: ORTHIC DARK GRAY USUAL SOIL MOISTURE: MOIST
CHERNOZEMIC (ERODED) SURFACE STONINESS: NON

PARENT MATERIAL: FINE SOFTROCK

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C. pH		EC	Sat% SAR
AHE	0-6 6-23	10YRm 3/1	VERY DARK GRAY VERY DARK GRAYISH BROWN	WFGR SCABK	FR F	SIC	6.2	6.6		
BC	23-46		VERY DARK GRAYISH BROWN	WFSBK	F	L	2.1	7.		
CK	46-120	2.5Ym 4/4	OLIVE BROWN	MA	F	CL		7.2		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHE BT BC CK	0-6 6-23 23-46 46-120	G F F	P P G F	G	G G G				P (Topsoil) P (Subsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	5 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	0-5 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	YES
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	NO
WIND EROSION RISK:	MODERATE	STONY LAYER:	NO
WATER EROSION K=:	0.026	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	LOW	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	MODERATE	IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF BROSSEAU.

09/01/93

SOIL SERIES:

CARVEL

(CVL)

LANDFORM:

ROLLING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL OR

SURFACE STONINESS:

NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-20	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	SL	2.6	5.9	0.3	43.	0.
AE	20-40	10YR	5/2	GRAYISH BROWN	WFPL	VFR	SL	0.7	6.	0.3	27.	0.
BT	40-85	10YR	4/3	BROWN-DARK BROWN	WFSBK	FR	L		6.	0.3	29.	0.
BC	85-130	10YR	4/3	BROWN-DARK BROWN	MA	FR	SL		6.2	0.4	38.	0.4

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	G	G	F	G	G	G	F (Topsoil)
AE	20-40	G	G	P	F	G	F	G	P (Topsoil)
BT	40-85	G	G		F	G	F	G	F (Subsoil)
BC	85-130	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: THICKNESS RANGE:

WIND EROSION RISK:

WATER EROSION K=:

20 cm 15-25 cm NOT OBVIOUS NONE LOW 0.055

LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: CARVEL SOILS ARE DISTINGUISHED BY THE OVERALL BROWN COLOR AND FINE TEXTURED BANDS IN THE B HORIZON. A LIGHT COLORED AE HORIZON USUALLY SEPARATES THE TOPSOIL FROM THE SUBSOIL.

09/01/93

SOIL SERIES:

COOKING LAKE

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

(COA)

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	pН	EC	Sat% SAR
АН	0-5	10YRm	2/2	VERY DARK BROWN	WMGR	VFR	L				
AE .	5-15	10YRm	4/2	DARK GRAYISH BROWN	WFPL	VFR	L	1.03	6.9		
BT1	15-56	10YRm	4/3	BROWN-DARK BROWN	MFSBK	F	CL	0.6	5.8		
BC	56-92	10YRm	4/3	BROWN-DARK BROWN	MMSBK	F	L-CL	0.52	6.9		
CCA1	92-123	2.5Ym	4/2	DARK GRAYISH BROWN	WMSBK	FR	L-CL		7.6		
CCA2	123-194	10YRm	5/4	YELLOWISH BROWN	WMSBK	FR	L-CL		7.6		
CK	194-200	10YRm	4/2	DARK GRAYISH BROWN	WMSBK	FR	L		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
АН	0-5	G	G						G (Topsoil)
AE	5-15	G	G	F	G				F (Topsoil)
BT1	15-56	F	F		F				F (Subsoil)
BC	56-92	F	F		G				F (Subsoil)
CCA1	92-123	G	F		F				F (Subsoil)
CCA2	123-194	G	F		F				F (Subsoil)
CK	194-200	G	G		G				G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	NO
WIND EROSION RISK:	LOW	STONY LAYER:	NO
WATER EROSION K=:	0.057	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	HIGH	IMPORTANT TEXTURE CHANGE:	NO

IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE A LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF LH AND AE HORIZONS AND IS LIGHT IN COLOR AND ABOUT 15 CM IN THICKNESS. COOKING LAKE SOILS ARE DEVELOPED ON CONTINENTAL TILL OF THE EDMONTON FORMATION.

INTERPRETATION GUIDELINES

SCA 11

09/01/93

SOIL SERIES:

COOKING LAKE-ER

(erCOA)

LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK GRAY-GRAY

(ERODED)

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

MESTC

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth Color Code		Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat% SAR
AP	0-5	10YR	5/3	BROWN	MMPL	FR	CL	2.3	6.3	0.4	0.6
BT	5-45	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		6.9	0.3	0.4
CK	45-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		8.1	0.5	0.7

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC '	Sat% .	SAR	Overall Rating
AP	0-5	G	F	G	F	G		G	F (Topsoil)
BT	5-45	F	F		G	G		G	F (Subsoil)
CK	45-130	F	F		F	G		G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

cm 0-5 NOT OBVIOUS VERY THIN, DISCONTINUOUS LOW 0.057 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF COOKING LAKE. ERODED SOILS ARE EVIDENT IN CULTIVATED AREAS WHERE THE AP HORIZON IS NORMALLY ABOUT 15 CM THICK.

09/01/93

SOIL SERIES:

COOKING LAKE-ST (stCOA) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS:

EXCEEDINGLY

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH ·	0-4	10YR	3/3	DARK BROWN	MFGR	VFR	STSIL	2.3	6.	0.5	40.	0.2
AE	4-22	10YR	7/1	LIGHT GRAY	MFL	FR	STSIL	2.3	6.	0.5	40.	0.2
BT	30-46	10YR	5/3	BROWN	MCSBK	F	STSIC		6.7		35.	
BC	46-86	10YR	4/4	DARK YELLOWISH BROWN	MA	F	STCL		6.7		35.	
С	86-115	2.5Y	4/4	OLIVE BROWN	MA	F	STCL		6.7		35.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
AH	0-4	G	P	G	F	G	G	G	P (Topsoil)	
AE	4-22	G	P	G	F	G	G	G	P (Topsoil)	
BT	30-46	F	P		G		G		P (Subsoil)	
BC	46-86	F	P		G		G		P (Subsoil)	
С	86-115	F	P		G		G		P (Subsoil)	

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:

VΙ	ND	EI	ROSI	ON	RI	SK:		
٧A	TE	R I	EROS	ION	1 K:	=:		
	RI	SK	ON	<58	s S	LOPI	Ξ:	
	RI	SK	ON	5-9) के s	SLO	PE:	
	RI	SK	ON	9-1	.5%	SLO	OPE:	

10-20	cm	
NOT OBV	COUS	
VERY THI	IN,	
DISCONT	NUOUS,	STONY
LOW		
0.057		
LOW		
MODERATE	3	

15 cm

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF COOKING LAKE THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

DAKEN

(DKN)

LANDFORM:

LEVEL 0-1%

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL VERY COARSE FLUVIAL OR

SURFACE STONINESS:

NON

EOLIAN

TYPICAL SOIL PROFILE:

Horizon	Depth Color Code		Color Name	Structure	Structure Consistence Texture			pН	EC	Sat%	SAR	
APK	0-20	10YR	2/1	BLACK	WFGR	FR	FSL		7.5	5.	87.	3.1
CKG1	20-50	10YR	7/1	LIGHT GRAY	SGR	FR	FSL		7.8	5.8	32.	6.2
CKG2	50-75	10YR	5/1	GRAY	STRAT	FR	SIL		7.9	3.8	43.	4.2
CKG3	75-110	10YR	5/1	GRAY	SGR	L	LS		7.9	2.7	31.	2.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK CKG1	0-20	G G	G G		G F	P P	P G	G F	P (Topsoil) P (Subsoil)
CKG2	50-75	G	G		F	F	G	F	F (Subsoil)
CKG3	75-110	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

Т	YPICAL T	HICKNESS:	20 cm
Т	HICKNESS	RANGE:	10-30
C	OLOR CHAI	NGE TO SUBSOIL:	OBVIOUS
S	TRIPPING	LIMITATIONS:	WETNESS
W	IND EROS	ION RISK:	
W	ATER EROS	SION K=:	-
	RISK ON	<5% SLOPE:	-
	RISK ON	5-9% SLOPE:	-
	RISK ON	9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	MO

NOTES: THESE SOILS ARE WET ALL YEAR AND VERY COARSE TEXTURED. AS A RESULT, EXPOSED FACES ARE UNSTABLE.

cm

09/01/93

SOIL SERIES:

DAKEN-PT

(ptDKN)

LANDFORM:

LEVEL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

DOLL OLIDDLI LOILLE

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL (PEATY)

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

SURFACE STONINESS:

NON

EOLIAN

TYPICAL SOIL PROFILE:

	Depth	Color Code Color N		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
OM AH CKG	0-20 20-40 40-100		2/2 2/1 5/1	VERY DARK BROWN BLACK BRAY	WFGR SGR	FR L	O FSL LS		7.5		87. 31.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нq	EC	Sat%	SAR	Overall Rating
OM	0-20								
AH	20-40	G	G		G		P		P (Topsoil)
CKG	40-100	F	P		F		G		P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	40 cm (PEAT &	SEASONALLY HIGH W.T.:	ALL
	TOPSOIL)	HARD BEDROCK:	NO
THICKNESS RANGE:	25-60 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF DAKEN THAT HAS 15 TO 50 CM OF PEAT ON THE SURFACE. THE UNDERLYING TOPSOIL IS ABOUT 20 CM THICK. THESE SOILS ARE WET ALL YEAR AND VERY COARSE TEXTURED. AS A RESULT, EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES: SOIL ZONE: DEVON

(DEV)

LANDFORM:

LEVEL, DEPRESSIONAL,

BOG

SOIL CLASSIFICATION: TYPIC MESISOL

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

ORGANIC

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure Consistence Texture	o.c.	pH EC	Sat% SAR
OF 0-30 OM1 30-70 OMF 70-110 OM2 110-170	7.5YR 4/6 10YR 3/2 10YR 3/3 10YR 2/1	STRONG BROWN VERY DARK GRAYISH BROWN DARK BROWN BLACK	0 0 0	56.5 54.7		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
				_					
OF	0-30			G					
OM1	30-70			G	U				
OMF	70-110			G	U				
					_				
OM2	110-170			G	P				

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	0 cm	SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
COLOR CHANGE TO SUBSOIL:	-	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO ·
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVON SOILS ARE CHARACTERIZED BY AN ACCUMULATION OF SPHAGNUM FOREST PEAT THAT IS GREATER THAN 1 M THICK.

09/01/93

SOIL SERIES:

DEVON-XC

(xcDEV)

LANDFORM:

LEVEL, DEPRESSIONAL,

BOG

SOIL ZONE:

DARK GRAY-GRAY

SOIL CLASSIFICATION: TERRIC MESISOL TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

ORGANIC/GLACIOLACUSTRINE

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

HOLIZON	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
OMP	0-25	10YR	2/2	VERY DARK BROWN			0	45.6	6.6		
OM	25~65	10YR	3/2	VERY DARK GRAYISH BROWN			0	46.9	6.3		
AH	65-82	10YR	2/1	BLACK	MFGR	FR-F	CL	5.1	6.6		
CKG	82-110	10YR	7/1	LIGHT GRAY	MA	F	CL		7.3		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OMP OM AH	0-25 25-65 65-82	р	F	G G G	F				P (Topsoil)
CKG	82-110	F	F	9	G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:		NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF DEVON THAT IS CHARACTERIZED BY AN ACCUMULATION OF SPHAGNUM FOREST PEAT THAT IS 0.5 TO 1 M. IN THICKNESS OVERLYING CLAY TEXTURED GLACIOLACUSTRINE MATERIAL.

09/01/93

SOIL SERIES:

DEVON-YC

(ycDEV) LANDFORM:

LEVEL, DEPRESSIONAL,

BOG

SOIL ZONE: SOIL CLASSIFICATION: TYPIC MESISOL

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

ORGANIC/GLACIOLACUSTRINE

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Co	onsistence	Texture	o.c.	рН	EC	Sat% SAR
OMP OM1	0-15 15-75	10YR 10YR	2/2	VERY DARK BROWN			0	49. 51.3	6.3 5.7		
OF	75-115	7.5YR	3/2	DARK BROWN			0	50.5	5.6		
OM2 CKG	115-155 163-190	10YR 2.5Y	2/2 4/0	VERY DARK BROWN DARK GRAY	STRAT	F	OSICL	52.5	5.7 7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OMP	0-15			G					
OM1	15-75			G	F				
OF	75-115			G	F				
OM2	115-155			G	F				
CKG	163-190	F	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:		NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	_	STONY LAYER:	NO
RISK ON <5% SLOPE:	_	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	_	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF DEVON THAT IS CHARACTERIZED BY AN ACCUMULATION OF SPHAGNUM FOREST PEAT THAT IS 1 TO 2 M IN THICKNESS OVERLYING CLAY TEXTURED

GLACIOLACUUSTRINE MATERIAL.

09/01/93

SOIL SERIES:

DNISTER

(DNT) LAI

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

SOIL CLASSIFICATION:
PARENT MATERIAL:

GRAY SOLODIZED SOLONETZ
MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

VERY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SA	AR
AH	0-5	10YRm	3/1	VERY DARK GRAY	WMGR	STVFR	CL	5.67	5.8			
AE .	5-15	10YRm	7/3	VERY PALE BROWN	MFPL	STVFR	SIL	0.28	6.2			
BNT1	15-35	2.5Ym	3/2	VERY DARK GRAYISH BROWN	MMCOL	VF	CL	0.32	6.4			
BNT2	35-63	2.5Ym	4/2	DARK GRAYISH BROWN	MMPR	VF	CL	0.19	7.5			
CCA	63-101	2.5Ym	4/4	OLIVE BROWN	WCSBK	FR	CL-SCL	0.33	8.2			
CK1	101-167	10YRm	4/3	DARK BROWN	MA	F	CL	0.23	8.2			
CK2	167-243	10YRm	4/3	DARK BROWN	MA	F	CL	0.34	8.1			
2C	243-250	10YRm	4/2	DARK GRAYISH BROWN	MA	F	C		7.4			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-5	P	F	G	F				P (Topsoil)
AE	5-15	P	G	P	F				P (Topsoil)
BNT1	15-35	P	F		F				P (Subsoil)
BNT2	35-63	P	F		G				P (Subsoil)
CCA	63-101	G	F		F				F (Subsoil)
CK1	101-167	F	F		F				F (Subsoil)
CK2	167-243	F	F		F				F (Subsoil)
2C	243-250		P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

MYDICAL MUICKNECC.

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL	:
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	

RISK ON 9-15% SLOPE:

5-15	cm	
NOT C	BVIOU	S
VERY	THIN,	STON
LOW		
0.059)	
LOW		
MODEF	RATE	

10 cm

HIGH

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DNISTER SOILS HAVE A VERY HARD BNT HORIZON AND A SALINE AND/OR SODIC SUBSOIL. IN MOST AREAS, SOME STONE REMOVAL WILL BE REQUIRED TO REDUCE INTERFERENCE TO FARM IMPLEMENTS. THE TILL HAS A BEDROCK APPEARANCE AND THE BEDROCK IS OFTEN WITHIN 2 M OF THE SURFACE.

09/01/93

SOIL SERIES:

DOWNING-AA

(aaDWG) LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY-GRAY

GLACIOFLUVIAL/TILL

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE SURFACE STONINESS:

MOM

TYPICAL SOIL PROFILE:

Horizon	n Depth Color Code		Color Name	Structure Consistence Texture			o.c.	pH EC		Sat% SAR	
AEP	0-15	10YR	5/3	BROWN	SGR	L	cs	1.7	6.8	0.3	25.
BM	15-75	10YR	4/3	BROWN-DARK BROWN	SGR	L	GRCS		7.	0.2	21.
2BC	75-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		6.3	0.4	43.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AEP	0-15	F	Р	F	G	G	F		P (Topsoil)
BM	15-75	F	P		G	G	F		P (Subsoil)
2BC	75-130	F	F		F	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS
STRIPPING LIMITATIONS: VERY THIN, GRAVELLY
WIND EROSION RISK. THICKNESS RANGE: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 10 cm 5-15 cm

VERY THIN, GRAVELLY HIGH 0.020 LOW

MODERATE

LOW

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: HOME SCA IS 12. THE UPPER MATERIAL IS VERY COARSE TEXTURED AND MAY HAVE UNSTABLE EXPOSED FACES WHEN VERTICALLY DITCHED. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS AN LH HORIOZN OVERLYING A PLATY, LIGHT GRAY AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON OR TOPSOIL IS MAINLY DERIVED FROM AE MATERIAL AND IS VERY LIGHT

IN COLOR.

09/01/93

SOIL SERIES:

EDWAND-AA

(aaEDW) LANDFORM:

UNDULATING, ROLLING,

SOIL ZONE:

DARK GRAY-GRAY

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL TYPICAL SLOPES:

HUMMOCKY

USUAL SOIL MOISTURE:

2-15%

PARENT MATERIAL:

GRAVELLY, VERY COARSE

DROUGHTY

GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

	Depth	Color		Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
LH/AH	0-4	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	LS			0.7		
AE	4-12	10YR	5/3	BROWN	SGR	L	S		5.5	0.2	25.	0.3
ВМ	12-50	10YR	5/4	YELLOWISH BROWN	SGR	L	CS		5.2	0.2	26.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH/AH AE	0-4 4-12	F	P P		F F	G G	G F	G G	P (Topsoil) P (Topsoil)
BM	12-50	F	P		P	G	F	G	P (Subsc

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS,
	GRAVELLY
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NON-SODIC SOFTROCK: NC SODIC SOFTROCK: NC GRAVEL: YE STONY LAYER: NC FACE INSTABILITY: YE SOLONETZIC B HORIZON: NC SALINE OR SODIC LOWER SUBSOIL: NC IMPORTANT TEXTURE CHANGE: NC

NOTES: HOME SCA IS 12. THESE SOILS HAVE LITTLE OR NO TOPSOIL BUT HAVE A THIN LH HORIZON OVERLYING A PALE BROWN AE HORIZON. WEAK PROFILE DEVELOPMENT ON GRAVELLY COARSE SAND HAS RESULTED IN INDISTINCT HORIZONATION. EXPOSED FACES ARE UNSTABLE. EDWAND SOILS ARE DROUGHTY.

09/01/93

SOIL SERIES:

EGREMONT

(EGO)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: GLEYED DARK GRAY

TEVED DARK CDAY

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

CHERNOZEMIC

SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAI
0-13 10YR	2/2	VERY DARK BROWN			0	20.1	6.6		
.3-38 2.5Ym	3/0	VERY DARK GRAY	WCPL	VFR	CL	1.74	6.5		
8-46 2.5Ym	4/2	DARK GRAYISH BROWN	MMPL	VFR	L	0.61	6.9		
6-64 10YRm	3/3	DARK BROWN	MMSBK	FR	SCL	0.41	7.4		
4-94 10YRm	4/2	DARK GRAYISH BROWN	WMSBK	FR	L	0.33	7.7		
4-140 10YRm	4/3	BROWN-DARK BROWN	MA	FR	L-CL	0.23	7.8		
֡	13-38 2.5Ym 38-46 2.5Ym 16-64 10YRm 54-94 10YRm	2.5Ym 3/0 88-46 2.5Ym 4/2 16-64 10YRm 3/3 54-94 10YRm 4/2	13-38 2.5ym 3/0 VERY DARK GRAY 18-46 2.5ym 4/2 DARK GRAYISH BROWN 16-64 10yrm 3/3 DARK BROWN 14-94 10yrm 4/2 DARK GRAYISH BROWN	13-38 2.5ym 3/0 VERY DARK GRAY WCPL 18-46 2.5ym 4/2 DARK GRAYISH BROWN MMPL 16-64 10Yrm 3/3 DARK BROWN MMSBK 14-94 10Yrm 4/2 DARK GRAYISH BROWN WMSBK	13-38 2.5 ym 3/0 VERY DARK GRAY WCPL VFR 18-46 2.5 ym 4/2 DARK GRAYISH BROWN MMPL VFR 16-64 10 yrm 3/3 DARK BROWN MMSBK FR 14-94 10 yrm 4/2 DARK GRAYISH BROWN WMSBK FR	13-38 2.5Ym 3/0 VERY DARK GRAY WCPL VFR CL 18-46 2.5Ym 4/2 DARK GRAYISH BROWN MMPL VFR L 16-64 10YRm 3/3 DARK BROWN MMSBK FR SCL 54-94 10YRm 4/2 DARK GRAYISH BROWN WMSBK FR L	13-38 2.5 ym 3/0 VERY DARK GRAY WCPL VFR CL 1.74 18-46 2.5 ym 4/2 DARK GRAYISH BROWN MMPL VFR L 0.61 16-64 10 yrm 3/3 DARK BROWN MMSBK FR SCL 0.41 54-94 10 yrm 4/2 DARK GRAYISH BROWN WMSBK FR L 0.33	13-38 2.5 ym 3/0 VERY DARK GRAY WCPL VFR CL 1.74 6.5 18-46 2.5 ym 4/2 DARK GRAYISH BROWN MMPL VFR L 0.61 6.9 16-64 10 yrm 3/3 DARK BROWN MMSBK FR SCL 0.41 7.4 54-94 10 yrm 4/2 DARK GRAYISH BROWN WMSBK FR L 0.33 7.7	13-38 2.5Ym 3/0 VERY DARK GRAY WCPL VFR CL 1.74 6.5 18-46 2.5Ym 4/2 DARK GRAYISH BROWN MMPL VFR L 0.61 6.9 16-64 10YRm 3/3 DARK BROWN MMSBK FR SCL 0.41 7.4 14-94 10YRm 4/2 DARK GRAYISH BROWN WMSBK FR L 0.33 7.7

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	Нд	EC	Sat%	SAR	Overall Rating
OM	0-13			G					
AHEGJ	13-38	G	F	F	G				F (Topsoil)
ABGJ	38-46	G	G		G				G (Subsoil)
BM	46-64	G	F		G				F (Subsoil)
CCA	64-94	G	G		F				F (Subsoil)
CK	94-140	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE.

20 cm	
10-30	cm
OBVIOUS	
WETNESS	
LOW	
0.034	
LOW	
MODERATI	Ξ
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS: SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO

NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO **GRAVEL:** NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: EGREMONT SOILS ARE FOUND IN POSITIONS OF VERY LITTLE SLOPE WHERE SURFACE DRAINAGE IS IMPERFECT, RESULTING IN THE GLEYED CONDITIONS OF THIS SOIL. ORGANIC SURFACE DEPOSITS OF LESS THAN 15 CM ARE COMMON.

INTERPRETATION GUIDELINES

SCA 11

09/01/93

SOIL SERIES: ELK POINT (ELP) LANDFORM: UNDULATING, ROLLING

DARK GRAY-GRAY TYPICAL SLOPES: 2-15% SOIL ZONE: SOIL CLASSIFICATION: DARK GRAY LUVISOL USUAL SOIL MOISTURE: DROUGHTY MODERATELY COARSE SURFACE STONINESS: PARENT MATERIAL: NON

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth		r Code Color Name		Structure Consistence Texture			O.C.	рн	EC	Sat%	SAR
AP	0-30	10YR	3/1	VERY DARK GRAY	WFGR	FR	SL	1.7	6.5	0.3	37.	0.
BT	30-70	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	SL		6.1	0.2	28.	0.
BC	70-110	10YR	3/4	DARK YELLOWISH BROWN	SGR	FR	SL					
CK	110-150	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	LS		7.3	0.4	30.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BT	0-30 30-70	G G	G G	F	G F	G G	G F	G G	F (Topsoil) F (Subsoil)
BC	70-110	G	G						G (Subsoil)
CK	110-150	G	P		G	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	15 cm 10-30 cm OBVIOUS NONE HIGH 0.040 LOW MODERATE	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON:	NO NO NO NO NO VES NO
	MODERATE		
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE CHARACTERIZED BY BANDING OR STRATIFICATION IN THE LOWER C HORIZON. EXPOSED FACES ARE UNSTABLE DUE TO THE SANDY TEXTURED

MATERIAL.

09/01/93

SOIL SERIES:

EVANSBURG

(EBG)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

WATER TABLE/PONDING

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL

PARENT MATERIAL:

USUAL SOIL MOISTURE: VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

NON

2-5%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рH	EC	Sat% SAR
LH	0-8		/						5.7		
AH	8-11	10YRm	3/1	VERY DARK GRAY	SMGR	FR-F	SIC	4.27	5.6	0.3	
AEGJ	11-16	10YRm	6/4	LIGHT YELLOWISH BROWN	SMPL	FR-F	SIL	0.87	5.8	0.7	
BTGJ	16-47	10YRm	4/2	DARK GRAYISH BROWN	MFSBK	VF	HC	0.78	5.4	0.4	
BCGJ	47-80	10YRm	4/3	BROWN	STRAT	F	HC		6.	0.3	
CCA	80-88	10YRm	5/4	YELLOWISH BROWN	STRAT	FR	SIC		7.2	0.3	
CKGJ	88-100	10YRm	4/3	BROWN	STRAT	F	HC		7.1	0.3	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-8								
AH	8-11	р	P	G	F	G			P (Topsoil)
AEGJ	11-16	P	G	P	F	G			P (Topsoil)
BTGJ	16-47	P	P		P	G			P (Subsoil)
BCGJ	47-80	F	P		F	G			P (Subsoil)
CCA	80-88	G	P		G	G			P (Subsoil)
CKGJ	88-100	F	P		G	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm THICKNESS RANGE: 10-20 cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: VERY THIN, DISCONTINUOUS, WETNESS WIND EROSION RISK: MODERATE WATER EROSION K=: 0.059 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	SPR NO NO NO NO NO NO NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: EVANSBURG SOILS HAVE LITTLE OR NO TOPSOIL, BUT HAVE AN AE HORIZON. THESE SOILS HAVE A RELATIVELY IMPERMEABLE SUBSOIL. BECAUSE OF HIGH WATER TABLES AND VERY FINE TEXTURES, WATER PENETRATION IS IMPEDED. LOCAL FLOODING OR WATER LOGGING IS A HAZARD IN RAINY SEASONS.

09/01/93

SOIL SERIES:

FALUN

(FLU)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

CHERNOZEMIC

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon Depth	Color Cod	e Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP 0-18 BTJ 18-40 BC 40-65 CK 65-11	10YR 4/	DARK YELLOWISH BROWN DARK YELLOWISH BROWN	MMGR WFSBK WFSBK MA	FR F F	CL CL				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BTJ	0-18 18-40 40-65	G F F	G F F						G (Topsoil) F (Subsoil)
BC CK	65-110	F	F						F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

			_
TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.034	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: FALUN SOILS ARE USUALLY FAIRLY UNIFORM IN CHARACTERISTICS SUCH AS TEXTURE, STRUCTURE AND COLOR.

09/01/93

SOIL SERIES:

GLORY

(GOY)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL OR

SURFACE STONINESS:

NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SA
LH	0-3	10YRm	2/2	VERY DARK BROWN					5.8		
AE1	3-26	10YRm	4/4	DARK YELLOWISH BROWN	WFPL	VFR	SIL	0.49	5.		
AE2	26-41	10YRm	4/4	DARK YELLOWISH BROWN	WFPL	VFR	SIL	0.35	4.9		
BT1	41-59	10YRm	4/4	DARK YELLOWISH BROWN	MFSBK	FR	SICL-SIC	0.38	4.5		
BT2	59-87	10YRm	4/4	DARK YELLOWISH BROWN	MFSBK	FR	SICL	0.47	4.4		
BC	87-102	10YRm	4/4	DARK YELLOWISH BROWN	WFSBK	VFR-L	L	0.26	4.1		
C1	102-155	10YYR	4/3	BROWN-DARK BROWN	WFPL	L	SIL		4.5		
C2	155-216	10YRm	4/3	BROWN-DARK BROWN	MA	FR	SIL		4.7		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
AE1	3-26	G	G	P	P				P (Topsoil)
AE2	26-41	G	G	P	P				P (Topsoil)
BT1	41-59	G	P		P				P (Subsoil)
BT2	59-87	G	F		U				U (Subsoil)
BC	87-102	F	G		U				U (Subsoil)
C1	102-155	F	G		P				P (Subsoil)
C2	155-216	G	G		P				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15	cm		
10-2	0	CM	
TOV	OBV	IOUS	5
JERY	TH	IN,	
DISC	TIO:	INUC	OUS
LOW			
0.6	3		

MODERATE MODERATE

HIGH

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: GLORY SOILS ARE DEVELOPED ON STONE-FREE PITTED DELTAIC DEPOSITS. THESE SOILS HAVE A HIGH SILT CONTENT WITH NUMEROUS AND VARIABLE TEXTURED BANDS. LIME CARBONATES ARE ABSENT AND THIS IS REFLECTED IN THE VERY LOW PH VALUES IN ALL HORIZONS. THESE ACID SOIL CONDITIONS ARE UNSUITABLE FOR THE AGRICULTURAL CROPS GROWN IN THE REGION.

09/01/93

SOIL SERIES: SOIL ZONE: GOLDEN SPIKE (GSP)

LANDFORM:

LEVEL, DEPRESSIONAL,

DARK GRAY-GRAY

TYPICAL SLOPES:

FEN 0-1%

PARENT MATERIAL:

SOIL CLASSIFICATION: TYPIC MESISOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

ORGANIC

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name		Color Name	Structure Consistence Texture	O.C.	рH	EC	Sat%	SAR
OM1	0-40	10YR	3/2	VERY DARK GRAYISH BROWN	0		7.5	0.8	160.	1.2
OM2	40-80	10YR	4/6	DARK YELLOWISH BROWN			7.	0.3	300.	0.
OM3	80-140	10YR	4/3	BROWN-DARK BROWN			6.9	0.4	300.	0.

SOIL QUALITY RATINGS:

Horizon Depth	Consistence	Texture	o.c.	рн	EC	Sat	sar	Overall Rating
OM1 0-40 OM2 40-80 OM3 80-14				G G	G G G	บ บ บ	G G G	

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	O cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	- cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:		NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	- ,	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE CHARACTERIZED BY AN ACCUMULATION OF SEDGE FEN PEAT GREATER THAN 1 M.

09/01/93

SOIL SERIES:

GRATZ

(GRZ) LANDFORM:

FLOODPLAIN

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: CUMULIC HUMIC REGOSOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MEDIUM FLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color	Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH	0-15	10YR	4/1	DARK	GRAY	WFGR	FR	SIL	6.2	7.5	0.6	66.	0.1
C1	15-50	10YR	4/1	DARK	GRAY	MA	FR	SL		8.	0.3	53.	0.2
C2	50-120	10YR	4/1	DARK	GRAY	MA	F	CL		8.	0.3	36.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	На	EC	Sat%	SAR	Overall Rating
HOLIZOII	Depth	Consistence	Texture	0.0.	pn	EC		SAR	Overall Rating
				~	~				
AH	0-15	G	G	G	G	G	F	G	F (Topsoil)
C1	15-50	G	G		F	G	G	G .	F (Subsoil)
C2	50-120	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	15 cm 15-20 cm NOT OBVIOUS NONE LOW 0.040 LOW MODERATE HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRATZ SOILS OCCUR ON RECENT FLUVIAL FLOODPLAINS AND HAVE BURIED TOPSOIL HORIZONS.

09/01/93

SOIL SERIES:

GRATZ-CAGL

LANDFORM:

FLOODPLAIN 0-5%

(caglGRZ)

TYPICAL SLOPES:

SOTI. ZONE:

DARK GRAY-GRAY

CALCAREOUS GLEYED CUMULIC

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION:

PARENT MATERIAL:

HUMIC REGOSOL

MEDIUM FLUVIAL

SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR 0-16 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR C 6.3 7.4 APK 16-30 OLIVE BROWN STRAT FR 1.8 7.5 2.5Y 4/4 L CKC.T1 FR 34-130 10YR 3/3 DARK BROWN STRAT T. 7.6

SOIL OUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating 0-16 · G P G P (Topsoil) APK 16-30 G G G G (Subsoil) CKGJT1 34-130 G G E. F (Subsoil)

TOPSOIL INTERPRETATIONS:

STRIPPING LIMITATIONS:

TYPICAL THICKNESS:

WIND EROSION RISK:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

THICKNESS RANGE:

WATER EROSION K=:

15 cm 15-20 cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS WETNESS T.OW 0.040 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE:

NOTES:

VARIANT OF GRATZ THAT IS CALCAREOUS TO THE SURFACE, IMPERFECTLY DRAINED, AND EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

THESE SOILS GENERALLY OCCUR IN LOWER LANDSCAPE POSITONS.

09/01/93

SOIL SERIES:

HELDAR

(HDR)

LANDFORM:

UNDULATING, HILLY

SOIL ZONE: SOIL CLASSIFICATION: DARK GRAY LUVISOL

DARK GRAY-GRAY

TYPICAL SLOPES: USUAL SOIL MOISTURE: 2-30%

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

MOIST NON

TYPICAL SOIL PROFILE:

	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-17	10YR		VERY DARK GRAYISH BROWN	MFGR	FR	SIL	6.1	6.9	0.5	70.	0.
BT	17-35	10YR	5/4	YELLOWISH BROWN	MFSBK	F	SICL		7.	0.3	59.	0.
CK	35-150	10YR	5/2	GRAYISH BROWN	MA	F	SICL		7.5	0.3	58.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BT	0-17 17-35 35-150	G F	G F	G	G G	G G	F G	G G	F (Topsoil) F (Subsoil)
CK	35-150	F	r'		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.050
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HELDAR SOILS ARE DEVELOPED ON WELL TO MODERATELY WELL DRAINED, SILTY CLAY TEXTURED GLACIOLACUSTRINE DEPOSITS THAT OCCUR ON A RANGE OF

COMPLEX TOPOGRAPHY.

09/01/93

SOIL SERIES:

HELLIWELL

(HLW) LANDFORM: UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

EOLIAN

TYPICAL SOIL PROFILE:

	Depth	Color		Color Name		Consistence		-		Sat% SAR
AH BC	0-15 70-150	10YR 10YR	3/1	VERY DARK GRAY YELLOWISH BROWN	WFGR SGR	VFR L	LS S	5.9	0.2	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH BC	0-15 70-150	G F	P P		F G	G G			P (Topsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HELLIWELL SOILS ARE VERY DROUGHTY. THE GLACIOFLUVIAL SANDS ARE WELL SORTED AND OFTEN LAYERED. EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

HELLIWELL-GL

(glHLW) LANDFORM: UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: GLEYED DARK GRAY

USUAL SOIL MOISTURE: WATERTABLE/PONDING

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

EOLIAN

TYPICAL SOIL PROFILE:

Horizon	Depth	pth Color Co		olor Code Color Name		Structure Consistence Texture			рН	EC	Sat%	SAR
AP	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	LS	3.9	7.8	1.	55.	0.8
BGJ	20-75	10YR	5/3	BROWN	SGR	L	LS		8.	0.6	32.	1.
CKGJ	75-130	10YR	5/3	BROWN	SGR	L	SL-LS		7.9	0.8	39.	1.5

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	F	P .	G	F	G	G	G	P (Topsoil)
BGJ CKGJ	20-75 75-130	F F	P		F	G G	G G	G G	P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF HELLIWELL THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS ARE USUALLY FOUND IN

LOWER LANDSCAPE POSITIONS.

09/01/93

SOIL SERIES:

HELLIWELL-XC

CHERNOZEMIC

(xcHLW) LANDFORM: UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

EOLIAN/GLACIOLACUSTRINE

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure (Structure Consistence		0.C.	рН	EC	Sat%	SAR
AP	0-30	10YR	3/1	VERY DARK GRAY	WFGR	VFR	SL	2.	8.3	1.	36.	5.3
BM	30-75	10YR	5/3	BROWN	SGR	L	LS	0.1	8.2	0.3	25.	4.2
2BCGJ	75-105	10YR	5/1	GRAY	MA	F	L-SIL		7.8	0.3	43.	5.1
2CKGJ	105-120	10YR	5/1	GRAY	MA	F	SIL		8.	0.4	53.	4.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BM	0-30 30-75	G F	G P	F	F F	G G	G F	F F	F (Topsoil) P (Subsoil)
2BCGJ 2CKGJ	75-105 105-120	F F	G G		F F	G G	G G	F F	F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	VES

NOTES: VARIANT OF HELLIWELL THAT HAS FINE TEXTURED GLACIOLACUSTRINE MATERIAL WITHIN 1 M OF THE SURFACE. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE.

09/01/93

SOIL SERIES:

HELLIWELL-XT

(xtHLW) LANDFORM:

UNDULATING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION:

ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

CHERNOZEMIC

SURFACE STONINESS:

MESIC NON

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

EOLIAN/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Textu		Texture	0.0.	рН	EC	Sat% SAR
AP	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	SGR	L	LS	2.2	6.2	0.5	31.
BM	18-98	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		7.	0.2	18.
2CK	98-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL		6.7	0.1	39.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC.	Sat%	SAR	Overall Rating
AP	0-18	F	P	G	F	G	G		P (Topsoil)
BM	18-98	F	P		G	G	P		P (Subsoil)
2CK	98-130	F	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF HELLIWELL THAT HAS MODERATELY FINE TEXTURED TILL WITHIN 1 M OF THE SURFACE. EXPOSED FACES OF THE UPPER MATERIAL ARE UNSTABLE.

09/01/93

SOIL SERIES: HIGHVALE (HGV) LANDFORM: ROLLING
SOIL ZONE: DARK GRAY-GRAY TYPICAL SLOPES: 6-15%
SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC
PARENT MATERIAL: MODERATELY FINE FLUVIAL OR SURFACE STONINESS: NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH ·	0-5		/					11.7	6.1		
AE	5-23	10Yd	6/2	LIGHT BROWNISH GRAY	MMPL	VFR	SIL	1.3	6.		
BT1	23-46	10YRd	6/3	PALE BROWN	MFSBK	F	SICL	0.75	6.2		
BT2	46-61	10YRd	6/4	LIGHT YELLOWISH BROWN	WFSBK	FR	SICL	0.5	5.8		
C1	61-122	10YRd	6/4	LIGHT YELLOWISH BROWN	STRAT	F	SICL	0.7	5.6		
C2	122-152	10YRd	6/4	LIGHT YELLOWISH BROWN	STRAT	F	SICL		6.		
C3	152-200	10YRd	6/4	LIGHT YELLOWISH BROWN	STRAT	F	SIL		6.2		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
LH	0-5			G					
AE	5-23	G	G	F	F				F (Topsoil)
BT1	23-46	F	F		F				F (Subsoil)
BT2	46-61	G	F		F				F (Subsoil)
C1	61-122	F	F		F				F (Subsoil)
C2	122-152	F	F		F				F (Subsoil)
C3	152-200	F	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	NO
WIND EROSION RISK:	LOW	STONY LAYER:	NO
WATER EROSION K=:	0.063	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	HIGH	IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HIGHVALE SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE AN LH OVERLYING A PLATY, LIGHT BROWNISH GRAY AE HORIZON. THE SUBSOIL IS A YELLOWISH BROWN COLOR.

09/01/93

SOIL SERIES: HOADLEY (HOD) LANDFORM: VENEER DARK GRAY-GRAY TYPICAL SLOPES: SOIL ZONE: 2-15% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MODERATELY COARSE SURFACE STONINESS: NON GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
LH/OAP AE	0-10 10-30	10YR 10YR	2/1 5/3	BLACK BROWN	WFPL	- VFR	O FSL	5.8	6.6 6.5	0.7	56. 31.	0.
2BT 2CK	30-100 100-130	10YR 2.5Y	4/4	DARK YELLOWISH BROWN OLIVE BROWN	MMSBK MA	F	CL		6.2 7.7	0.3	36. 39.	0.
ZCI	200 250	2.51	-/-	02272 21101111		-	02		, . ,	0.1	٥,٠	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
LH/OAP AE 2BT	0-10 10-30 30-100	G F	G F	G	G F	G G G	G G G	G G G	(Topsoil) F (Topsoil) F (Subsoil)
2CK	100-130	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	NO
WIND EROSION RISK:	HIGH	STONY LAYER:	NO
WATER EROSION K=:	0.046	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	HIGH	IMPORTANT TEXTURE CHANGE:	YES

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HOADLEY SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE AN LH HORIZON OVERLYING A PLATY, LIGHT COLORED AE HORIZON. THE UPPER MATERIAL IS SANDY TEXTURED AND EXPOSED FACES MAY BE UNSTABLE. THE UNDERLYING TILL IS MODERATELY FINE TEXTURED.

NO

YES

09/01/93

SOIL SERIES:

HOADLEY-YP

(ypHOD)

LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL MODERATELY COARSE

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESTC

GLACIOFLUVIAL/TILL/

SOFTROCK

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat% SAR
AE	0-27	10YR	7/2	LIGHT GRAY	MMPL	VFR	FSL		6.1	0.2	
BT	27-44	10YR	5/6	YELLOWISH BROWN	WSBK	FR	FSL		4.9	0.2	
2BT	44-81	10YR	4/4	DARK YELLOWISH BROWN	SMSBK	F	FSCL		4.6	0.1	
2CK	81-150	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	L		7.6	0.3	
3CK	150-190	5Y	5/4	OLIVE	STRAT	FR	L		7.5	0.2	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-27	G	G		F	G			F (Topsoil)
BT	27-44	G	G		P	G			P (Subsoil)
2BT	44-81	F	F		P	G			P (Subsoil)
2CK	81-150	F	G		F	G			F (Subsoil)
3CK	150-190	G	G		G	G			G (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: 15 cm 10-20 cm THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: HIGH WATER EROSION K= : 0.046 RISK ON <5% SLOPE: LOW

NOT OBVIOUS VERY THIN, DISCONTINUOUS MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS: SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: YES SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO

SALINE OR SODIC LOWER SUBSOIL:

IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF HOADLEY THAT HAS WEATHERED BEDROCK 1 TO 2 M BELOW THE SURFACE. THE UPPER MATERIAL IS SANDY LOAM TEXTURED AND EXPOSED FACES MAY BE UNSTABLE. THE TILL IS ENCOUNTERED WITHIN 1 M OF THE SURFACE AND IS CLAY LOAM TEXTURED. THE UNDERLYING SOFTROCK IS USUALLY MODERATELY FINE TEXTURED, BUT CAN BE VARIABLE. THE TEXTURE CHANGE BETWEEN THE TILL AND SOFTROCK IS NOT SIGNIFICANT.

09/01/93

SOIL SERIES: SOIL ZONE:

PARENT MATERIAL:

SOIL CLASSIFICATION:

HOADLEY-ZB (zbHOD) DARK GRAY-GRAY

BRUNISOLIC GRAY LUVISOL MODERATELY COARSE

GLACIOFLUVIAL/TILL

LANDFORM: TYPICAL SLOPES: VENEER

USUAL SOIL MOISTURE: SURFACE STONINESS:

2-15% MESIC

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-10	10YR	4/3	BROWN-DARK BROWN	SGR	VFR	L	2.9	7.		
BM	10-25	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	SL	0.3	6.4		
BT	25-52	10YR .	4/6	DARK YELLOWISH BROWN	WFSBK	FR	L-CL	0.4	6.		
CKGJ	52-86	2.5Y	6/4	LIGHT YELLOWISH BROWN	SGR	L	SL		7.3		
2CK	86-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	С		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G	G	G				G (Topsoil)
BM	10-25	F	G		F				F (Subsoil)
BT	25-52	G	F		F				F (Subsoil)
CKGJ	52-86	F	G		G				F (Subsoil)
2CK	86-130	F	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS HIGH 0.046 LOW

MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF HOADLEY THAT HAS A BRUNISOLIC PROFILE.

09/01/93

SOIL SERIES:

JARVIE

(JVE) LANDFORM: LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

MEDIUM FLUVIAL OR

SURFACE STONINESS:

NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-30	10YR	2/1	BLACK	MMGR	FR	SICL	3.1	7.6	0.5	66.	0.1
AHE	30-35	10YR	3/1	VERY DARK GRAY	WMPL	FR	CL		7.7	0.4	59.	0.2
BTG	35-80	10YR	5/2	GRAYISH BROWN	MMSBK	F	CL		7.6	0.3	67.	0.4
CCAG	80-120	10YR	5/3	BROWN	MA	F	CL		8.2	0.5	53.	2.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-30	G	F	G	F	G	F	G	F (Topsoil)
AHE	30-35	G	F		F	G	G	G	F (Topsoil)
BTG	35-80	F	F		F	G	F	G	F (Subsoil)
CCAG	80-120	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-35
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE.

cm

09/01/93

SOIL SERIES:

JARVIE-PT

(ptJVE) LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

(PEATY)

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NON

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure C	Structure Consistence		0.C.	рн	EC	Sat%	SAR
ОМ	0-20	10YR	2/2	VERY DARK BROWN			0					
AH	20-50	10YR	2/1	BLACK	MMGR	FR	SICL	3.1	7.6	0.5	66.	0.1
AHE	50-55	10YR	3/1	VERY DARK GRAY	WMPL	FR	CL		7.7	0.4	59.	0.2
BTG	55-100	10YR	5/2	GRAYISH BROWN	MMSBK	F	CL		7.6	0.3	67.	0.4
CCAG	100-120	10YR	5/3	BROWN	MA	F	CL		8.2	0.5	53.	2.6

SOIL QUALITY RATINGS:

OM 0-20 AH 20-50 G F G F G F G F (Topsoil) AHE 50-55 G F F G G F G F (Topsoil) BTG 55-100 F F F G F G F G F (Subsoil) CCAG 100-120 F F F G G G G F (Subsoil)	Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHE 50-55 G F F G G G F (Topsoil) BTG 55-100 F F F G F G F (Subsoil)						т	0		0	D (Managina)
				-	G					
				-						

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 55 cm (PEAT & SEASONALLY HIGH W.T.: ALL TOPSOIL) HARD BEDROCK: NO THICKNESS RANGE: 25-60 cm NON-SODIC SOFTROCK: NO COLOR CHANGE TO SUBSOIL: OBVIOUS SODIC SOFTROCK: NO STRIPPING LIMITATIONS: WETNESS GRAVEL: NO WIND EROSION RISK: STONY LAYER: WATER EROSION K=: FACE INSTABILITY: YES RISK ON <5% SLOPE: SOLONETZIC B HORIZON: RISK ON 5-9% SLOPE: SALINE OR SODIC LOWER SUBSOIL: NO RISK ON 9-15% SLOPE: IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF JARVIE THAT HAS 15 TO 50 CM OF SURFACE PEAT. THE UNDERLYING TOPSOIL IS ABOUT 30-35 CM THICK. SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

KAWOOD

(KWO)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-5%
TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION:

GRAY SOLODIZED SOLONETZ
MODERATELY FINE SOFTROCK

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name		Structure	Consistence	Texture	o.c.	рн	EC	Sat% SA	AR			
AP	0-12	10YR	5/2	GRAYISH BROWN	WFGR	FR	L	3.2	6.7	0.3	51. 0	.6
AE BNTGJ	12-18 18-45	10YR 10YR	6/2 4/2	LIGHT BROWNISH GRAY DARK GRAYISH BROWN	MMPL SCSBK	FR VF	SIL		7.7	0.4	52. 7	.7
CSK	45-120	10YR	6/3	PALE BROWN	MA	F	CL		8.4	0.8	55. 14	.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G	G	G	G	G	G	G (Topsoil)
AE	12-18	G	G						F (Topsoil)
BNTGJ	18-45	P	F		F	G	G	F	P (Subsoil)
CSK	45-120	F	F		F	G	G	U	U (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

THICH HOD IN THE COL.
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm 5-15 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS LOW 0.059 LOW

MODERATE

HIGH

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: MO SODIC SOFTROCK: YES GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: ON CULTIVATED AREAS, KAWOOD SOILS HAVE VERY THIN TOPSOILS THAT OVERLY A PLATY, PALE BROWN AE HORIZON ABOUT 10 CM THICK. IN FORESTED AREAS, THE HORIZON SEQUENCE IS LH, AH AND AE WITH AH HORIZONS BEING VERY THIN AND SOMETIMES ABSENT. THE BNT HORIZON IS VERY HARD AND IMPERMEABLE. SUBSOILS ARE SALINE AND/OR SODIC.

09/01/93

SOIL SERIES: SOIL ZONE:

PARENT MATERIAL:

KEEPHILLS (KHS) LANDFORM: DARK GRAY-GRAY

LACUSTRINE

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

TYPICAL SLOPES:

ROLLING 6-15%

USUAL SOIL MOISTURE: MESIC

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
АН	0-8	10YRd		DARK GRAY	MFGR	VFR	L	3.5	6.8		
AHE	8-20	10YRd	4/2	DARK GRAYISH BROWN	WCPL	VFR	SL	2.07	6.5		
AE	20-33	10YRd	6/3	PALE BROWN	MFPL	VFR	SL	0.71	6.2		
BT1	33-53	10YRd	5/4	YELLOWISH BROWN	MFSBK	FR	SCL	0.46	5.8		
BT2	53-71	10YRd	5/4	YELLOWISH BROWN	WFSBK	F	SCL	0.4	6.3		
BC	71-122	2.5Ym	4/4	OLIVE BROWN	WMABK	F	SCL		6.9		
CK	122-150	2.5Ym	4/2	DARK GRAYISH BROWN	MA	FR	L		7.2		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Ove	rall Rating
AH	0-8	G	G		G				G	(Topsoil)
AHE	8-20	G	G		G				G	(Topsoil)
AE	20-33	G	G		F				F	(Topsoil)
BT1	33-53	G	F		F				F	(Subsoil)
BT2	53-71	F	F		F				F	(Subsoil)
BC	71-122	F	F		G				F	(Subsoil)
CK	122-150	G	G		G				G	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20	cm
OBVIOUS	
NONE	
LOW	
0.053	
T.OW	

MODERATE HIGH

SUBSOIL	OT)	1.5	M)	INTERPRETATIONS

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE YELLOWISH BROWN SUBSOILS AND DARK GRAY COLORED STRATA OF CLAY TEXTURE.

09/01/93

SOIL SERIES:

KERENSKY (KSY) LANDFORM:

LACUSTRINE

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHG · 0-12 CKG 12-120	10YR 2/1 2.5Y 4/2	BLACK DARK GRAYISH BROWN	MFGR WFSBK	FR F	L SICL	–	7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating		
AHG	0-12	G	G	G	G	G	F		F (Topsoil)		
CKG	12-120	F	F		F	G	G		F (Subsoil)		

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

KERENSKY-PTXC (ptxcKSY)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION:
PARENT MATERIAL:

REGO HUMIC GLEYSOL (PEATY)
MODERATELY FINE FLUVIAL OR

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

LACUSTRINE/GLACIOLACUSTRIN

SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

E

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
OMP	0-25 25-46	7.5YR 7.5YR		DARK BROWN			0	45.7 49.9	7.2			
AH	46-56	10YR	3/1	VERY DARK GRAY	SCPL	FR	L	7.	6.8			
BG 2CKG	56-72 72-110	10YR 10YR	5/2 6/2	GRAYISH BROWN LIGHT BROWNISH GRAY	WFSBK STRAT	FR F	L CL	0.5	7.1			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
OMP OM AH	0-25 25-46 46-56	G	G	G G G	G G				(Peat) (Peat) G (Topsoil)
BG 2CKG	56-72 72-110	G F	G F		G G				G (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: DISK ON <5% SLOPE:	55 cm (PEAT AND TOPSOIL) 25-60 cm OBVIOUS WETNESS	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON:	ALL NO NO NO NO NO YES NO
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF KERENSKY THAT HAS 15 TO 50 CM OF SURFACE PEAT AND HAS FINE TEXTURED GLACIOLACUSTRINE MATERIAL WITHIN 1 M OF THE SURFACE. SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE. THESE SOILS HAVE ABOUT 10 CM OF TOPSOIL UNDERLYING THE PEAT.

09/01/93

SOIL SERIES:

KERENSKY-XT (xtKSY)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL MODERATELY FINE FLUVIAL OR USUAL SOIL MOISTURE: SURFACE STONINESS:

WATERTABLE / PONDING

NON

LACUSTRINE/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-26	10YR	2/1	BLACK	SFGR	FR	L		7.6		
BG1 BG2	26-52 52-75	10YR 10YR	5/3 5/3	BROWN BROWN	WFSBK	FR L	L SL	0.5	7.2		
2CKG	75-110	10YR	6/1	LIGHT GRAY-GRAY	MA	F	CL		7.5		

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BG1 BG2 2CKG	0-26 26-52 52-75 75-110	G G F F	G G G F	G	F G G				F (Topsoil) G (Subsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 CM
THICKNESS RANGE:	10-20
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

VARIANT OF KERENSKY THAT HAS MODERATELY FINE TEXTURED TILL WITHIN 1 M OF THE SURFACE. SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE.

cm

cm

09/01/93

SOIL SERIES:

LANONNE

(LNN)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-9% TEMPORARY PONDING

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

SOIL CLASSIFICATION:

MODERATELY FINE TILL

SOLONETZIC DARK GRAY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рн Е	C Sat% SAR
AH	0-10	10YRm 3/2	VERY DARK GRAYISH BROWN	MFGR	F	L	3.24	6.7	
AE	10-25	10YRm 5/3	BROWN	PL	FR	L	0.64	5.7	
AB	25-33	10YRm 4/3	BROWN-DARK BROWN	SBK	F	CL	0.55	4.9	
BTNJ	33-61	10YRm 3/2	VERY DARK GRAYISH BROWN	MCPR	F	CL	0.52	5.	
BC	61-94	10YRm 4/3	BROWN-DARK BROWN	SBK	F	CL		5.8	
CSK	94-110	10YRm 4/4	DARK YELLOWISH BROWN	MA	F	L		7.5	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
АН	0-10	P	G	G	G				P (Topsoil)
AE	10-25	G	G	P	F				P (Topsoil)
AB	25-33	F	F		P				P (Subsoil)
BTNJ	33-61	F	F		P				P (Subsoil)
BC	61-94	F	F		F				F (Subsoil)
CSK	94-110	F	G		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
10-15	cm
OBVIOUS	5
NONE	
LOW	
0.040	
LOW	
MODERA	ľΕ
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS HAVE A BINJ HORIZON THAT IS ORGANIC STAINED AND FIRM. LANONNE SOILS ARE WEAKLY SALINE AT DEPTH.

09/01/93

SOIL SERIES:

MACOLA

(MLA)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	SAR
AP	0-20	10YR	3/3	DARK BROWN	MMGR	F	CL		5.7	0.3	70.	
BT	20-75	2.5Y	4/4	OLIVE BROWN	MMSBK	F	С		5.2	0.3	82.	
CK	75-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	С		7.7	1.8	75.	1.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нq	EC	Sat%	SAR	Overall Rating
AP	0-20	P	F		F	G	F		P (Topsoil)
BT	20-75	F	P		P	G	P		P (Subsoil)
CK	75-110	F	. P		F	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.050
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: MACOLA SOILS ARE VERY FINE TEXTURED AND UNIFORM IN ALL PROFILE CHARACTERISTICS. THESE SOILS ARE USUALLY ONLY ASSOCIATED WITH OTHER GLACIOLACUSTRINE SOILS. EXPOSED FACES MAY BE UNSTABLE.

09/01/93

SOIL SERIES:

MACOLA-XT

(xtMLA)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

VERY FINE

SURFACE STONINESS:

NON

GLACIOLACUSTRINE/TILL

TYPICAL SOIL PROFILE:

Horizon	Horizon Depth Color Co		Color Name	Structure Consistence Textur			o.c.	pH	EC Sat% SA	AR
AH	0-20 20-70	10YRm 2/1	BLACK	MMSBK	F	SIC		6.6		
BT CK	70-90	10YRm 4/2 10YRm 4/2	DARK GRAYISH BROWN DARK GRAYISH BROWN	SMSBK MA	VF VF	SIC		5.4 7.6		
2CK	90-120	2.5ym 4/4	OLIVE BROWN	MA	F	CL				

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH BT CK 2CK	0-20 20-70 70-90 90-120	P P P F	P P P F		G P F				P (Topsoil) P (Subsoil) P (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

LOW 0.050 LOW MODERATE RISK ON 9-15% SLOPE: HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MACOLA THAT HAS MODERATELY FINE TEXTURED TILL WITHIN 1 M OF THE SURFACE. THE TEXTURE CHANGE BETWEEN MATERIALS IS NOT

15 cm 10-20

OBVIOUS NONE

cm

SIGNIFICANT.

09/01/93

SOIL SERIES: SOIL ZONE:

MAPOVA-AA

(aaMPV) LANDFORM:

UNDULATING, LEVEL,

DEPRESSIONAL

SOIL CLASSIFICATION:

DARK GRAY-GRAY HUMIC LUVIC GLEYSOL

TYPICAL SLOPES:

0-2%

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence '		Texture	o.c.	рН	EC	Sat%	SAR
AH	0-15	10YR	2/2	VERY DARK BROWN	MFGR	FR	SIL	3.6	5.9	2.5	62.	0.1
AEG	15-30	10YR	6/8	BROWNISH YELLOW	MMPL	FR	SICL	3.6	5.9	2.5	62.	0.1
BTG	52-92	10YR	2/2	VERY DARK BROWN	PR	F	С	0.5	6.3	0.3	31.	0.4
BCG	92-120	10YR	5/6	YELLOWISH BROWN	WMSBK	F	С	0.5	6.3	0.3	31.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-15	G	G	G	F	F ,	F	G	F (Topsoil)
AEG	15-30	G	F	G	F	F	F	G	F (Topsoil)
BTG	52-92	F	P		F	G	G	G	P (Subsoil)
BCG	92-120	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 12. THESE SOILS MAY HAVE UP TO 15 CM OF SURFACE PEAT. SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE.

cm -15

09/01/93

SOIL SERIES: MAUGHAN (MAA) LANDFORM: ROLLING SOIL ZONE: DARK GRAY-GRAY TYPICAL SLOPES: 10-15% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC MODERATELY FINE SOFTROCK SURFACE STONINESS: PARENT MATERIAL: NON

TYPICAL SOIL PROFILE:

											-
Horizon	Depth	Color Code	Color Name	Structure C	onsistence	Texture	O.C.	pН	EC	Sat% SAR	
											_
LH	0-3	/						7.			
AE	3-10	7.5YR 4/2	BROWN	MFPL	FR	L	1.06	.7.			
BT	10-25	10YRm 5/4	YELLOWISH BROWN	MMSBK	F	CL	0.53	6.8			
BC	25-45	10YRm 5/6	YELLOWISH BROWN	WFSBK	F	SCL		6.8			
C	45-120	1.5Ym 5/4	LIGHT OLIVE BROWN	MA	F	SCL		6.5			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.0.	рн	EC	Sat%	SAR	Overall Rating
LH	0-3								(Topsoil)
AE	3-10	G	G	F	G				F (Topsoil)
BT	10-25	F	F		G				F (Subsoil)
BC	25-45	F	F		G				F (Subsoil)
С	45-120	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

	-		
TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOII	L: NOT OBVIOUS	NON-SODIC SOFTROCK:	YES
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	NO
WIND EROSION RISK:	LOW	STONY LAYER:	NO
WATER EROSION K=:	0.053	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	HIGH	IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: MAUGHAN SOILS OCCUR ON MODERATELY FINE TEXTURED, NON SALINE-SODIC WEATHERED BEDROCK.

NO

NO

MO

NO

NO

NO

NO

NO

NO

NO

09/01/93

SOIL SERIES:

MAYWOOD

(MYW)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-5%

PARENT MATERIAL:

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SALINE OR SODIC LOWER SUBSOIL:

IMPORTANT TEXTURE CHANGE:

MOIST NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	CL		5.9	0.7	55.	0.3
AE . BT	10-18 18-80	10YR 10YR	5/3 4/2	BROWN DARK GRAYISH BROWN	MMPL MFSBK	FR F	SICL		4.7	0.2	76.	1.5
CK	80-130	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.4	1.	75.	1.3

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AP	0-10	G	F		F	G	G	G	F (Topsoil)
AE	10-18	G	F						F (Topsoil)
BT	18-80	F	P		P	G	F	G	P (Subsoil)
CK	80-130	F	Р		G	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: 15 cm SEASONALLY HIGH W.T.: THICKNESS RANGE: 10-20 HARD BEDROCK: COLOR CHANGE TO SUBSOIL: OBVIOUS NON-SODIC SOFTROCK: STRIPPING LIMITATIONS: VERY THIN, SODIC SOFTROCK: DISCONTINUOUS GRAVEL: WIND EROSION RISK: STONY LAYER: LOW 0.063 WATER EROSION K=: FACE INSTABILITY: RISK ON <5% SLOPE: MODERATE SOLONETZIC B HORIZON:

IN FORESTED AREAS, MAYWOOD SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE A LH HORIZON OVERLYING A GRAY, PLATY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF LH, AH AND AE HORIZONS AND IS VARIABLE IN COLOR. THESE SOILS ARE VERY FINE TEXTURED AND EXPOSED FACES MAY BE UNSTABLE.

MODERATE

HIGH

09/01/93

SOIL SERIES:

MEWASSIN

(MEW)

LANDFORM:

ROLLING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

CHERNOZEMIC

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

MESTC

PARENT MATERIAL:

MODERATELY FINE

GLACIOLACUSTRINE

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
AP	0-25	10YR	4/1	DARK GRAY	MFGR	FR	SIL	5.2	6.2	0.4	0.5
BTJ	25-45	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	CL		7.1	0.4	0.2
BC	45-60	10YR	5/4	YELLOWISH BROWN	WFSBK	F	SICL		7.4	0.3	0.4
CK	60-100	10YR	5/3	BROWN	MA	F	SICL		7.9	1.1	1.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	F	G		G	F (Topsoil)
BTJ	25-45	F	F		G	G		G	F (Subsoil)
BC	45-60	F	F		G	G		G	F (Subsoil)
CK	60-100	F	F		F	G		G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25 .cm 20-30 CM OBVIOUS NONE LOW 0.034 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: MEWASSIN SOILS HAVE FAIRLY THICK TOPSOILS. THE C HORIZON IS USUALLY STRATIFIED.

NO

NO

09/01/93

SOIL SERIES:

MICO

(MCO)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

CHERNOZEMIC

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOIST NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AP ·	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	F	SICL		6.9	0.5	68.	0.2
BTJ	18-60	10YR	3/3	DARK BROWN	MFSBK	F	C		6.3	0.1	83.	0.4
CK	60-100	10YR	5/2	GRAYISH BROWN	MA	F	C		7.8	0.5		0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	P	F		G	G	F	G	P (Topsoil)
BTJ	18-60	F .	P		F	G	P	G	P (Subsoil)
CK	60-100	F	P		F	G		G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

MUTCHMECC DANCE.

SUBSOIL	(TO 1	5 M)	INTERPRETATIONS	:
SEASONAI	LLY H	GH W.	т.:]
HARD BEI	DROCK :			1

TUT	CVM	ESS	LAI	iGE:			
COL	OR	CHAI	IGE	TO	SUB	SOIL:	:
STR	IPP	ING	LIM	IIT <i>I</i>	TIOI	NS:	
WIN	DE	ROS]	ON	RIS	SK:		
WAT	ER	EROS	OIS	1 K=	:		
R	ISK	ON	<58	SI	OPE	:	
R	ISK	ON	5-9	98 S	LOP	Ε:	

RISK ON 9-15% SLOPE:

OBVIOUS NONE MODERATE 0.028 LOW T.OW MODERATE

cm

20 cm

10-20

NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

MICO SOILS ARE DEVELOPED ON STONE-FREE DARK GRAY CLAYS. THE INTERNAL DRAINAGE IS SLOW BECAUSE OF THE VERY FINE TEXTURED MATERIAL. EXPOSED FACES MAY BE UNSTABLE.

09/01/93

SOIL SERIES:

MICO-GL

(glMCO) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: GLEYED DARK GRAY

USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Structure Consistence Tex			рН	EC	Sat% S	SAR
АН	0-13	10YRm	3/2	VERY DARK GRAYISH B	ROWN SMGR	FR	sic	7.52	5.9			
ABGJ	13-28	10YRm	5/3	BROWN	MFSBK	F	С	0.75	4.8			
BMGJ	28-51	10YRm	4/3	DARK BROWN	SFABK	F	HC	0.75	4.8			
CCAGJ	51-64	10YRm	4/1	DARK GRAY	STRAT	FR	HC	0.54	7.7			
CKGJ	64-100	10YRm	4/1	DARK GRAY	MA	FR	HC	0.96	7.1			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating			
АН	0-13	G	Р	G	F				P (Topsoil)			
ABGJ	13-28	F	P		P				P (Subsoil)			
BMGJ	28-51	F	P		P				P (Subsoil)			
CCAGJ	51-64	G	P		F				P (Subsoil)			
CKGJ	64-100	G	P		G				P (Subsoil)			

TOPSOIL INTERPRETATIONS:

TYPICAL TH	IICKNESS:	20 cm
THICKNESS	RANGE:	10-20
COLOR CHAN	GE TO SUBSOIL:	OBVIOUS
STRIPPING	LIMITATIONS:	NONE
WIND EROSI	ON RISK:	MODERATE
WATER EROS	SION K=:	0.028
RISK ON	<5% SLOPE:	LOW
RISK ON	5-9% SLOPE:	LOW
RISK ON	9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MICO THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

cm

09/01/93

SOIL SERIES:

MINISTIK

(MNK)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

SOIL CLASSIFICATION: PARENT MATERIAL:

GRAY SOLODIZED SOLONETZ FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOM

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-10	10YR	5/1	GRAY	MFSBK	FR	SICL	3.8	4.7	1.	5.1
AE	10-20	10YR	7/1	LIGHT GRAY	MMPL	F	SIL	0.9	4.2	0.7	10.
BNT	20-43	10YR	4/3	BROWN-DARK BROWN	SMCOL	VF	SIC	0.9	4.7	0.6	7.9
CSK	43-120	10YR	4/1	DARK GRAY	MA	F	C	0.8	6.9	1.1	9.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	F	G	P	G		F	P (Topsoil)
AE	10-20	P	G	P	U	G		P	P (Topsoil)
BNT	20-43	P	P		P	G		F	P (Subsoil)
CSK	43-120	F	P		G	G		P	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 10 cm 5-15 Cm NOT OBVIOUS VERY THIN, DISCONTINUOUS LOW

0.059 LOW MODERATE

HTGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO **GRAVEL:** NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: VES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: MO

NOTES: MINISTIK SOILS USUALLY HAVE AN LH HORIZON OVERLYING A GRAY AE HORIZON AND A HARD, COLUMNAR, STAINED BNT HORIZON. THIN AHE/AH HORIZONS HAVE BEEN RECOGNIZED. UNDER CULTIVATION, AP HORIZONS ARE A MIXTURE OF THE SURFACE HORIZONS AND ARE OFTEN LIGHT IN COLOR DUE TO GREATER AMOUNTS OF THE AE MATERIAL. MINISTIK SOILS ARE SALINE AND/OR SODIC.

09/01/93

SOIL SERIES:

MODESTE

(MDE)

LANDFORM:

ROLLING, HILLY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MEDIUM SOFTROCK

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Texture	O.C.	Hq Hq	EC Sat% SAR	
LH	0-3						36.1	5.5	
AE AE	3-16	10YRd 6/3	PALE BROWN	PL	SLH	SL	0.92	5.3	
AB	16-29	10YRm 4/4	DARK YELLOWISH BROWN	WFSBK	FR	SL	0.44	5.5	
BT	29-75	2.5Ym 4/4	OLIVE BROWN	WFSBK	F	SICL	0.31	5.5	
C	75-100	2.5Ym 5/4	LIGHT OLIVE BROWN	SGR	FR	LS	0.12	6.3	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3			G					
AE	3-16	G	G	P	P				P (Topsoil)
AB	16-29	G	G		F				F (Subsoil)
BT	29-75	F	F		F				F (Subsoil)
C	75-100	G	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:

10-20 cm
NOT OBVIOUS
VERY THIN,
DISCONTINUOUS
HIGH
0.046
LOW
MODERATE

15 cm

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
The Depter of the second of th	
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: MODESTE SOILS HAVE LITTLE OR NO TOPSOIL. THESE SOILS ARE DEVELOPED ON WEATHERED PASKAPOO SANDSTONE MATERIAL. FRAGMENTS OF WEATHERED BEDROCK ARE FOUND WITHIN THE SOLUM AND BEDROCK EXPOSURES CAN BE SEEN IN ROADCUTS. SOME TEXTURAL VARIATION OCCURS IN THESE PROFILES BECAUSE THE PARENT MATERIAL RANGES FROM COARSE TEXTURED SANDSTONE TO SILTSTONE. CONSOLIDATED SANDSTONE SLABS MAY BE ENCOUNTERED. THESE SOILS ARE USUALLY NON SALINE-SODIC.

09/01/93

SOIL SERIES:

NAKAMUN

(NKU) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION:
PARENT MATERIAL:

SOLONETZIC GRAY LUVISOL
MODERATELY FINE TILL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS: SLIGHTLY

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SA	.R
LH	0-3		/									
AE	3-21	10YRm	5/2	GRAYISH BROWN	WFPL	FR	SIL		5.7			
AB	21-36	10YRm	3/3	DARK BROWN	SMSBK	VF	CL		5.6			
BTNJ	36-56	10YRm	3/2	VERY DARK GRAYISH BROWN	SCSBK	VF	С		6.1			
BC	56-69	10YRm	4/2	DARK GRAYISH BROWN	SMSBK	F	SCL		6.5			
CSK	69-100	10YRm	4/2	DARK GRAYISH BROWN	MA	F	SCL		7.4			

SOIL QUALITY RATINGS:

Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
0-3								
3-21	G	G		F				F (Topsoil)
21-36	P	F		F				P (Subsoil)
36-56	P	P		F				P (Subsoil)
56-69	F	F		G				F (Subsoil)
69-100	F	F		G				F (Subsoil)
	0-3 3-21 21-36 36-56 56-69	0-3 3-21 G 21-36 P 36-56 P 56-69 F	0-3 3-21 G G 21-36 P F 36-56 P P 56-69 F F	0-3 3-21 G G 21-36 P F 36-56 P P 56-69 F F	0-3 3-21 G G F 21-36 P F F 36-56 P P F 56-69 F F	0-3 3-21 G G F 21-36 P F F 36-56 P P F 56-69 F F G	0-3 3-21 G G F 21-36 P F F 36-56 P P F 56-69 F F G	0-3 3-21 G G F 21-36 P F F 36-56 P P F 56-69 F F G

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN,	SODIC SOFTROCK:	NO
	DISCONTINUOUS	GRAVEL:	. NO
WIND EROSION RISK:	LOW	STONY LAYER:	NO
WATER EROSION K=:	0.066	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	YES
RISK ON 9-15% SLOPE:	HIGH	IMPORTANT TEXTURE CHANGE:	NO

NOTES: NAKAMUN SOILS HAVE VERY THIN AH HORIZONS THAT ARE SOMETIMES ABSENT.

THEY HAVE A STAINED, BLOCKY BT/BTNJ HORIZON OVERLYING A WEAKLY SALINE C

HORIZON.

09/01/93

SOIL SERIES:

ONOWAY

(ONW)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL MODERATELY FINE TILL

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

SURFACE STONINESS: SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR 0-30 10YR 2/1 BLACK MMGR FR 30-75 10YR 4/4 DARK YELLOWISH BROWN WFSBK F
75-110 10YR 5/2 GRAYISH BROWN MA F CL BG 75-110 10YR 5/2 GRAYISH BROWN

SOIL QUALITY RATINGS:

O.C. pH EC Sat% Horizon Depth Consistence Texture SAR Overall Rating 0-30 G 30-75 F G (Topsoil) BG 30-75 F F (Subsoil) 75-110 F F. F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	15-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: TOPSOILS ARE FAIRLY THICK AND VERY DARK IN COLOR. THESE SOILS ARE WET ALL YEAR AND AS A RESULT, EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

ONOWAY-PT

(ptONW) LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION:

ORTHIC HUMIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

(PEATY)

MODERATELY FINE TILL

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth Color Code		Color Name	Structure	Structure Consistence		Texture O.C.		EC	Sat% SAR	
OH ·	0-25	10YR	2/2	VERY DARK BROWN			0	25.1	6.4	0.9	32.
AH	25-33	10YR	2/1	BLACK	MMGR	FR	L				
BG	33-55	10YR	4/1	DARK GRAY	MFSBK	F	CL		6.8	0.4	49.
CG	55-125	10YR	5/2	GRAYISH BROWN	MA	F	CL		6.7	0.3	38. 2.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
011	0 05						0		(D)
OH	0-25			G		G	G		(Peat)
AH	25-33	G	G						G (Topsoil)
BG	33-55	F	F		G	G	G		F (Subsoil)
CG	55-125	F	F		G	· G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	35 cm/(PEAT AND	SEASONALLY HIGH W.T.:	ALL
	TOPSOIL)	HARD BEDROCK:	NO
THICKNESS RANGE:	25-60 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	_	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ONOWAY THAT HAS 15 TO 50 CM OF SURFACE PEAT. THERE IS ABOUT 10 CM OF TOPSOIL UNDERLYING THE PEAT. THESE SOILS ARE WET ALL YEAR AND EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES: PATHFINDER (PHF) LANDFORM: ROLLING DARK GRAY-GRAY TYPICAL SLOPES: SOIL ZONE: 10-15% SOIL CLASSIFICATION: DARK GRAY LUVISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MODERATELY COARSE SOFTROCK SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Structure Consistence T		o.c.	рН	EC	Sat% SAR
AHE	0-15	10YRd 4/1	DARK GRAY	WFGR	VFR	SL	1.72	7.		
AE	15-30	10YRd 6/3	PALE BROWN	SMPL	VFR	SL	1.29	7.		
BT	30-58	2.5Ym 5/4	LIGHT OLIVE BROWN	WFSBK	F	SL	0.35	6.8		
BC1	58-89	2.5Ym 5/6	LIGHT OLIVE BROWN	WFSBK	F	SL		6.3		
BC2	89-109	2.5Ym 5/4	LIGHT OLIVE BROWN	SGR	L	SL		6.7		
С	109-120	2.5Ym 5/4	LIGHT OLIVE BROWN	SGR	L	SL		6.3		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
AHE	0-15	G	G	F	G				F (Topsoil)
AE	15-30	G	G	F	G				F (Topsoil)
BT	30-58	F	G		G				G (Subsoil)
BC1	58-89	F	G		F				F (Subsoil)
BC2	89-109	F	G		G				G (Subsoil)
С	109-120	F	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	YES
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.043	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: PATHFINDER SOILS ARE USUALLY SANDY LOAM TEXTURED AND EXPOSED FACES ARE UNSTABLE. THESE SOILS ARE USUALLY NON SALINE-SODIC. THE BEDROCK IS WEATHERED AND FRIABLE.

09/01/93

SOIL SERIES:

PRIMULA

(PRM)

LANDFORM:

ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

6-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

DROUGHTY

VERY COARSE EOLIAN

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AE	0-3	10YR	5/2	GRAYISH BROWN	SGR	L	LS		6.2	0.1	38.	0.1
BM	3-70	10YR	6/8	BROWNISH YELLOW	SGR	L	LS		6.	0.1	25.	0.2
BC	70-110	2.5Y	6/6	OLIVE YELLOW	SGR	L	LS		5.5	0.1	25.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-3	F	P		F	G	G ·	G	P (Topsoil)
BM	3-70	F	P		F	G	F	G	P (Subsoil)
BC	70-110	F .	P		F	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:

WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

5 cm 0-10 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS HIGH

0.020
LOW
LOW
MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE VERY COARSE TEXTURED WITH LOOSE CONSISTENCE AND EXPOSED FACES ARE UNSTABLE. PRIMULA SOILS ARE VERY DROUGHTY AND WIND EROSION RISK IS HIGH.

09/01/93

SOIL SERIES:

RAVEN

(RVN)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

ORTHIC HUMIC GLEYSOL

TYPICAL SLOPES:

WATERTABLE/PONDING

SOIL CLASSIFICATION:
PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

0-5%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Text		Texture	0.C. pH		EC	Sat% SAR
AH	0-10	10YR	3/1	VERY DARK GRAY	MFGR	FR	CL		6.4	0.22	
BG	10-55	10YR	5/2	GRAYISH BROWN	MFSBK	F	C		6.9	0.19	
CKG	55-110	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	С		7.6	0.24	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	Нд	EC	Sat%	SAR	Overall Rating
AH	0-10	G	F		F	G			F (Topsoil)
BG	10-55	F	P		G.	G			P (Subsoil)
CKG	55-110	F	P		F	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	10-20
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: RAVEN SOILS MAY HAVE UP TO 15 CM OF SURFACE PEAT. THESE SOILS ARE WET ALL YEAR AND VERY FINE TEXTURED. AS A RESULT, EXPOSED FACES ARE UNSTABLE. THE CLAYS ARE USUALLY STONE-FREE BUT SOMETIMES SLIGHTLY STONY.

cm

09/01/93

SOIL SERIES:

RAVEN-PT

(ptRVN)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

WATERTABLE/PONDING

(PEATY)

ORTHIC HUMIC GLEYSOL USUAL SOIL MOISTURE: (PEATY) SURFACE STONINESS:

NON

0-2%

PARENT MATERIAL:

SOIL CLASSIFICATION:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure (Consistence	e Texture	O.C.	pН	EC	Sat%	SAR
OM	0-45	10YR 3/3	DARK BROWN			0					
AHKG	45-65	10YR 3/1	VERY DARK GRAY	WFGR	FR	SICL		7.7	0.8	54.	0.8
CKG	65-85	10YR 5/2	GRAYISH BROWN	MA	F	CL		7.8	0.5	63.	1.1
00											

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	ДЩ	EC	Sat%	SAR	Overall Rating
OM	0-45								(Peat)
AHKG	45-65	G	F		F	G	G	G	F (Topsoil)
CKG	65-85	F	F		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	65 cm (PEAT AND	SEASONALLY HIGH W.T.:	ALL
	TOPSOIL)	HARD BEDROCK:	NO
THICKNESS RANGE:	35-70 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF RAVEN THAT HAS 15 TO 50 CM OF SURFACE PEAT. THERE IS ABOUT 20 CM OF TOPSOIL UNDERLYING THE PEAT. THESE SOILS ARE WET ALL YEAR AND VERY FINE TEXTURED. AS A RESULT, EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

REDWATER

(RDW)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL

CHERNOZEMIC

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	e Texture	O.C.	рН	EC	Sat%	SAR
AP	0-15	10YR	4/2	DARK GRAYISH BROWN	SGR	VFR	SL			0.3		
BM	15-90	10YR	5/3	BROWN	SGR	VFR	SL			0.1	29.	
BC	90-120	10YR	5/3	BROWN	SGR	VFR	SL		6.3	0.1	29.	0.4

SOIL QUALITY RATINGS:

Horizon Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP 0-15 BM 15-90 BC 90-120	G G G	G G G		F F F	G G G	G F F	G G G	F (Topsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: REDWATER SOILS ARE ASSOCIATED WITH RIVERS AND THEIR TRIBUTARIES. THEY HAVE LOW MOISTURE HOLDING CAPACITY AND ARE SUSCEPTIBLE TO WIND EROSION.

EXPOSED FACES MAY BE UNSTABLE.

INTERPRETATION GUIDELINES

SCA 11

09/01/93

SOIL SERIES:

REDWATER-CAXT (caxtRDW)

SOIL ZONE:

DARK GRAY-GRAY

SOIL CLASSIFICATION:

CALCAREOUS DARK GRAY

CHERNOZEMIC

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL/TILL LANDFORM:

UNDULATING, ROLLING

TYPICAL SLOPES: 1-15%

USUAL SOIL MOISTURE: SURFACE STONINESS:

TEMPORARY PONDING

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Color Code Color Name		Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR
APK	0-40	10YR	3/1	VERY DARK GRAY	SGR	VFR	SL	4.2	8.	0.9	67.	0.8
2BMK	40-80	10YR	5/3	BROWN	WFSBK	F	SL-SCL		8.1	4.1	45.	4.4
2CK	80-100	10YR	6/3	PALE BROWN	MA	F	SCL		7.9	5.2	52.	3.9

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK 2BMK	0-40 40-80	. G F	G F	G	F F	G F	F G	G F	F (Topsoil) F (Subsoil)
2CK	80-100	F	F		F	P	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	1
THICKNESS RANGE:	1
COLOR CHANGE TO SUBSOIL:	C
STRIPPING LIMITATIONS:	I.
WIND EROSION RISK:	H
WATER EROSION K=:	0
RISK ON <5% SLOPE:	I
RISK ON 5-9% SLOPE:	I
RISK ON 9-15% SLOPE:	M.

15 cm 15-30 OBVIOUS NONE HIGH

0.013	
LOW	
LOW	
MODERATE	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF REDWATER THAT IS CALCAREOUS TO THE SURFACE AND HAS MODERATELY FINE TILL WITHIN 1 M OF THE SURFACE. EXPOSED FACES OF THE UPPER MATERIAL MAY BE UNSTABLE. THE TILL IS USUALLY NON SALINE AND SODIC BUT MAY BE WEAKLY SALINE AND SODIC.

09/01/93

SOIL SERIES:

REDWATER-ER (erRDW) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

CHERNOZEMIC (ERODED) MODERATELY COARSE

GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Horizon Depth Color Code		Color Name Structur		ucture Consistence Texture			рН	EC	Sat%	SAR	
AP	0-7	10YR	4/2	DARK GRAYISH BROWN	SGR	VFR	SL		6.1	0.3	37.	0.1
BM	7-83	10YR	5/3	BROWN	SGR	VFR	SL		6.3	0.1	29.	0.3
BC	83-120	10YR	5/3	BROWN	SGR	VFR	SL		6.3	0.1	29.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-7	G	G		F	G	G	G	F (Topsoil)
BM	7-83	G	G		F	G	F	G	F (Subsoil)
BC	83-120	G	G		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:

IND ER	OSTON	KISK	:
ATER E	ROSIC	N K=:	
RISK	ON <5	% SLC	PE:
RISK	ON 5-	9% SI	OPE:
RISK	ON 9-	15% S	SLOPE:

7 cm	
0-10	cm
NOT OBV	IOUS
VERY TH	IN,
DISCONT	INUOUS
HIGH	
0 010	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: ERODED VARIANT OF REDWATER.

09/01/93

SOIL SERIES:

REDWATER-SA (saRDW) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

CHERNOZEMIC (SALINE)

SURFACE STONINESS:

USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
APSA	0-15	10YR	4/2	DARK GRAYISH BROWN	SGR	VFR	SL		6.1		37.
BMSA	15-90	10YR	5/3	BROWN	SGR	VFR	SL		6.3		29.
BCSA	90-120	10YR	5/3	BROWN	SGR	VFR	SL		6.3		29.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APSA	0-15	G	G		F		G		P (Topsoil)
BMSA	15-90	G	G		F		F		P (Subsoil)
BCSA	90-120	G	G		F		F		P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	15-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.013
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF REDWATER THAT IS SALINE TO THE SURFACE.

09/01/93

SOIL SERIES:

REDWATER-XT

(xtRDW)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: OR

ORTHIC DARK GRAY
CHERNOZEMIC

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL/TILL

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth Color Code		Color Name	Structure Consistence Texture			O.C.	рН	EC	Sat% SAR		
AP	0-30	10YR	3/1	VERY DARK GRAY	WFGR	VFR	SL		8.3	1.	36.	5.3
BM	30-75	10YR	5/3	BROWN	SGR	VFR	SL		8.2	0.3	25.	4.2
2BC	75-105	10YR	5/1	GRAY	MA	F	L		7.8	0.3	43.	5.1
2CK	105-120	10YR	5/1	GRAY	MA	F	SIL		8.	0.4	53.	5.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AP BM	0-30 30-75	G G	 G G		F F	 G G	G F	F F	F (Topsoil) F (Subsoil)
2BC	75-105	F	G		F	G	G	F	F (Subsoil)
2CK	105-120	F	G		F	G	G	F	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 15-30 cm OBVIOUS NONE HIGH 0.013 LOW LOW MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES:

VARIANT OF REDWATER THAT HAS MODERATELY FINE TILL WITHIN 1 M OF THE SURFACE. EXPOSED FACES OF THE UPPER MATERIAL MAY BE UNSTABLE. THE TILL IS NON SALINE AND NON TO WEAKLY SODIC.

09/01/93

SOIL SERIES:

RICH LAKE (RLK) LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL

USUAL SOIL MOISTURE: TEMPORARY PONDING

MEDIUM FLUVIAL OR

LACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Horizon Depth Color Code Color Name S		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR		
AP ·	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L-SL	2.6	5.9	0.3	43.
AE	20-40	10YR	5/3	BROWN	MFPL	FR	L-SL	0.7	6.	0.3	27.
BTGJ	40-85	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	FR-F	L		6.	0.3	29.
BCGJ	85-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	FR-F	L-SL		6.2	0.4	38. 0.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G .	G	G	F	G	G		F (Topsoil)
AE	20-40	G	G	P	F	G	F		F (Topsoil)
BTGJ	40-85	F	G		F	G	F		F (Subsoil)
BCGJ	85-130	F	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

RIMBEY

(RMY)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

PARENT MATERIAL:

USUAL SOIL MOISTURE:

MESIC

CHERNOZEMIC

MEDIUM FLUVIAL OR LACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH/AHE	0-40	10YR	3/1	VERY DARK GRAY	MFGR	FR	SCL			0.44	
BM CK	40-65 65-90	10YR 10YR	5/3 6/3	BROWN PALE BROWN	MA MA	F F	SL SIL-L			0.29	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-40 40-65 65-90	G F	F G G		G F	G G G			F (Topsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	30 cm 20-35 cm OBVIOUS
STRIPPING LIMITATIONS: WIND EROSION RISK:	VERY THICK
WATER EROSION K=:	0.034
RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:	LOW MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: RIMBEY SOILS ARE DEVELOPED ON LAYERED FLUVIAL OR LACUSTRINE SEDIMENTS OF VARIABLE TEXTURES. LAYERS AND LENSES OF SAND OFTEN OCCUR WITHIN THE UPPER 1 M. THESE SOILS OFTEN OCCUR ADJACENT TO MELTWATER CHANNELS.

09/01/93

SOIL SERIES:

RIMBEY-CA (caRMY) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION: CALCAREOUS DARK GRAY

USUAL SOIL MOISTURE:

MESIC

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM FLUVIAL OR LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence			re O.C. pH		EC	Sat% SAR	
APK	0-30	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L			0.6		
BMK	30-55	10YR	5/4	YELLOWISH BROWN	MFSBK	F	L		7.6	1.2	50.	0.4
CK	55-110	10YR	6/4	LIGHT YELLOWISH BROWN	STRAT	FR	L-SIL		7.9	0.4	42.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
APK	0-30	G	G		F	G	G	G	F (Topsoil)
BMK	30-55	F	G		F	G	G	G	F (Subsoil)
CK	55-110	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	30 cm 20-40 cm OBVIOUS
STRIPPING LIMITATIONS: WIND EROSION RISK:	VERY THICK
WATER EROSION K=: RISK ON <5% SLOPE:	0.034 LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF RIMBEY THAT IS CALCAREOUS TO THE SURFACE.

09/01/93

SOIL SERIES:

RIMBEY-GL

(glRMY)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY
GLEYED DARK GRAY

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC

SURFACE STONINESS:

NON

1-9%

PARENT MATERIAL:

SOIL CLASSIFICATION:

MEDIUM FLUVIAL OR

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		n Color Code Color Name				Consistence			рН	EC	Sat% SAR
AP	0-25	10YR	2/2	VERY DARK BROWN	MFGR	FR	L	5.8		0.4			
BTGJ	25-80	10YR	4/1	DARK GRAY	MFSBK	F	L		5.7	0.2	42.		
BCGJ	80-150	10YR	3/3	· DARK BROWN	MA	F	L-SIL		6.2	0.2	38. 0.5		

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP BTGJ	0-25 25-80	G F	G G	G	F	G G	F G		F (Topsoil) F (Subsoil)
BCGJ	80-150	F	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 30 cm THICKNESS RANGE: 20-40 cm COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: VERY THICK WIND EROSION RISK: LOW WATER EROSION K=: 0.034 RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
HARD DEDROCK:	140
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF RIMBEY THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS USUALLY OCCUR IN LOWER

LANDSCAPE POSITIONS.

09/01/93

SOIL SERIES:

RIMBEY-GLXT (glxtRMY)

SOIL ZONE:

DARK GRAY-GRAY

SOIL CLASSIFICATION:

GLEYED DARK GRAY

CHERNOZEMIC

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE/TILL

LANDFORM:

UNDULATING, ROLLING

TYPICAL SLOPES: 1-9%

USUAL SOIL MOISTURE: TEMPORARY PONDING SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure Consistence Texture				pН	EC	Sat%	SAR
AP	0-25	10YR	2/2	VERY DARK BROWN	MFGR	FR	L	5.8	5.6	0.4	71.	
BTGJ	25-80	10YR	4/1	DARK GRAY	MFSBK	F	L		5.7	0.2	42.	
2BCGJ	80-150	10YR	3/3	DARK BROWN	MA	F	CL		6.2	0.2	38.	0.5

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	F	G	F		F (Topsoil)
BTGJ	25-80	F	G		F	G	G		F (Subsoil)
2BCGJ	80-150	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

30	cm	
20-	40	cm
OBV	IOUS	3
VER.	Y TH	HICK
LOW		
0.0	34	
LOW		

LOW
MODERATE
HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF RIMBEY THAT IS IMPERFECTLY DRAINED, EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND HAS MODERATELY FINE TILL WITHIN 1 M OF THE SURFACE. THE TEXTURE CHANGE BETWEEN THE TWO MATERIALS IS NOT SIGNIFICANT. THESE GLEYED SOILS USUALLY OCCUR IN LOWER LANDSCAPE POSITIONS. THERE IS SOMETIMES A STONY, GRAVELLY OR SANDY LAYER AT THE TILL CONTACT.

09/01/93

SOIL SERIES:

RIMBEY-XC

(xcRMY)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY
ORTHIC DARK GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION:

CHERNOZEMIC

USUAL SOIL MOISTURE: SURFACE STONINESS: MOIST NON

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE/

GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

AP 0-20 10YR 2/2 VERY DARK BRO			O.C. pl	H EC	Sat% SAR
	OWN MFGR	FR L	2.7	5.9 0.2	2 54.
BT 25-75 10YR 3/3 DARK BROWN	N MFSBK	F SICL		5.6 0.3	1 41.
2BT 75-110 10YR 4/1 DARK GRAY	MFSBK	F C		5.8 0.1	1 42.
2BC 110-150 10YR 3/3 DARK BROWN	N MA	F C	(6.2 0.3	1 45. 0.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20 25-75	G F	G F	G	F F	G	G		F (Topsoil)
BT 2BT	75-110	F	P		F	G G	G G		F (Subsoil) P (Subsoil)
2BC	110-150	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

VERY	THIC
LOW	
0.03	4
LOW	
MODE	RATE
HIGH	

OBVIOUS

30 cm 20-40

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF RIMBEY THAT HAS VERY FINE TEXTURED GLACIOLACUSTRINE MATERIAL WITHIN 1 M OF THE SURFACE. THE UNDERLYING MATERIAL IS OF POOR

cm

QUALITY DUE TO THE CLAYS.

09/01/93

SOIL SERIES:

RIMBEY-XT

(xtRMY) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

Y TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION:

PARENT MATERIAL:

ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

MESIC

CHERNOZEMIC

MEDIUM FLUVIAL OR LACUSTRINE/TILL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure C	onsistence	Texture	o.c.	рн	EC	Sat% SAF
AP	0-20	10YR	2/2	VERY DARK BROWN	MFGR	FR	L	2.7	5.9	0.2	54.
BT	25-75	10YR	3/3	DARK BROWN	MFSBK	F	SICL		5.6	0.1	41.
2BT	75-110	10YR	4/1	DARK GRAY	MMSBK	F	CL		5.8	0.1	42.
2BC	110-150	10YR	3/3	DARK BROWN	MA	F	CL		6.2	0.1	45. 0.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	G	G	F	G	G		F (Topsoil)
BT	25-75	F	F		F	G	G		F (Subsoil)
2BT	75-110	F	F		F	G	G		F (Subsoil)
2BC	110-150	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

30	CIII	
20-	40	cm
OBV:	IOU	S
VER'	Y T	HICK
LOW		
0.0	34	
LOW		
MODI	ED A	ਜਾਵਾ

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF RIMBEY THAT HAS MODERATELY FINE TEXTURED TILL WITHIN ONE METRE OF THE SURFACE. THE TEXTURE CHANGE BETWEEN THE MATERIALS IS NOT SIGNIFICANT. THERE IS SOMETIMES A STONY, GRAVELLY OR SANDY LAYER AT THE TILL CONTACT. THE TOPOGRAPHY IS SOMETIMES STEEPER WHERE TILL IS NEAR THE SURFACE.

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

SCA 11

09/01/93

SOIL SERIES:

ROCHESTER

(RCS)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

0-1% WATERTABLE/PONDING

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS:

NON

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	pН	EC	Sat%	SAR
AH	0-20	10YR	3/1	VERY DARK GRAY	WFGR	VFR	L	6.2	7.8	1.2	67.	1.
BG	20-80	10YR	5/1	GRAY	WFSBK	FR	L-SIL	0.6	7.5	0.4	45.	1.3
CG	80-120	10YR	6/1	LIGHT GRAY-GRAY	STRAT	VFR	LS-SL		6.6	0.2	32.	0.9

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-20	G	G	G ·	F	G	F	G	F (Topsoil)
BG	20-80	G	G		G	G	G	G	G (Subsoil)
CG	80-120	·G	P		G	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	20 cm 15-20 OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE WET ALL YEAR AND ARE SANDY LOAM TEXTURED. AS A RESULT, EXPOSED FACES MAY BE UNSTABLE.

cm

09/01/93

SOIL SERIES:

ROCHESTER-PT (ptRCS)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

PARENT MATERIAL:

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

(PEATY)

MODERATELY COARSE

GLACIOFLUVIAL

SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat%	SAR
OM	0-35	10YR	2/1	BLACK			0	46.	7.1	0.5	222.	0.
AH	35-45	10YR	3/1	VERY DARK GRAY	WMGR	FR	L	13.	7.3	0.65	65.	0.
BG	45-60	10YR	5/3	BROWN	WFSBK	FR	L	2.7	7.6	0.5	40.	0.
CKG	60-100	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	SL		7.8	0.3	30.	0.5

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
OM	0-35			G		G	U			
AH	35-45	G	G	G	G	G	F		F (Topsoil)	
BG	45-60	G	G		F	G	G		F (Subsoil)	
CKG	60-100	F	G		F	G	F	G	F (Subsoil)	

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	45 cm (PEAT TOPSOIL)	&
THICKNESS RANGE:	25-60 cm	
COLOR CHANGE TO SUBSOIL:	OBVIOUS	
STRIPPING LIMITATIONS:	WETNESS	
WIND EROSION RISK:		
WATER EROSION K=: -		
RISK ON <5% SLOPE:	-	
RISK ON 5-9% SLOPE:	-	
RISK ON 9-15% SLOPE:	_	
· ·		

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ROCHESTER THAT HAS 15 TO 50 CM OF SURFACE PEAT. THERE IS ABOUT 10 CM OF TOPSOIL UNDERLYING THE PEAT. THESE SOILS ARE WET ALL YEAR AND SANDY LOAM TEXTURED. AS A RESULT, EXPOSED FACES MAY BE UNSTABLE.

09/01/93

SOIL SERIES:

ROLLY VIEW (RLV) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-25	10YR	3/1	VERY DARK GRAY	WFGR	FR	SL	4.6	6.8	0.6	67.	0.3
BM	25-85	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	L		6.4	0.2	49.	0.3
CK	85-120	10YR	6/3	PALE BROWN	MA	F	CL		7.7	0.3	65.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	G	G	F	G	F (Topsoil)
BM	25-85	F	G		F	G	G	G	F (Subsoil)
CK	85-120	· F	F		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm 15-25	cm
OBVIOUS	
NONE	
LOW	
0.053	
LOW	
MODERAT	Ε
HTGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER S	UBSOIL: NO
IMPORTANT TEXTURE CHANG	E: NO

NOTES: THESE SOILS ARE DEVELOPED ON GROUND MORAINE OR DEAD ICE MORAINE THAT IS DARKER IN COLOR.

09/01/93

SOIL SERIES:

THORSBY

(TBY)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: DARK GRAY SOLOD

USUAL SOIL MOISTURE:

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

1-9%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture		рН	EC	Sat%	SAR	
AP	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	6.	0.7	62.	8.5
BNT	18-38	10YR	3/3	DARK BROWN	COL	VF	CL	8.	2.1	89.	19.3
CSK	38-90	10YR	5/3	BROWN	MA	F	SCL	9.	1.6	81.	25.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	, G		F	G	F	P	P (Topsoil)
BNT	18-38	P	F		F	G	P	U	U (Subsoil)
CSK	38-90	F	F		P	G	P	Ū	U (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm 10-20 cm NOT OBVIOUS NONE LOW 0.043

LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THORSBY SOILS ARE DEVELOPED ON EDMONTON TILL. THE BNT HORIZON IS VERY FIRM AND COLUMNAR AND THE C HORIZON IS SALINE AND SODIC.

09/01/93

SOIL SERIES: SOIL ZONE: TIGERLILY

(TGL) I

LANDFORM:

UNDULATING, HILLY,

HUMMOCKY

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

TYPICAL SLOPES:

1-30%

PARENT MATERIAL:

MODERATELY COARSE

USUAL SOIL MOISTURE: SURFACE STONINESS: DROUGHTY NON

GLACIOFLUVIAL

DARK GRAY-GRAY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture			O.C.	рН	EC	Sat%	SAR
AHE	0-18	10YR	4/3	BROWN-DARK BROWN	WFGR	VFR	FSL	1.5	6.5	0.7	31.	0.5
BT	18-50	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	SL		6.4	0.5	32.	0.3
BC	50-100	2.5Y	6/6	OLIVE YELLOW	SGR	FR-L	SL		6.6	0.5	36.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AHE	0-18	G	G	F	G	G	G	G	F (Topsoil)
BT	18-50	G	G		F	G	G	G	F (Subsoil)
BC	50-100	·F	G		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN,
	DISCONTINUOUS
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.046
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE A LH HORIZON OVERLYING A DISTINCT PALE, PLATY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS (LH,AE) AND IS FAIRLY LIGHT IN COLOR. EXPOSED FACES OF THESE SOILS MAY BE UNSTABLE.

09/01/93

SOIL SERIES:

TIGERLILY-XCZB

LANDFORM:

UNDULATING, HILLY

(xczbTGL)

TYPICAL SLOPES:

1-15%

SOIL ZONE: SOIL CLASSIFICATION: DARK GRAY-GRAY

USUAL SOIL MOISTURE:

MESTC

MODERATELY COARSE

BRUNISOLIC GRAY LUVISOL

SURFACE STONINESS:

MOM

PARENT MATERIAL:

GLACIOFLUVIAL/ GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AE	0-7	10YR	5/3	BROWN	SGR	L	SL	1.	6.5		
BM1	7-28	10YR	5/4	YELLOWISH BROWN	SGR	L	SL	0.4	6.		
BM2	28-42	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	VFR	SL	0.4	6.1		
2BT	42-57	10YR	5/3	BROWN	MFSBK	F	CL	0.9	6.3		
2CK	57-120	10YR	6/4	LIGHT YELLOWISH BROWN	STRAT	F	SICL		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-7	F	G	F	G				F (Topsoil)
BM1	7-28	F	G		F				F (Subsoil)
BM2	28-42	G	G		F				F (Subsoil)
2BT	42-57	F	F		F				F (Subsoil)
2CK	57-120	F	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 10 cm 5-15 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS

HIGH 0.046 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: MO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: VARIANT OF TIGERLILY THAT HAS A BRUNISOLIC PROFILE AND HAS FINE TEXTURED GLACIOLACUSTRINE MATERIAL WITHIN 1 M OF THE SURFACE.

.

EXPOSED FACES OF THE UPPER MATERIAL MAY BE UNSTABLE.

09/01/93

SOIL SERIES:

TIGERLILY-ZB

(zbTGL) LANDFORM:

UNDULATING, HILLY,

SOIL ZONE:

DARK GRAY-GRAY

GLACIOFLUVIAL

TYPICAL SLOPES:

HUMMOCKY

SOIL CLASSIFICATION PARENT MATERIAL:

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL

:

USUAL SOIL MOISTURE: DROUGHTY

MODERATELY COARSE

SURFACE STONINESS:

NON

1-30%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-15	10YR	5/3	BROWN	WFGR	VFR	SL	2.5	6.		
BM	15-38	10YR	5/4	YELLOWISH BROWN	WFPL	VFR	SL	0.3	6.7		
BT	38-65	10YR	5/6	YELLOWISH BROWN	WFSBK	VFR	SL	0.4	6.3		
CKGJ	65-120	10YR	6/2	LIGHT BROWNISH GRAY	STRAT	FR	SL		7.3		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G	F				F (Topsoil)
BM	15-38	G	G		G -				G (Subsoil)
BT	38-65	G	G		F				F (Subsoil)
CKGJ	65-120	G	G		G				G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

NOT OBVIOUS
VERY THIN,
DISCONTINUOUS
HIGH
0.046
LOW
MODERATE
HIGH

10 cm 5-15 cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF TIGERLILY THAT HAS A BRUNISOLIC PROFILE.

09/01/93

SOIL SERIES:

TWO HILLS

(TWH)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

ORTHIC DARK GRAY

USUAL SOIL MOISTURE: SURFACE STONINESS: DROUGHTY

NON

PARENT MATERIAL:

GRAVELLY, VERY COARSE

GLACIOFLUVIAL

CHERNOZEMIC

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AH	0-13	10YRm 2/1	BLACK	WFGR	FR	L	7.95	5.9		
AHE	13-20	10YRm 3/1	VERY DARK GRAY	MFPL	FR	L	4.6	6.1		
BTJ	20-40	10YRm 3/3	DARK BROWN	WFSBK	FR	GRSL	1.35	6.6		
BC	40-120	10YRm 3/3	DARK BROWN	SGR	L	GRLS		7.7		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH AHE BTJ BC	0-13 13-20 20-40 40-120	G G G F	G G P P	G G	F F G F	-			F (Topsoil) F (Topsoil) P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm
15-25 cm
NOT OBVIOUS
GRAVELLY
LOW
0.013
LOW
LOW
MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON GLACIOFLUVIAL GRAVELS. THE GRAVEL IS AT OR NEAR THE SURFACE. THE TOPSOIL MAY OR MAY NOT BE GRAVELLY.

09/01/93

SOIL SERIES:

UNCAS

(UCS) LANDFORM:

UNDULATING, ROLLING,

HUMMOCKY

SOIL ZONE: SOIL CLASSIFICATION: DARK GRAY LUVISOL

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

MESIC

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
LH	0-5		/						6.5			
AH	5-10	10YRm	2/1	BLACK	WFGR	VFR	L	8.28	6.1			
AHE	10-18	10YRm	3/2	VERY DARK GRAYISH BROWN	WFPL	VFR	SIL	1.18	5.6			
AE	18-23	10YRm	6/3	PALE BROWN	MFPL	VFR	SIL	0.48	5.5			
AB	23-31	10YRm	5/3	BROWN	MFSBK	F	SIL		5.3			
BT1	31-54	10YRm	5/4	YELLOWISH BROWN	MMSBK	F	L-CL		5.5			
BT2	54-74	10YRm	5/3	BROWN	MMSBK	F	L-CL	0.35	6.6			
BC	74-107	10YRm	4/2	DARK GRAYISH BROWN	WMSBK	FR	L-SCL		7.1			
CK	107-143	10YRm	5/2	GRAYISH BROWN	MA	FR	L-SCL		7.5			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rat:
LH	0-5								
AH	5-10	G	G	G	F				F (Topsoi
AHE	10-18	G	G	F	F				F (Topsoi
AE	18-23	G	G	P	F				P (Topsoi
AB	23-31	F	G		P				P (Subsoi
BT1	31-54	F	F		F				F (Subsoi
BT2	54-74	F	F		G				F (Subsoi
BC	74-107	G	F		G				F (Subsoi
CK	107-143	G	F		G				F (Subsoi

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20	CM	
15-2	5	cm
OBVI	OUS	
NONE		
LOW		
0.05	3	
LOW		
MODE	RATE	;
HTCH		

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO
NO

NOTES: THESE SOILS ARE DEVELOPED ON GROUND MORAINE OR DEAD ICE MORAINE OF THE EDMONTON FORMATION.

09/01/93

SOIL SERIES: SOIL ZONE:

UNCAS-ST

TILL

(stucs) LANDFORM:

UNDULATING, ROLLING,

HUMMOCKY

SOIL CLASSIFICATION: DARK GRAY LUVISOL

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

PARENT MATERIAL:

STONY, MODERATELY FINE

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat% SAI	R
AP	0-18			BLACK	WFGR	FR	STL	4.9	6.1			
BT	23-60	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	STCL		6.2	0.4	38.	
CK	60-130	10YR	5/2	GRAYISH BROWN	MA	F	STCL		8.	0.9	43. 2	.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating		
AP .	0-18	G	P	G	F	G	F		P (Topsoil)		
BT	23-60	F	P		F	G	G		P (Subsoil)		
CK	60-130	F	P		F	G	G	G	P (Subsoil)		

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

20 cm 15-25 cm STONY LOW 0.053 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF UNCAS THAT IS STONIER THAN NORMAL.

SOIL CLASSIFICATION: DARK GRAY SOLOD

SCA 11

09/01/93

SOIL SERIES:

WABAMUN

(WAB)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

1-5%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure Consistence		Texture	0.C.	рН	EC Sat%	SAR
AH	0-10	10YRm 2/2	VERY DARK BROWN	SMGR	FR	SICL-SIC	4.9	5.3		
AE	10-20	10YRm 6/2	LIGHT BROWNISH GRAY	SMPL	FR	SIL	0.91	5.2		
AB	20-25	10YRm 2/2	VERY DARK BROWN	MFSBK	F-VF	SICL	1.31	4.5		
BNT1	25-40	10YRm 3/2	VERY DARK GRAYISH BROWN	SMCOL	VF	HC	1.05	4.1		
BNT2	40-58	10YRm 3/2	VERY DARK GRAYISH BROWN	SFCOL	VF	HC	0.67	5.		
CKSA	58-99	10YRm 3/2	VERY DARK GRAYISH BROWN	STRAT	VF	HC		7.5		

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	P	G	P				P (Topsoil)
AE	10-20	G	G	P	P				P (Topsoil)
AB	20-25	P	F		P				P (Subsoil)
BNT1	25-40	P	P		U				U (Subsoil)
BNT2	40-58	P	P		P				P (Subsoil)
CKSA	58-99	P	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm
10-15 cm
NOT OBVIOUS
NONE
MODERATE
0.053
LOW
MODERATE
HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL	: YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON MODERATELY SALINE AND/OR SODIC, VERY FINE TEXTURED GLACIOLACUSTRINE MATERIAL. THE BNT HORIZON IS VERY FIRM, ORGANIC STAINED AND COLUMNAR.

09/01/93

SOIL SERIES:

WABASH

(WBH)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

SOIL CLASSIFICATION: GLEYED DARK GRAY

SURFACE STONINESS:

WATERTABLE/PONDING

CHERNOZEMIC

FINE GLACIOLACUSTRINE

0-2%

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture		o.c.	рН	EC	Sat% SAR		
AP	0-20	10YR	2/1	BLACK	MMGR	FR	SICL	4.1	6.7	0.2		
BTGJ	20-100	10YR	5/3	BROWN	MMSBK	F	SIC		7.3	0.3	73.	0.3
CKGJ1	100-130	10YR	5/2	GRAYISH BROWN	MA	F	SIC		7.7	0.3	73.	0.4
CKGJ2	240-275	2.5Y	4/4	OLIVE BROWN	MA	F	SIC		7.7	0.3	69.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	F	G	G	G			F (Topsoil)
BTGJ	20-100	F	P		G	G	F	G	P (Subsoil)
CKGJ1	100-130	F	P		F	G	F	G	P (Subsoil)
CKGJ2	240-275	F	P		F	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 CM OBVIOUS NONE LOW 0.021 LOW LOW MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: THESE SOILS HAVE DEVELOPED ON STONE-FREE LACUSTRINE DEPOSITS IN LOCATIONS OF LEVEL TO GENTLY UNDULATING TOPOGRAPHY WHERE CONDITIONS OF IMPERFECT DRAINAGE EXIST. THESE SOILS HAVE GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

WARBURG

(WBG) LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-2% USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL MODERATELY FINE TILL

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	SCL	2.9	5.8	0.7	52.	0.
BTGJ	15-50	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	SCL		6.4	2.9	42.	0.
CKGJ	80-120	10YR	3/3	DARK BROWN	MA	F	SCL		7.5	3.8	52.	0.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	F	G	F	G	G .	G	F (Topsoil)
BTGJ	15-50	F	F		F	G	G	G	F (Subsoil)
CKGJ	80-120	F .	F		G	F	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE A LH HORIZON OVERLYING A GRAYISH AE HORIZON. CULTIVATED FIELDS HAVE AP HORIZONS ABOUT 15 CM IN THICKNESS.

09/01/93

SOIL SERIES:

WESTEROSE

(WSR)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

MESIC NON

PARENT MATERIAL:

LACUSTRINE

TYPICAL SOIL PROFILE:

						Color Name		Structure	Consistence	Texture	0.0.	рн	EC	Sat%	SAR
 -	14-28	8	10YR	4/6	DARK	YELLOWISH	BROWN	MMSBK	F	SICL	1.	5.5 6.2 7.5			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-14	G	G	F	F				F (Topsoil)
BT	14-28	F	F		F				F (Subsoil)
CK	28-110	G	G		G				G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm .
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE A LH HORIZON OVERLYING A LIGHT COLORED, PLATY AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON IS ABOUT 15 CM THICK AND FAIRLY LIGHT IN COLOR.

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL

SCA 11

09/01/93

SOIL SERIES:

WESTEROSE-GL (glWSR) LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-5% TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR SURFACE STONINESS: NON

USUAL SOIL MOISTURE:

LACUSTRINE

TYPICAL SOIL PROFILE:

												/
Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
APK	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	SIL		7.5			
BKGJ	20-36	10YR	6/2	LIGHT BROWNISH GRAY	WFSBK	FR	SIL	0.6	7.6			
CKGJ1	36-90	2.5Y	5/4	LIGHT OLIVE BROWN	STRAT	FR-F	SICL		7.6			
CKGJ2	90-120	2.5Y	4/4	OLIVE BROWN	SGR	L	SL		7.5			
												à i

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
APK	0-20	G	G	G	G				G (Topsoil)
BKGJ	20-36	G	G		F				F (Subsoil)
CKGJ1	36-90	F	F		F				F (Subsoil)
CKGJ2	90-120	F	G		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOU
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF WESTEROSE THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING AND MOTTLING IN THE SUBSOIL. THESE SOILS USUALLY OCCUR IN LOWER

LANDSCAPE POSITIONS.

INTERPRETATION GUIDELINES

SCA 11

09/01/93

SOIL SERIES:

WINTERBURN

(WTB) LANDFORM: UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE: MESIC

CHENOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM FLUVIAL OR

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
APK 0-2			VERY DARK GRAYISH BROWN	WFGR	FR	FSL			0.6		
BTJK 40-8 CK 80-1	-	5/4 6/4	YELLOWISH BROWN LIGHT YELLOWISH BROWN	WFSBK	FR FR	FSL FSL		8.1	0.8	36.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нq	EC	Sat%	SAR	Overall Rating
APK	0-20	G	G		F	G	G	G	F (Topsoil)
BTJK	40-80	G	G		F	G	G	G	F (Subsoil)
CK	80-100	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	35 cm
THICKNESS RANGE:	20-50 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.040
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: WINTERBURN SOILS ARE DEVELOPED ON MEDIUM TEXTURED PITTED DELTAIC MATERIAL. DISTINCT BANDS OF FINER OR COARSER TEXTURED MATERIAL CAN BE FOUND THROUGHOUT THE B AND C HORIZONS.

09/01/93

SOIL SERIES:

WINTERBURN-GL (alwb)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

MEDIUM FLUVIAL OR

TYPICAL SLOPES: USUAL SOIL MOISTURE:

TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED DARK GRAY

CHERNOZEMIC

SURFACE STONINESS:

2-30%

PARENT MATERIAL:

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
APK	0-55	10YR	3/2	VERY DARK GRAYISH BROWN	WMGR	FR	L	3.9	7.9	0.4	64.	0.2
BKGJ	55-90	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	FR	SIL		7.9	0.4	49.	0.3
CKGJ	90-130	10YR	3/3	DARK BROWN	STRAT	FR	SIL		7.9	0.4	58.	0.3

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
APK	0-55	G	G	G	F	G	F	G	F (Topsoil)
BKGJ	55-90	G	G		F	G	G	G	F (Subsoil)
CKGJ	90-130	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:
RISK ON 9-15* SLOPE:	RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:
	RISK ON 9-13% SLOPE:

35 cm	
20-50	CM
OBVIOUS	
VERY THI	CK
MODERATE	
0.040	
LOW	
MODERATE	
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF WINTERBURN THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING AND MOTTLING IN THE SUBSOIL. THESE SOILS USUALLY OCCUR IN THE LOWER

LANDSCAPE POSITIONS.

2.12 Soil Correlation Area #12

General Description of the Area

- Dark Gray Gray Soil Zone of northeast-central Alberta.
- Occurs along the Athabasca River Valley from Whitecourt to Lesser Slave Lake, and east through Athabasca, Lac La Biche, Bonnyville and Grande Centre.

Ecoregion/Climate

- Mostly Mid-Boreal Mixedwood ecoregion with some Low Boreal Mixedwood along the south.
- Agroclimate is 3H (moderate heat limitation).
- Growing season P-PE= -150 to -200 mm.
- Precipitation between the Mid and Low Boreal Mixedwood ecoregions (SCA 11 and 12, respectively) is similar. Colder temperatures towards the north cause lower moisture deficits in the summer and a longer snowfall cover in the winter.

Soil and Landscapes

- Soils in SCA 12 are dominantly Orthic and Dark Gray Luvisolic with some Dark Gray and Black Chernozemics. Depressional areas contain Gleysolic and Organic soils.
- Landscapes are dominantly undulating moraine (till) with significant glaciolacustrine blankets over till and fluvial (river) deposits.
- Profile development is generally 55 cm deep.
- Soils have 10 to 30 cm of a dark gray to gray colored A horizon, occasionally with a light gray, leached horizon (Ae) below.
- Gray soil may have a thin, dark colored Ah horizon, but generally only a gray, leached Ae horizon is present.

Soil Reclamation Issues

- Potential risk of soil erosion by water is generally low. Areas with steeper topography however, such as along river valleys, have a high risk.
- · A high risk of soil erosion by wind occurs on the Lesser Slave Plain.
- Topsoil salvage of cultivated Luvisols should include the Ap and Ae horizons. In forested areas, the salvaged topsoil should include the Ae and all horizons above it.



09/01/93

SOIL SERIES:

BONNIE

(BNN) LANDFORM:

LEVEL, DEPRESSIONAL,

FEN

SOIL CLASSIFICATION: TYPIC HUMISOL

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

ORGANIC

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture	o.c.	рН	EC	Sat% SAR
OH1 OM OH2 OH3	0-13 13-64 64-91 91-152	5YRW 5YRW 7.5YR 5YRW	3/2 3/4 3/2 3/2	DARK REDDISH BROWN DARK REDDISH BROWN DARK BROWN DARK REDDISH BROWN	0 0 0 0	35.57 37.94 29.69 45.32	5.8 5.9		

SOIL QUALITY RATINGS:

OH1 0-13 G F OM 13-64 G F OH2 64-91 G F	Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
OH2 64-91 G F	OH1	0-13			G	F				
	OM	13-64			G	F				
OH2 01-152 C F	OH2	64-91			G	F				
On3 51-132 G F	он3	91-152			G	F				

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0	cm	
THICKNESS RANGE:			CI
COLOR CHANGE TO SUBSOIL:			
STRIPPING LIMITATIONS:	WET	NESS	
WIND EROSION RISK:			
WATER EROSION K=:		-	
RISK ON <5% SLOPE:		-	
RISK ON 5-9% SLOPE:		-	
RISK ON 9-15% SLOPE:		-	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	ALL NO NO NO NO NO YES NO NO
SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO

NOTES: THESE SOILS ARE CHARACTERIZED BY HUMIC ORGANIC FEN PEAT GREATER THAN 1 M THICK.

09/01/93

SOIL SERIES: SOIL ZONE:

CHATWIN

(CTW)

LANDFORM:

LEVEL, DEPRESSIONAL,

FEN

SOIL CLASSIFICATION: TYPIC MESISOL

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

PARENT MATERIAL: ORGANIC

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Text	ure	o.c.	Нд	EC	Sat%	SAR
OF1 OM1	0-25 25-97	7.5YR 5YRw		BROWN BLACK	C		39.91 33.87				
OM2	97-143		3/2	DARK REDDISH BROWN			33.83				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
OF1	0-25			G	F				
OM1	25-97			G	F				
OM2	97-143			G	F				

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: 0 THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WI WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	TNESS	CM	HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	NO NO NO NO YES NO NO
			IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE CHARACTERIZED BY MESIC ORGANIC FEN PEAT GREATER THAN 1 M THICK.

09/01/93

SOIL SERIES: COLUMBINE (CMB) LANDFORM:

LACUSTRINE

LEVEL, DEPRESSIONAL

DARK GRAY-GRAY SOIL ZONE:

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

TYPICAL SLOPES:

NON

0-1%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AH	0-10	10YR	3/1	VERY DARK GRAY	WFGR	FR	SIL	29.				
BG	10-50	10YR	4/2	DARK GRAYISH BROWN	WMSBK	F	CL	2.6	6.6	0.3	88.	0.3
BCG	50-120	10YR	5/1	GRAY	MA	F	CL		7.3	0.5	43.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH	0-10	G	G	G					G (Topsoil)
BG	10-50	F	· F		G		P	G	P (Subsoil)
BCG	50-120	F	F		G		G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	10 cm 10-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	WEINEDD
WATER EROSION K=:	
	_
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

DIRLETON

(DRN)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

CHERNOZEMIC MODERATELY COARSE SURFACE STONINESS:

NON

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AHE	0-10	10YR	4/2	DARK GRAYISH BROWN	WFGR	VFR	SL	1.2				
BM	10-40	10YR	4/4	DARK YELLOWISH BROWN	SGR	VFR	SL		6.6	0.2	26.	0.2
BC	40-90	10YR	5/4	YELLOWISH BROWN	STRAT	VFR	SL		6.4	0.3	21.	0.2
2C	90-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		5.2	0.1	55.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нф	EC	Sat%	SAR	Overall Rating
AHE	0-10	G	G	F					F (Topsoil)
BM	10-40	G	G		G	G	F	G	F (Subsoil)
BC	40-90	G	G		F	G	F	G	F (Subsoil)
2C	90-100	F	F		P	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
PICK ON -59 CLODE.

MODERATE 0.013 T.OW RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: LOW RISK ON 9-15% SLOPE: MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: THE UPPER MATERIAL IS SANDY LOAM TEXTURED AND EXPOSED FACES MAY BE UNSTABLE WHEN VERTICALLY DITCHED. THE UNDERLYING TILL IS MODERATELY FINE TEXTURED AND NON SALINE-SODIC.

10 cm 10-15 cm NOT OBVIOUS NONE

09/01/93

SOIL SERIES:

DIRLETON-GL

(qlDRN) LANDFORM: VENEER, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-5% TEMPORARY PONDING

CHERNOZEMIC

SOIL CLASSIFICATION: GLEYED DARK GRAY USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.ç.	рН	EC	Sat%	SAR
AHE BMGJ BCGJ	0-10 10-40 40-100	10YR 10YR 10YR	4/2 4/4 5/4	DARK GRAYISH BROWN DARK YELLOWISH BROWN YELLOWISH BROWN	WFGR SGR STRAT	VFR VFR VFR	SL SL SL	1.2	6.6	0.2	26. 21.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHE	0-10	G	G	F					F (Topsoil)
BMGJ	10-40	G	G		G	G	F	G	F (Subsoil)
BCGJ	40-100	G	G		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.013	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	LOW	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF DIRLETON THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING

AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS USUALLY OCCUR IN

LOWER LANDSCAPE POSITIONS.

09/01/93

SOIL SERIES:

DOWNING

(DWG)

LANDFORM:

VENEER 2-9%

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

VERY GRAVELLY, VERY COARSE

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AEP	0-15	10YR	5/3	BROWN	SGR	L	CS	1.7	6.8	0.3	25.
BM	15-75	10YR	4/3	BROWN-DARK BROWN	SGR	L	GRCS		7.	0.2	21.
2BC	75-130	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		6.3	0.4	43.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AEP	0-15	F	Р	F	G	G	F		P (Topsoil)
BM	15-75	F	P		G	G	F		P (Subsoil)
2BC	75-130	F	F		F	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=:

RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 5-15 cm NOT OBVIOUS VERY THIN, GRAVELLY

HIGH 0.020 LOW

LOW MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: THE UPPER MATERIAL IS VERY COARSE TEXTURED AND MAY HAVE UNSTABLE EXPOSED FACES WHEN VERTICALLY DITCHED. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS A LH HORIZON OVERLYING A PLATY, LIGHT GRAY AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON OR TOPSOIL IS MAINLY DERIVED FROM AE MATERIAL AND IS VERY LIGHT IN COLOR.

09/01/93

SOIL SERIES: SOIL ZONE:

EDWAND

(EDW)

LANDFORM:

UNDULATING, ROLLING,

HUMMOCKY

DARK GRAY-GRAY

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

TYPICAL SLOPES:

2-15%

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE

USUAL SOIL MOISTURE: SURFACE STONINESS:

DROUGHTY NON

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon Depth Color Code			Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	
LH	0-5	10YR	2/1	BLACK								
AE	5-20	10YR	5/2	GRAYISH BROWN	SGR	L	GRCS	6.7	6.5	0.5	61.	0.1
BM	20-48	10YR	5/4	YELLOWISH BROWN	SGR	L	GRCS	0.9	6.	0.2	25.	0.3
BC	48-65	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	GRCS		6.1	0.1	21.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-20	F	P	G	G	G	F	G	P (Topsoil)
BM	20-48	F	P		F	G	F	G	P (Subsoil)
BC	48-65	F	P		F	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	10 cm 5-15 cm OBVIOUS VERY THIN, DISCONTINUOUS,
WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	GRAVELLY HIGH 0.020 LOW LOW MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

THESE SOILS HAVE LITTLE OR NO TOPSOIL BUT HAVE A THIN LH HORIZON NOTES: OVERLYING A PALE BROWN AE HORIZON. WEAK PROFILE DEVELOPMENT ON GRAVELLY COARSE SAND HAS RESULTED IN INDISTINCT HORIZONATION. EXPOSED FACES ARE UNSTABLE. EDWAND SOILS ARE DROUGHTY.

NO

09/01/93

SOIL SERIES:

FERGY

(FRY)

LANDFORM:

UNDULATING, ROLLING,

SOIL ZONE:

DARK GRAY-GRAY

HUMMOCKY

SOIL CLASSIFICATION: ELUVIATED BLACK

TYPICAL SLOPES:

1-15%

CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-25	10YR	3/1	VERY DARK GRAY	WMGR	FR	SL	7.		0.7		
BT CCA	25-75 75-120	10YR 10YR	5/3 5/3	BROWN BROWN	WCPR MA	F FR	L L		7.8		54. 65.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	G	G	G	G	F	G	F (Topsoil)
BT	25-75	. · F	G		F	G	G	G	F (Subsoil)
CCA	75-120	G	G		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K =: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: THICKNESS RANGE:

20 cm		SEASONALLY HIGH W.T.:		NO
15-20	cm	HARD BEDROCK:		NO
OBVIOUS		NON-SODIC SOFTROCK:		NO
NONE		SODIC SOFTROCK:		NO
LOW		GRAVEL:		NO
0.026		STONY LAYER:		NO
LOW		FACE INSTABILITY:		NO
LOW		SOLONETZIC B HORIZON:		NO
MODERATE	₹	SALINE OR SODIC LOWER	SUBSOTI	NO

IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THESE SOILS ARE DEVELOPED ON MODERATELY FINE GLACIAL TILL.

09/01/93

SOIL SERIES:

GRATZ-AA

(aaGRZ) LANDFORM:

FLOODPLAIN

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: CUMULIC HUMIC REGOSOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MEDIUM FLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color	Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
АН	0-30	10YR	4/1	DARK	GRAY	MFGR	FR	SIL	7.6				
CKGJ1	30-60	10YR	4/1	DARK	GRAY	MA	FR	SIL		7.5	1.6	71.	4.2
CKGJ2	60-120	10YR	4/1	DARK	GRAY	MA	FR	SIL		7.6	1.1	57.	2.8

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH CKGJ1	0-30 30-60	G G	. G G	G	G	G	F	F	G (Topsoil) F (Subsoil)
CKGJ2	60-120	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

15 cm	SEASONALLY HIGH W.T.:	NO
15-20 cm	HARD BEDROCK:	NO
NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
NONE	SODIC SOFTROCK:	NO
LOW	GRAVEL:	NO
0.040	STONY LAYER:	NO
LOW	FACE INSTABILITY:	NO
MODERATE	SOLONETZIC B HORIZON:	NO
HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
	IMPORTANT TEXTURE CHANGE:	NO
	15-20 cm NOT OBVIOUS NONE LOW 0.040 LOW MODERATE	15-20 cm HARD BEDROCK: NOT OBVIOUS NON-SODIC SOFTROCK: NONE SODIC SOFTROCK: LOW GRAVEL: 0.040 STONY LAYER: LOW FACE INSTABILITY: MODERATE SOLONETZIC B HORIZON: HIGH SALINE OR SODIC LOWER SUBSOIL:

NOTES: GRATZ SOILS OCCUR ON RECENT FLUVIAL FLOODPLAINS AND HAVE BURIED TOPSOIL HORIZONS.

09/01/93

SOIL SERIES:

KEHIWIN

(KHW) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK GRAY-GRAY

CHERNOZEMIC

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	epth Color Code		Color Name	Structure Consistence Texture			o.c.	На	EC	Sat%	SAR
AH	0-35	10YR	3/2	VERY DARK GRAYISH BROWN	MMGR	FR	L	2.6	5.8	0.4	50.	0.
BT	35-75	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL		7.2	0.3	46.	0.
CK	75-130	10YR	5/3	BROWN	MA	F	CL		8.	0.3	46.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-35	G	G	G	F	G	G	G	F (Topsoil)
BT	35-75	F	F		G	G	G	G	F (Subsoil)
CK	75-130	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm
THICKNESS RANGE:	25-35 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THICK
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.034
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE FOUND MAINLY ON UNDULATING OR HUMMOCKY MORAINAL PLAINS.

09/01/93

SOIL SERIES:

LA COREY

(LCY) LANDFORM:

LEVEL, ROLLING,

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

HUMMOCKY

PARENT MATERIAL:

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

1-30%

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS: MESIC VERY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Color Name St		Structure	Consistence	Texture	O.C.	рН	EC	Sat% SA	R	
LH	0-5	10YR	2/1	BLACK								~ 5
AE	5-20	10YR	5/3	BROWN	MMPL	FR	STSL		6.7	0.3	24.	
BT	20-73	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		5.5	0.2	36.	
BC	73-95	10YR	3/4	DARK YELLOWISH BROWN	WFSBK	F	CL					
CK	95-125	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL		7.8	0.4	45. 0	.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-20	G	P		G	G	F		P (Topsoil)
BT	20-73	F	F		F	G	G		F (Subsoil)
BC	73-95	F	F						F (Subsoil)
CK	95-125	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

10 cm TYPICAL THICKNESS: THICKNESS RANGE: 4-15 cm NOT OBVIOUS COLOR CHANGE TO SUBSOIL: VERY THIN, STRIPPING LIMITATIONS: DISCONTINUOUS, STONY GRAVEL: WIND EROSION RISK: LOW 0.059 WATER EROSION K=: RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: MO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO NO STONY LAYER: YES FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES:

LA COREY SOILS OCCUR ON BROWN TO YELLOWISH BROWN GLACIAL TILL. THEY OCCUR ON LEVEL GROUND MORAINES, GENTLY UNDULATING FLUTINGS, AND MODERATELY ROLLING HUMMOCKY MORAINES. IN FORESTED AREAS, THESE SOILS HAVE A THIN LH HORIZON OVERLYING A LIGHT GRAY, PLATY AE HORIZON. THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). WITH CLEARING AND CULTIVATION, AN AP HORIZON IS DEVELOPED MAINLY FROM THE AE HORIZON MATERIAL. IT IS ABOUT 10 CM IN THICKNESS AND FAIRLY LIGHT IN COLOR. LA COREY SOILS MAY BE VERY STONY AND BOULDERY AT THE SURFACE.

09/01/93

SOIL SERIES:

MANATOKAN

(MNT)

LANDFORM:

DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION:

TERRIC MESISOL

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

PARENT MATERIAL:

ORGANIC/GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon De	pth Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
ОМ	0-60 10YR	3/3	DARK BROWN			0	31.2	6.9	1.6	189.	0.3
BG 6	0-90 10YR	5/2	GRAYISH BROWN	MA	F	CL-C		7.5	0.5	44.	0.3
CG 9	0-130 10YR	5/1	GRAY	STRAT	F	CL-C		7.4	0.3	50.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
OM	0-60			G		G	υ.	G	
BG	60-90	F	P		G	G	G .	G	P (Subsoil)
CG	90-130	F	P		G ·	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	0 WETNESS - - - -	Cm Cm	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	ALL NO NO NO NO NO YES NO NO YES
			IMPORTANT TEXTURE CHANGE:	YES

NOTES: THESE SOILS ARE CHARACTERIZED BY 50 TO 100 CM OF ORGANIC FEN PEAT OVERLYING MODERATELY FINE TEXTURED GLACIOLACUSTRINE MATERIAL.

INTERPRETATION GUIDELINES

SCA 12

09/01/93

SOIL SERIES:

MAPOVA

(MPV) LANDFORM:

UNDULATING, LEVEL,

WATERTABLE/PONDING

DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

TYPICAL SLOPES:

0-2%

PARENT MATERIAL:

MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH ·	0-15	10YRm	3/1	VERY DARK GRAY	WFGR	VFR	L	7.49	7.5		
AEGJ	15-25	10YRm	6/2	LIGHT BROWNISH GRAY	WFPL	VFR	L-SL	0.49	7.7		
BTKG	25-33	10YRm	4/2	DARK GRAYISH BROWN	MMSBK	F	CL	0.61	7.7		
CKG1	33-91	10YRm	5/2	GRAYISH BROWN	MMSBK	F	SCL		7.7		
CKG2	91-150	10YRm	5/2	GRAYISH BROWN	MCSBK	F	L-SCL		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-15	G	G	G	G				G (Topsoil)
AEGJ	15-25	G	G	P	F				P (Topsoil)
BTKG	25-33	F	F		F				F (Subsoil)
CKG1	33-91	F	F		F				F (Subsoil)
CKG2	91-150	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	_
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	_

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS MAY HAVE UP TO 15 CM OF SURFACE PEAT. SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

MAPOVA-PT

(ptMPV)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

(PEATY)

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NON

0-1%

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code C		Color Name	Structure C	onsistence	Texture	0.C.	рН	EC	Sat%	SAR
OM	0-20		/				0					
AH	20-35	10YR	2/2	VERY DARK BROWN	MFGR	FR	SIL	3.6	5.9	2.5	62.	0.1
AEG	72-112	10YR	6/6	BROWNISH YELLOW	MMPL	FR	SICL	3.6	5.9	2.5	62.	0.1
BTG	112-132	10YR	2/2	VERY DARK BROWN	PR	F	С	0.5	6.3	0.3	31.	0.4
BCG	132-140	10YR	5/5	YELLOWISH BROWN	WMSBK	F	С	0.5	6.3	0.3	31.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
OM	0-20								
AH	20-35	G	G	G	F	F	F	G	F (Topsoil)
AEG	72-112	G	F	G	F	F	F	G	F (Topsoil)
BTG	112-132	F	P		F	G	G	G	P (Subsoil)
BCG	132-140	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	35 cm (PEAT &	SEASONALLY HIGH W.T.:	ALL
	TOPSOIL)	HARD BEDROCK:	NO
THICKNESS RANGE:	30-65 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MAPOVA THAT HAS 15 TO 50 CM OF SURFACE PEAT. THESE SOILS HAVE ABOUT 15 CM OF TOPSOIL (AH OR AHE HORIZON) AND A PEATY AEG HORIZON UNDERLYING

THE PEAT.

09/01/93

SOIL SERIES:

MISSAWAWI

(MWI)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

ORTHIC GRAY LUVISOL

PARENT MATERIAL:

USUAL SOIL MOISTURE:

2-15% MESTC

MODERATELY COARSE GLACIOFLUVIAL/TILL SURFACE STONINESS:

TYPICAL SLOPES:

NON

TYPICAL SOIL PROFILE:

SOIL CLASSIFICATION:

Horizon	Depth	Color Code		Code Color Name		Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
AP	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	SL	8.2	6.2	1.	74.	0.1
AE	10-30	10YR	5/3	BROWN	WFPL	VFR	SL	0.9	6.3	0.4	26.	0.2
2BT	30-75	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		5.1	0.1	42.	0.5
2CK	75-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL-C		7.5	0.4	59.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G	G	F	G	F	G	F (Topsoil)
AE	10-30	G	G	P	F	G	F	G	P (Topsoil)
2BT	30-75	F	F		P	G	G	G	P (Subsoil)
2CK	75-130	F	P		G	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS VERY THIN, DISCONTINUOUS MODERATE 0.046 LOW MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: MO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: MO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: THESE SOILS HAVE LITTLE OR NO TOPSOIL IN FORESTED LANDS. INSTEAD, THEY HAVE A LH HORIZON OVERLYING A PALE, PLATY AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON IS ABOUT 10 TO 15 CM IN THICKNESS AND IS LIGHTER IN COLOR DUE TO THE AE MATERIAL IT IS MAINLY COMPOSED OF. THE UPPER MATERIAL IS SANDY LOAM TEXTURED AND MAY HAVE UNSTABLE EXPOSED FACES WHEN VERTICALLY DITCHED. THE UNDERLYING TILL IS MODERATELY FINE TEXTURED.

09/01/93

SOIL SERIES:

NICOT

(NIT)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE FLUVIAL OR

SURFACE STONINESS:

NON

EOLIAN

TYPICAL SOIL PROFILE:

												SAR
0-15 10	YR 5	/2	GRAYISH BROW	٧N	SGR	L	SL					
5-28 10	YR 7	/2	LIGHT GRAY	ď	SGR	L	SL		6.4	0.14		
8-58 7.	5YR 5	/6	STRONG BROW	√N	SGR	L	LS-S		6.2	0.12		
3-100 10	yr 5	/6	YELLOWISH BRO	NWO	SGR	L						
0-130 10	YR 5	/6	YELLOWISH BRO	OWN	SGR	L	S		6.1	0.11		
5 8	-28 10 -58 7. -100 10	-28 10YR 7 -58 7.5YR 5 -100 10yr 5	-28 10YR 7/2 -58 7.5YR 5/6 -100 10yr 5/6	-28 10YR 7/2 LIGHT GRAY -58 7.5YR 5/6 STRONG BROW -100 10Yr 5/6 YELLOWISH BROW	-28 10YR 7/2 LIGHT GRAY -58 7.5YR 5/6 STRONG BROWN -100 10Yr 5/6 YELLOWISH BROWN	-28 10YR 7/2 LIGHT GRAY SGR -58 7.5YR 5/6 STRONG BROWN SGR -100 10yr 5/6 YELLOWISH BROWN SGR	-28 10YR 7/2 LIGHT GRAY SGR L -58 7.5YR 5/6 STRONG BROWN SGR L -100 10Yr 5/6 YELLOWISH BROWN SGR L	-28 10YR 7/2 LIGHT GRAY SGR L SL -58 7.5YR 5/6 STRONG BROWN SGR L LS-S -100 10yr 5/6 YELLOWISH BROWN SGR L	-28 10YR 7/2 LIGHT GRAY SGR L SL -58 7.5YR 5/6 STRONG BROWN SGR L LS-S -100 10yr 5/6 YELLOWISH BROWN SGR L	-28 10YR 7/2 LIGHT GRAY SGR L SL 6.4 -58 7.5YR 5/6 STRONG BROWN SGR L LS-S 6.2 -100 10yr 5/6 YELLOWISH BROWN SGR L	-28 10YR 7/2 LIGHT GRAY SGR L SL 6.4 0.14 -58 7.5YR 5/6 STRONG BROWN SGR L LS-S 6.2 0.12 -100 10yr 5/6 YELLOWISH BROWN SGR L	-28 10YR 7/2 LIGHT GRAY SGR L SL 6.4 0.14 -58 7.5YR 5/6 STRONG BROWN SGR L LS-S 6.2 0.12 -100 10yr 5/6 YELLOWISH BROWN SGR L

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	F	G						F (Topsoil)
AE	15-28	F	G		F	G			F (Topsoil)
BM	28-58	F	P		F	G			P (Subsoil)
BC1	58-100	F	P						P (Subsoil)
BC2	100-130	F	P		F	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:

WI WA

TRIPPING LIMITATIONS:	VERY THIN, DISCONTINUOUS
IND EROSION RISK:	HIGH
ATER EROSION K=:	0.020
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THE GLACIOFLUVIAL SANDS ARE STONE-FREE TO SLIGHTLY STONY AND FREQUENTLY STRATIFIED AND LAYERED. NICOT SOILS MAY BE EXCEEDINGLY DROUGHTY IN YEARS OF INADEQUATE RAINFALL. THEY ARE VERY SUSCEPTIBLE TO WIND EROSION. EXPOSED FACES ARE UNSTABLE. IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS). INSTEAD, THEY HAVE A LEAF LITTER (LH) HORIZON OVERLYING A PLATY, LIGHT GRAY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS ABOUT 15 CM IN THICKNESS, IS COMPOSED MAINLY OF AE MATERIAL AND IS GRAYISH BROWN IN COLOR.

15 cm 10-20 cm NOT OBVIOUS

09/01/93

SOIL SERIES:

PLAMONDON (PLM)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L-CL	3.1	5.9	0.7	55.	0.3
BT	18-80	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	С		4.7	0.2	76.	1.5
CK	80-130	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.4	1.	75.	1.3

SOIL QUALITY RATINGS:

Depth	Consistence	Texture	0.C.	Нд	EC	Sat%	SAR	Overall Rating
0-10	G	F	G	F	G	G	G	F (Topsoil)
18-80	F	P		P	G	F	G	P (Subsoil)
80-130	F	P		G	G	F	G	P (Subsoil)
	0-10 18-80	0-10 G 18-80 F	0-10 G F 18-80 F P	0-10 G F G 18-80 F P	0-10 G F G F 18-80 F P P	0-10 G F G F G 18-80 F P P G	0-10 G F G F G G 18-80 F P P G F	0-10 G F G F G G G 18-80 F P G F G

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	IU CM
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.063
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO	SEASONALLY HIGH W.T.:	NO
SODIC SOFTROCK: NG GRAVEL: NG STONY LAYER: NG FACE INSTABILITY: NG SOLONETZIC B HORIZON: NG SALINE OR SODIC LOWER SUBSOIL: NG	HARD BEDROCK:	NO
GRAVEL: NG STONY LAYER: NG FACE INSTABILITY: NG SOLONETZIC B HORIZON: NG SALINE OR SODIC LOWER SUBSOIL: NG	NON-SODIC SOFTROCK:	NO
STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: NO	SODIC SOFTROCK:	NO
FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO	GRAVEL:	NO
SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO	STONY LAYER:	NO
SALINE OR SODIC LOWER SUBSOIL: NO	FACE INSTABILITY:	NO
	SOLONETZIC B HORIZON:	NO
IMPORTANT TEXTURE CHANGE: NO	SALINE OR SODIC LOWER SUBSOIL:	NO
	IMPORTANT TEXTURE CHANGE:	NO

NOTES: ON CULTIVATED LAND, THESE SOILS HAVE A DARK GRAYISH BROWN AP HORIZON THAT IS ABOUT 10 CM IN THICKNESS.

09/01/93

SOIL SERIES:

PLAMONDON-XT (xtPLM) LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

0-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL VERY FINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

MOIST NON

GLACIOLACUSTRINE/TILL

TYPICAL SOIL PROFILE:

Horizon Depth Color Code		Color Name	Structure Consistence Texture		Texture	o.c.	рН	EC	Sat%	SAR		
AP	0-10	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L-CL	3.1	5.9	0.7	55.	0.3
BT	10-80	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	C		4.7	0.2	76.	1.5
2CK	80-130	10YR	4/4	OLIVE BROWN	MA	F	CL					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	F	G	F	G	G	G	F (Topsoil)
BT	10-80	F	P		P	G	F	G	P (Subsoil)
2CK	80-130	F	F						F (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TY

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.063
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF PLAMONDON THAT HAS MODERATELY FINE TEXTURED TILL WITHIN 1 M OF THE SURFACE. THE TEXTURE CHANGE IN MATERIAL IS NOT SIGNIFICANT.

HIGH

09/01/93

SOIL SERIES:

SPEDDEN

(SDN) LANDFORM:

UNDULATING, HUMMOCKY

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	На	EC	Sat% SAR	
AHE	0-12	10YR	4/1	DARK GRAY	MFGR	FR	L		6.7	0.		
ΑE	12-30	10YR	5/2	GRAYISH BROWN	MFPL	VFR	L	1.6	7.1	1.	38.	
вт	30-60	10YR	4/3	BROWN-DARK BROWN	MMSBK	F	CL		6.5	0.4	38.	
вС	60-100	10YR	4/3	BROWN-DARK BROWN	MA	F	SCL		7.1	0.3	35.	

SOIL QUALITY RATINGS:

Morizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating	ı
HE	0-12	G	G		G	G			G (Topsoil)	-
Æ	12-30	G	G	F	G	G	G		F (Topsoil)	
BT	30-60	F	F		G	G	G		F (Subsoil)	
вс	60-100	F	F		G	G	G		F (Subsoil)	
										-

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 CM
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS OCCUR ON UNDULATING MORAINAL PLAINS AND MODERATELY ROLLING HUMMOCKY MORAINAL PLAINS.

09/01/93

SOIL SERIES:

TAWATINAW

(TNW)

LANDFORM:

MORAINES, FLUTINGS

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

1-15%

SOIL CLASSIFICATION: PARENT MATERIAL:

ORTHIC GRAY LUVISOL GRAVELLY, MEDIUM TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC WERY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-18	10YR	5/3	BROWN	WFGR	VFR	SL		6.8	0.2	32.	0.2
AE	18-25	10YR	6/3	PALE BROWN	WFPL	VFR	FSL					
BT	25-80	10YR	5/3	BROWN	WFSBK	F	L		6.3	0.1	31.	0.5
BC	80-120	10YR	5/4	YELLOWISH BROWN	SGR	L	SL		6.8	0.1	23.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AP	0-18	G	G		G	G	G	G	G (Topsoil)
AE	18-25	G	G						F (Topsoil)
BT	25-80	F	G		F	G	G	G	F (Subsoil)
BC	80-120	F	G		G	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS VERY THIN, GRAVELLY MODERATE 0.053 LOW

MODERATE

HTGH

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: YES FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THE GROUND AND DEAD ICE MORAINE IS STONY, PARTICULARILY WITH DEPTH. POCKETS OF SAND AND GRAVEL ARE COMMON AND TEXTURES ARE HIGHLY VARIABLE. TEXTURES BECOME COARSER WITH INCREASING DEPTH AND TOPOGRAPHY. IN FORESTED AREAS, THERE IS USUALLY NO TOPSOIL. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A PALE BROWN, PLATY, PROMINENT AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON RANGES FROM 10 TO 20 CM AND IS LIGHTER IN COLOR DUE TO THE AE MATERIAL IT IS MAINLY COMPOSED OF.

09/01/93

SOIL SERIES:

VILNA

SOIL CLASSIFICATION: GLEYED ELUVIATED BLACK

(VIL)

LANDFORM:

LEVEL, UNDULATING

SOIL ZONE:

DARK GRAY-GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

CHERNOZEMIC

USUAL SOIL MOISTURE:

SURFACE STONINESS:

SLIGHTLY

0-5%

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Morizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHP	0-20	10YRm	2/1	BLACK	MA	FR	L	3.58	6.3		
AHE	20-25	10YRm	3/1	VERY DARK GRAY	MA	FR	L	0.97	6.4		
ΔB	25-36	10YRm	5/4	YELLOWISH BROWN	MA	FR	SCL	0.42	6.4		
BTGJ	36-72	10YRm	3/3	DARK BROWN	WFSBK	FR	SCL	0.44	6.8		
CKG	72-100	2.5Ym	4/2	DARK GRAYISH BROWN	MA	FR	L-SCL		7.8		

SOIL QUALITY RATINGS:

Morizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
AHP	0-20		G	G	F				F (Topsoil)	
AHE	20-25		G	P	F				P (Topsoil)	
AB	25-36		F		F				F (Subsoil)	
BTGJ	36-72		F		G				F (Subsoil)	
CKG	72-100		F		F				F (Subsoil)	

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	LOW
RISK ON 9-15% SLOPE:	MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VILNA SOILS OCCUR ON THE LOWER SLOPES OF UNDULATING MORAINAL PLAINS WHERE DRAINAGE IS IMPERFECT. THESE SOILS EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.



2.13 Soil Correlation Area #13

General Description of the Area

 Occurs in a narrow strip west of Sundre, Rocky Mountain House and Drayton Valley; a wider area between Hinton and Whitecourt, north of Fox Creek; and northeast to Slave Lake.

Ecoregion/Climate

- Lower boreal Cordilleran ecoregion of West-Central Alberta Plains.
- Agroclimate is 4H (severe heat limitation).
- Growing season P-PE= -150 to 0 mm.
- Average precipitation in the Lower Boreal-Cordilleran ecoregion is 460 mm, most of which
 occurs during the summer making this ecoregion the second wettest area in Alberta. The
 Upper Boreal-Cordilleran Ecoregion is the only area receiving more precipitation during the
 summer. Winter precipitation is similar to the Low and Mid Boreal Mixedwood Ecoregions.
- Summer temperatures are colder than the Low and Mid Boreal Mixedwood ecoregion.
 Winter temperatures are warmer because arctic highs rarely reach this area and numerous chinooks occur.
- Chinooks have a large effect on climate in the Saskatchewan River Valley.

Soil and Landscapes

- Soils in SCA 13 are dominantly Luvisolic with some Brunisolic soils present. Poorly
 drained areas contain Gleysolic and Organic soils.
- Landscapes are composed largely of Cordilleran till with the surface expression controlled by bedrock.
- Profile development generally 85 cm deep.
- A significant amount of the soils have gravel and/or hard bedrock contact.

Soil Reclamation Issues

- Potential risk of soil erosion by water is generally severe to moderate, on steep and long slopes, because of high summer rainfall. Undulating landscapes have a low risk.
- The risk of soil erosion by wind is generally low except in the Saskatchewan River Valley where it is moderate to high.



09/01/93

SOIL SERIES: ANSELL (ASL) LANDFORM: HUMMOCKY

SOIL ZONE: GRAY TYPICAL SLOPES: 6-9%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-5		/						4.3		
AE	5-17	10YRm	7/2	LIGHT GRAY	MFPL	FR	L	0.39	5.9		
BT1	17-27	10YRm	4/3	DARK BROWN	SFSBK	F	CL	0.47	5.7		
BT2	27-49	10YRm	5/6	YELLOWISH BROWN	SMSBK	F	L	0.23	5.6		
BC	49-66	2.5Ym	5/4	LIGHT OLIVE BROWN	WCSBK	F	SIL		5.5		
С	66-120	2.5Ym	4/4	OLIVE BROWN	MA	F	CL		5.9		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating	
LH	0-5									
AE	5-17	G	G		G				G (Upper L)	
BT1	17-27	G	F		G				F (Subsoil)	
BT2	27-49	G	G		G				G (Subsoil)	
BC	49-66	G	G		G				G (Subsoil)	
С	66-120	G	F		G				F (Subsoil)	

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL. INSTEAD, THEY HAVE A LH AND A GRAY, PLATY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED LARGELY OF THE AE HORIZON AND IS ABOUT 15 CM IN THICKNESS. THESE SOILS ARE LOAM TO CLAY LOAM TEXTURED.

09/01/93

SOIL SERIES:

ANSELL-ST (stASL) LANDFORM:

HUMMOCKY

SOIL ZONE:

GRAY

TYPICAL SLOPES: 6-9%

USUAL SOIL MOISTURE: MESIC

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS: EXCEEDINGLY

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Co	ode Color Na	me Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
LH	0-5		/					4.3			
AE	5-17	10YRm 7	1/2 LIGHT G	RAY MFPL	FR	STL	0.39	5.9			
BT1	17-27	10YRm 4	1/3 DARK BR	OWN SFSBK	F	STCL	0.47	5.7			
BT2	27-49	10YRm 5	76 YELLOWISH	BROWN SMSBK	F	STL	0.23	5.6			
BC	49-66	2.5Ym 5	5/4 LIGHT OLIVE	BROWN WCSBK	F	STSIL		5.5			
С	66-120	2.5Ym 4	1/4 OLIVE BR	OWN MA	F	STCL		5.9			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Hq	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-17	G	P		G				P (Upper L)
BT1	17-27	G	P		G				P (Subsoil)
BT2	27-49	G	P		G				P (Subsoil)
BC	49-66	G	P		G				P (Subsoil)
C	66-120	G	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

YPICAL THICKNESS:	15 CM
HICKNESS RANGE:	10-20 cm
OLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
TRIPPING LIMITATIONS:	STONY
IND EROSION RISK:	LOW
ATER EROSION K=:	0.063
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ANSELL THAT IS STONIER THAN NORMAL.

INTERPRETATION GUIDELINES

SCA 13

09/01/93

BEARBERRY (BAB) LANDFORM: BLANKET SOIL SERIES: TYPICAL SLOPES: 1-15% GRAY SOIL ZONE: USUAL SOIL MOISTURE: SOIL CLASSIFICATION: DARK GRAY LUVISOL MOIST FINE GLACIOLACUSTRINE SURFACE STONINESS: NON PARENT MATERIAL:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Code Color Name		Consistence	Texture	O.C.	рН	EC	Sat% SA	AR
AP	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	CL		5.5	0.3	69.	
BT	20-50	10YR	5/3	BROWN	MMSBK	F	HC		6.	0.1	77.	
BC	50-92	10YR	5/2	GRAYISH BROWN	WFSBK	F	HC					
CK	92-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	С		7.6	0.3	81. 0	0.4
CK	92-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	С		7.6	0.3	81.	(

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	F		G	G	F		F (Upper L)
BT	20-50	G	P		G	G	F		P (Subsoil)
BC	50-92	G	P						P (Subsoil)
CK	92-110	G	P		F	G	P	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 20 cm SEASONALLY HIGH W.T.: NO THICKNESS RANGE: 10-35 HARD BEDROCK: cm NO COLOR CHANGE TO SUBSOIL: OBVIOUS NON-SODIC SOFTROCK: NO SODIC SOFTROCK: STRIPPING LIMITATIONS: NONE MO WIND EROSION RISK: GRAVEL: LOW NO 0.050 WATER EROSION K=: STONY LAYER: NO RISK ON <5% SLOPE: LOW FACE INSTABILITY: NO RISK ON 5-9% SLOPE: MODERATE SOLONETZIC B HORIZON: NO RISK ON 9-15% SLOPE: SALINE OR SODIC LOWER SUBSOIL: HIGH NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THESE SOILS ARE DEVELOPED ON HEAVY CLAY TEXTURED MATERIAL. TOPSOIL THICKNESS VARIES FROM 5 TO 15 CM IN FORESTED AREAS AND IS UP TO 35 CM IN CULTIVATED AREAS. THESE SOILS HAVE GOOD POTENTIAL FOR AGRICULTURAL DEVELOPMENT BECAUSE THEY HAVE A SIGNIFICANT DEPTH OF TOPSOIL, EVEN IN

FORESTED AREAS.

09/01/93

SOIL SERIES:

BICKERDIKE-AA (aaBCR)

LANDFORM:

BLANKET

SOIL ZONE:

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL: VERY COARSE GLACIOFLUVIAL SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC Sat% SAR
LH	0-7	/						7.1	
AE	7-22	7.5YR 5/2	BROWN	WCPL	L	SL	0.6	7.5	
BTJ	22-49	10YRm 5/6	YELLOWISH BROWN	WMSBK	L	SL	0.44	7.3	
BC	49-130	2.5Ym 5/4	LIGHT OLIVE BROWN	SGR	L	LS		7.3	
CK	130-150	2.5Ym 4/2	DARK GRAYISH BROWN	SGR	L	LS		8.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	Нд	EC	Sat%	SAR	Overall Rating
LH	0-7								
AE	7-22	F	G		F				F (Upper L)
BTJ	22-49	F	G		F				F (Subsoil)
BC	49-130	F	P		F				P (Subsoil)
CK	130-150	F	P		P				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

NOT OBVIOUS NONE MODERATE 0.040 LOW MODERATE HIGH

15 cm 10-20

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. DEVELOPED ON LOAMY SAND TEXTURED MATERIAL AND, AS A RESULT, EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THESE SOILS HAVE AN LH AND AE HORIZON. CULTIVATED AREAS HAVE AP HORIZONS ABOUT 10 TO 15 CM IN THICKNESS AND COMPOSED MAINLY OF AE HORIZON MATERIAL.

09/01/93

SOIL SERIES:

BIGORAY

(BGY)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-9%

BOIL CLINDDII IOIII

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

FINE GLACIOLACUSTRINE OR

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SLIGHTLY

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
LH .	0-8		/						5.8			
AE	8-23	10YRd	7/2	LIGHT GRAY	SMPL	SO	SIL	0.51	5.2			
AB	23-31	10YRm	5/4	YELLOWISH BROWN	MFSBK	FR	C	0.51	4.6			
BT	31-72	10YRm	5/6	YELLOWISH BROWN	SFSBK	F	С	0.49	4.4			
BC	72-102	10YRm	4/4	DARK YELLOWISH BROWN	MA	VF	SIC		5.9			
CK .	102-150	2.5Ym	4/4	OLIVE BROWN	MA	F	SIC		7.4			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence ·	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-8								
AE	8-23	G	G		G				G (Upper L)
AB	23-31	G	P		F				P (Upper L)
BT	31-72	G	P		F				P (Subsoil)
BC	72-102	F	F		G				F (Subsoil)
CK	102-150	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY TEXTURED DEPOSITS. IN FORESTED AREAS, BIGORAY SOILS HAVE LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS).

INSTEAD, THEY HAVE AN LH AND AE HORIZON. AN AB HORIZON IS ALSO PRESENT BUT IT HAS POOR SUITABILITY AND SHOULD NOT BE INCLUDED IN THE UPPER LIFT. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED OF A MIXTURE OF THESE SURFACE HORIZONS, IS VARIABLE IN COLOR, AND ABOUT 10 CM THICK.

NO

NO

NO

09/01/93

SOIL SERIES:

BLUE RIDGE (BLR) LANDFORM:

UNDULATING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-5%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL MODERATELY COARSE

USUAL SOIL MOISTURE: DROUGHTY SURFACE STONINESS:

NON

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
LH	0-5		/						6.4			
AE1	5-10	10YRm	5/3	BROWN	WFPL	L	LS	0.58	6.3			
AE2	10-28	10YRm	5/4	YELLOWISH BROWN	MFPL	L	LS	0.29	6.2			
BT	28-43	10YRm	5/8	YELLOWISH BROWN	WMSBK	FR	SCL	0.41	6.			
BC	43-104	2.5Ym	5/2	GRAYISH BROWN	SGR	L	LS		6.4			
CK	104-150	2.5Ym	5/4	LIGHT OLIVE BROWN	SGR	L	LS-S		7.1			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE1	5-10	F	P		G				P (Upper L)
AE2	10-28	F	P		G				P (Upper L)
BT	28-43	G	F		G				F (Subsoil)
BC	43-104	F	P		G				P (Subsoil)
CK	104-150	F	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: THICKNESS RANGE: 10-20 cm
COLOR CHANGE TO SUBSOIL: NOT OBVIOUS
STRIPPING LIMITATIONS: NONE
WIND EROSION RISK: MODERATE WIND EROSION RISK: WATER EROSION K =: RISK ON <5% SLOPE: LOW
RISK ON 5-9% SLOPE: MODERATE
RISK ON 9-15% SLOPE: HIGH

15 cm 10-20 cm MODERATE 0.053

SUBSOIL (TO 1.5 M) INTERPRETATIONS: SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES

SALINE OR SODIC LOWER SUBSOIL:

SOLONETZIC B HORIZON:

IMPORTANT TEXTURE CHANGE:

DEVELOPED ON LOAMY SAND TEXTURED MATERIAL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A THICK, DISTINCT, PLATY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED MAINLY OF AE HORIZON MATERIAL AND IS ABOUT 15 CM IN THICKNESS.

09/01/93

(BMY) SOIL SERIES: BREMAY GRAY SOIL ZONE:

LANDFORM: TYPICAL SLOPES: BLANKET 0-2%

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR	
AP	0-12	10YR	3/3	DARK BROWN	MFGR	FR	L					
AEGJ	12-22	10YR	5/2	GRAYISH BROWN	MMPL	FR	SIL					
BTGJ	22-74	2.5Y	4/4	OLIVE BROWN	MMSBK	F	CL					
BCGJ	74-85	2.5Y	4/4	OLIVE BROWN	MFSBK	F	CL					
CKGJ	85-110	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G						G (Upper L)
AEGJ	12-22	G	G						G (Upper L)
BTGJ	22-74	G	F						F (Subsoil)
BCGJ	74-85	G	F						F (Subsoil)
CKGJ	85-110	G	F						F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS). NOTES: INSTEAD, THERE IS A LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS, IS VARIABLE IN COLOR AND IS ABOUT 10 CM THICK. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

BREMAY-PT

(ptBMY) LANDFORM: BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION:

GLEYED GRAY LUVISOL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

(PEATY)

SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
0м	0-20		/									
AH	20-27	10YR	3/3	DARK BROWN	MFGR	FR	L					
AEGJ	27-37	10YR	5/2	GRAYISH BROWN	MMPL	FR	SIL					
BTGJ	37-89	2.5Y	4/4	OLIVE BROWN	MMSBK	F	CL					
BCGJ	89-100	2.5Y	4/4	OLIVE BROWN	MMSBK	F	CL					
CKGJ	100-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
0M AH	0-20 20-27	G	G						(Peat) G (Upper L)
AEGJ	27-37	G	G						G (Upper L)
BTGJ BCGJ	37-89 89-100	G G	F F						F (Subsoil) F (Subsoil)
CKGJ	100-120	G	F						F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm (PEAT &	SEASONALLY HIGH W.T.:	SPR
	TOPSOIL)	HARD BEDROCK:	NO
THICKNESS RANGE:	30-65 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	NO
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF BREMAY WITH 15 TO 50 CM OF SURFACE PEAT. THERE IS ABOUT 5 CM OF TOPSOIL (AH OR AHE HORIZON) AND ABOUT 10 CM OF GRAYISH BROWN, PLATY AEG HORIZON UNDERLYING THE PEAT.

09/01/93

SOIL SERIES:

BUCK LAKE

(BLK)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
0-5		/						6.8			
5-13	10YRm	4/2	DARK GRAYISH BROWN	MFPL	FR	SIL	1.58	5.8			
13-18	7.5YR	4/4	DARK BROWN	WFGR	FR	SIL	1.72	5.7			
18-31	10YRm	6/3	PALE BROWN	SMPL	FR	SIL	0.1	5.3			
31-36	10YRm	5/6	YELLOWISH BROWN	MMSBK	F	SIL-SICL	0.69	4.8			
36-72	2.5Ym	4/2	DARK GRAYISH BROWN	SFSBK	VF	C	0.61	5.2			
72-105	2.5Ym	4/2	DARK GRAYISH BROWN	MA	F	С		5.5			
105-150	2.5Ym	4/2	DARK GRAYISH BROWN	MA	F	CL		7.4			
	0-5 5-13 13-18 18-31 31-36 36-72 72-105	0-5 5-13 10YRm 13-18 7.5YR 18-31 10YRm 31-36 10YRm 36-72 2.5Ym 72-105 2.5Ym	0-5 / 5-13 10YRm 4/2 13-18 7.5YR 4/4 18-31 10YRm 6/3 31-36 10YRm 5/6 36-72 2.5Ym 4/2 72-105 2.5Ym 4/2	0-5 / 5-13 10YRm 4/2 DARK GRAYISH BROWN 13-18 7.5YR 4/4 DARK BROWN 18-31 10YRm 6/3 PALE BROWN 31-36 10YRm 5/6 YELLOWISH BROWN 36-72 2.5Ym 4/2 DARK GRAYISH BROWN 72-105 2.5Ym 4/2 DARK GRAYISH BROWN	0-5 / 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL 13-18 7.5YR 4/4 DARK BROWN WFGR 18-31 10YRm 6/3 PALE BROWN SMPL 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA	0-5 / 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL FR 13-18 7.5YR 4/4 DARK BROWN WFGR FR 18-31 10YRm 6/3 PALE BROWN SMPL FR 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK F 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK VF 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA F	0-5 / 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL FR SIL 13-18 7.5YR 4/4 DARK BROWN WFGR FR SIL 18-31 10YRm 6/3 PALE BROWN SMPL FR SIL 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK F SIL-SICL 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK VF C 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA F C	0-5 / 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL FR SIL 1.58 13-18 7.5YR 4/4 DARK BROWN WFGR FR SIL 1.72 18-31 10YRm 6/3 PALE BROWN SMPL FR SIL 0.1 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK F SIL-SICL 0.69 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK VF C 0.61 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA F C	0-5 / 6.8 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL FR SIL 1.58 5.8 13-18 7.5YR 4/4 DARK BROWN WFGR FR SIL 1.72 5.7 18-31 10YRm 6/3 PALE BROWN SMPL FR SIL 0.1 5.3 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK F SIL-SICL 0.69 4.8 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK VF C 0.61 5.2 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA F C 5.5	0-5 / 6.8 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL FR SIL 1.58 5.8 13-18 7.5YR 4/4 DARK BROWN WFGR FR SIL 1.72 5.7 18-31 10YRm 6/3 PALE BROWN SMPL FR SIL 0.1 5.3 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK F SIL-SICL 0.69 4.8 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK VF C 0.61 5.2 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA F C 5.5	0-5 / 6.8 5-13 10YRm 4/2 DARK GRAYISH BROWN MFPL FR SIL 1.58 5.8 13-18 7.5YR 4/4 DARK BROWN WFGR FR SIL 1.72 5.7 18-31 10YRm 6/3 PALE BROWN SMPL FR SIL 0.1 5.3 31-36 10YRm 5/6 YELLOWISH BROWN MMSBK F SIL-SICL 0.69 4.8 36-72 2.5Ym 4/2 DARK GRAYISH BROWN SFSBK VF C 0.61 5.2 72-105 2.5Ym 4/2 DARK GRAYISH BROWN MA F C 5.5

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Ove	rall Rating
LH	0-5									
AE1	5-13	G	G		G				G	(Upper L)
BF	13-18	G	G		G				G	(Upper L)
AE2	18-31	G	G		G				G	(Upper L)
AB	31-36	F	F		F				F	(Upper L)
вт	36-72	F	P		G				P	(Subsoil)
BC	72-105	G	P		G				. P	(Subsoil)
CK	105-150	G	F		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15	cm	
10-3	0	cm
TOV	OBVI	OUS
NONE		
LOW		
0.07	2	
MODE	RATE	2
MODE	RATE	2
HIGH		

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED CONTINENTAL TILL. UNDER FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS A LH HORIZON OVERLYING AN AE, BF, AND ANOTHER AE HORIZON. AN AB HORIZON IS ALSO PRESENT, HAVING A FAIR SUITABILITY RATING. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED OF THE LH, AE AND PART OF THE BF HORIZON. THESE SOILS ARE FOUND AT HIGH ELEVATIOINS AND HAVE LOW FERTILITY AND THEREFORE, ARE USUALLY ONLY SUITABLE FOR PASTURE AND SODLAND.

09/01/93

SOIL SERIES:

BUCK LAKE-ST (stBLK) LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

GRAY

TILL

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS:

EXCEEDINGLY

TYPICAL SOIL PROFILE:

LH 0-5 AE1 5-13 BF 13-18 AE2 18-31		DARK GRAYISH BROWN	MFPL	FR	STSIL		6.8	
BF 13-18		DARK GRAYISH BROWN	MFPL	FR	CMCTT			
	7 EVD 4/4				21217	1.58	5.8	
AE2 18-31	7.JIR 4/4	DARK BROWN	WFGR	FR	STSIL	1.72	5.7	
	1 10YRm 6/3	PALE BROWN	SMPL	FR	STSIL	0.1	5.3	
AB 31-36	5 10YRm 5/6	YELLOWISH BROWN	MMSBK	F	SIL-SICL	0.69	4.8	
BT 36-72	2 2.5Ym 4/2	DARK GRAYISH BROWN	SFSBK	VF	STC	0.61	5.2	
BC 72-10	05 2.5Ym 4/2	DARK GRAYISH BROWN	MA	F	STC		5.5	
CK 105-15	50 2.5Ym 4/2	DARK GRAYISH BROWN	MA	F	STCL		7.4	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Ove	rall Rating
LH	0-5									
AE1	5-13	G	P		G				P	(Upper L)
BF	13-18	G	P		G				P	(Upper L)
AE2	18-31	G	P		G				P	(Upper L)
AB	31-36	F	P		F				P	(Upper L)
BT	36-72	F	P		G				P	(Subsoil)
BC	72-105	G	P		G				P	(Subsoil)
CK	105-150	G	P		F				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

STONY LOW 0.072 MODERATE RISK ON 5-9% SLOPE: MODERATE RISK ON 9-15% SLOPE: HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

CEACONALLY HIGH N. M.	NTO
SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT ON BUCK LAKE THAT IS STONIER THAN NORMAL.

15 cm

10-30 cm

NOT OBVIOUS

09/01/93

SOIL SERIES:

CAROLINE

(CAR)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

BRUNISOLIC GRAY LUVISOL

TYPICAL SLOPES:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

1-5%

PARENT MATERIAL:

SOIL CLASSIFICATION:

DROWIDOLIC CHAIL DOVIDOL

USUAL SOIL MOISTURE:

MESIC

MEDIUM GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% :	SAR
LH	0-3	10YR	3/2	VERY DARK GRAYISH BROWN								
вм	3-18	10YR	3/3	DARK BROWN	WFSBK	FR	SIL					
AE	18-25	10YR	5/3	BROWN	MMPL	FR	SIL					
BT	25-68	2.5Y	5/4	LIGHT OLIVE BROWN	MMSBK	F	SICL					
BC	68-93	2.5Y	5/4	LIGHT OLIVE BROWN	WFSBK	F	SICL					
CK	93-113	10YR	5/3	BROWN	MA	F	SIL		7.8	0.4	43.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
BM	3-18	G	G						G (Upper L)
AE	18-25	G	G						G (Upper L)
BT	25-68	G	F						F (Subsoil)
BC	68-93	G	F						F (Subsoil)
CK	93-113	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

			_
TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.072	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES:

THESE SOILS ARE ASSOCIATED WITH LAKES. UNDER FORESTED AREAS, THE TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS A LH HORIZON OVERLYING AN AE, BM, AND ANOTHER AE HORIZON. WHEN CULTIVATED, THE AP HORIZON IS COMPOSED OF ALL THESE SURFACE HORIZONS AND THE COLOR IS VARIABLE.

BLANKET

1-9%

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SCA 13

09/01/93

SOIL SERIES: CHIP LAKE (CLK) LANDFORM:
SOIL ZONE: GRAY TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MOIST PARENT MATERIAL: VERY FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
LH	0-3		/						6.1		
AH	3-6	10YRm	3/1	VERY DARK GRAY	MMGR	FR	SIC	10.5	6.5		
AÈ	6-18	10YRm	6/2	LIGHT BROWNISH GRAY	SCPL	FR	SIL	0.29	6.		
AB	18-25	10YRm	5/2	GRAYISH BROWN	MMSBK	F	С	0.61	5.3		
BT	25-63	10YRm	3/2	VERY DARK GRAYISH BROWN	WCPR	F	HC	0.58	5.3		
CCA	63-73	10YRm	3/2	VERY DARK GRAYISH BROWN	MA	FR	HC	0.66	7.6		
CK	73-111	10YRm	3/2	VERY DARK GRAYISH BROWN	MA	FR	HC	0.61	7.6		
2CK	111-150	2.5Ym	4/4	OLIVE BROWN	MA	FR	С	0.55	7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
DII	0 5								
AH	3-6	G	P		G				P (Upper L)
AE	6-18	G	G		G				G (Upper L)
AB	18-25	F	P		G				P (Upper L)
BT	25-63	G	P		G				P (Subsoil)
CCA	63-73	G	P		F				P (Subsoil)
CK	73-111	G	P		F				P (Subsoil)
2CK	111-150	G	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON HEAVY CLAY TEXTURED MATERIAL. UNDER NATURAL CONDITIONS, TOPSOIL INCLUDES AN LH HORIZON OVER A THIN AH AND A GRAY, PLATY AE HORIZON. AN AB HORIZON IS ALSO PRESENT BUT IT HAS A POOR SUITABILITY RATING BECAUSE OF TEXTURE. THESE HORIZONS ARE INCORPORATED INTO THE AP HORIZON WHEN CULTIVATED AND THE COLORS ARE VARIABLE.

09/01/93

SOIL SERIES:

CODNER

(COD)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AH ·	0-20	10YR	3/1	VERY DARK GRAY	WFGR	VFR	L		7.8	1.2	67.	1.
BG	20-80	10YR	5/1	GRAY	WFSBK	FR	L		7.5	0.4	45.	1.3
CG	80-120	10YR	6/1	LIGHT GRAY	SGR	VFR	SL		6.6	0.2	32.	0.9

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AH	0-20	G	G		P	G	F G	G	P (Upper L)
BG CG	80-120	G G	G G		F	G G	G	G G	F (Subsoil) G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm 15-25 cm NOT OBVIOUS WETNESS
WEINESS

NOT	OBVIOU
WETI	NESS
-	
-	
-	
-	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE.	NO

NOTES: SOILS ARE WET ALL YEAR AND THEREFOR EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES: CODNER-PT (ptCOD) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

(PEATY)

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SURFACE STONINESS: NON

PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
OM	0-30	10YR	2/1	BLACK			0					
AHG	30-75	10YR	2/1	BLACK	WMGR	FR	L	14.9	6.	1.3	114.	0.3
BG	75-90	10YR	4/1	DARK GRAY	MA	F	SICL		5.8	0.2	92.	0.4
BCG	90-120	10YR	4/1	DARK GRAY	MA	F	SICL		5.5	0.1	67.	0.5

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OM	0-30								(Peat)
AHG	30-75	G	G		G	G	P	G	P (Upper L)
BG	75-90	G	F		G	G	P	G	P (Subsoil)
BCG	90-120	G	F		G	G	F	G	F (Subsoil)
AHG BG	30-75 75-90	G	F		G	G	P	G	

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	50 cm (PEAT & TOPSOIL)
THICKNESS RANGE:	35-70 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	_
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE.	_

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CODNER HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS USUALLY ABOUT 15 TO 25 CM OF TOPSOIL UNDERLYING THE PEAT.

09/01/93

SOIL SERIES:

DALEHURST-AA (aaDAU)

LANDFORM:

ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

10-30%

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESTC

PARENT MATERIAL:

MEDIUM TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
BM	0-5	7.5YR	5/4	BROWN	WFSBK	FR	SIL	1.97	7.7		
AE	5-15	10YRm	6/4	LIGHT YELLOWISH BROWN	WFPL	FR	L	0.67	7.6		
BT	15-25	10YRm	4/4	DARK YELLOWISH BROWN	MFSBK	F	CL	0.79	7.1		
BC	25-60	2.5Ym	5/4	LIGHT OLIVE BROWN	WFSBK	FR	L		7.		
CK	60-120	2.5Ym	4/4	OLIVE BROWN	MA	FR	L		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Ove:	rall Rating
вм	0-5	G	G		P				P	(Upper L)
AE	5-15	G	G		P				P	(Upper L)
BT	15-25	G	F		F				F	(Subsoil)
BC	25-60	G	G		G				G	(Subsoil)
CK	60-120	G	G		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 55% SLOPE:	15 cm 10-20 cm NOT OBVIOUS NONE LOW 0.072 MODERATE MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. DEVELOPED ON LOAM TEXTURED TILL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. HORIZON SEQUENCE INCLUDES A BM AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED OF THE SURFACE HORIZONS AND THE COLOR IS VARIABLE.

SOIL CLASSIFICATION: DARK GRAY LUVISOL

SCA 13

09/01/93

SOIL SERIES:

DEKALTA

(DKT)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-9% USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-8		/						6.3		
AH	8-16	10YRm	4/3	DARK BROWN	WMGR	L	SIL	3.58	6.1		
AE	16-26	10YRm	6/3	PALE BROWN	SFPL	FR	SIL	0.48	5.5		
AB	26-34	10YRm	5/3	BROWN	MFSBK	FR	CL	0.38	5.4		
BT	34-75	10YRm	3/2	VERY DARK GRAYISH BROWN	WCPR	F	CL	0.4	5.8		
BC	75-126	10YRm	4/2	DARK GRAYISH BROWN	WMPR	F	CL		6.8		
CK	126-150	10YRm	4/2	DARK GRAYISH BROWN	MA	F	CL		7.2		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
LH	8-0								
AH	8-16	F	G		G				F (Upper L)
AE	16-26	G	G		G				G (Upper L)
AB	26-34	G	F		G				F (Upper L)
BT	34-75	G	F		G				F (Subsoil)
BC	75-126	G	F		G				F (Subsoil)
CK	126-150	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	20-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.053	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL OF THE PASKAPOO FORMATION. IN FORESTED AREAS, THE TOPSOIL (AH OR AHE HORIZON) IS ABOUT 8 TO 10 CM THICK, OVERLYING AN AE AND AB HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON IS ABOUT 20 CM THICK.

09/01/93

SOIL SERIES:

DRINNAN

(DIN) LANDFORM: TERRACED

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-9%

NON

SOIL CLASSIFICATION: ORTHIC EUTRIC BRUNISOL

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL: MEDIUM EOLIAN/

SURFACE STONINESS:

GLACIOFLUVIAL GRAVEL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
THK	0-3	5YRm	2/1	BLACK	WFGR	FR	SIL	25.22	7.6		
AHK	3-6	5YRm	2/1	BLACK	WFGR	FR	SIL	25.22	7.6		
вмк	6-21	5YRm	4/4	REDDISH BROWN	WFSBK	FR	SIL	2.11	7.7		
2CK	21-100	10YR	5/2	GRAYISH BROWN	SGR	L	GR				

SOIL QUALITY RATINGS:

Horizon	Deptn	Consistence	Texture	0.0.	рн	EC	Sata	SAR	Overall R	ating
LHK	0-3									
AHK	3-6	G	G		P				P (Uppe	r L)
вмк	6-21	G	G		F				F (Subs	oil)
2CK	21-100	F	U						U (Subs	oil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-10 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.063
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON SILT LOAM TEXTURED MATERIAL OVER COBBLY AND GRAVELLY DEPOSITS. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED.

09/01/93

SOIL SERIES:

EASYFORD

(ESF)

LANDFORM:

LEVEL 0-5%

SOIL ZONE: SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LF	0-13		/						6.4		
AH	13-23	10YRm	2/1	BLACK	SMGR	FR	SICL	2.86	6.6		
ABG	23-36	5Ym	5/1	GRAY	MFGR	FR	SIL	0.72	6.6		
BG	36-72	5Ym	6/1	LIGHT GRAY	MFABK	FR	С	0.76	6.9		
BCG	72-95	5Ym	5/1	GRAY	WFSBK	FR-F	CL		7.2		
CKG	95-120	5Ym	5/1	GRAY	MA	FR-F	CL		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LF	0-13								
AH	13-23	G	F		F				F (Upper L)
ABG	23-36	G	G		F				F (Upper L)
BG	36-72	G	P		G				P (Subsoil)
BCG	72-95	G	F		F				F (Subsoil)
CKG	95-120	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	25 cm 20-30 OBVIOUS WETNESS	 SEASONALLY HI HARD BEDROCK NON-SODIC SOI SODIC SOFTROO GRAVEL:
WATER EROSION K=:	-	STONY LAYER:
RISK ON <5% SLOPE:	-	FACE INSTABII
RISK ON 5-9% SLOPE:	-	SOLONETZIC B
RISK ON 9-15% SLOPE:	-	SALINE OR SOI IMPORTANT TEX

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

EASYFORD-PT

(ptESF)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-5% USUAL SOIL MOISTURE: WATERTABLE/PONDING

(PEATY)

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL SURFACE STONINESS:

NON

PARENT MATERIAL:

MODERATELY FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
DM	0-15		/				0				
AH	15-25	10YRm	2/1	BLACK	SMGR	FR	SICL	2.86	6.6		
ABG	25-38	5Ym	5/1	GRAY	MFGR	FR	SIL	0.72	6.6		
BG	38-74	5Ym	6/1	LIGHT GRAY	MFABK	FR	С	0.76	6.9		
BCG	74-97	5Ym	5/1	GRAY	WFSBK	FR-F	CL		7.2		
CKG	97-120	5Ym	5/1	GRAY	MA	FR-F	CL		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Ove	rall Rating	
OM	0-15										
AH	15-25	G	F		F				F	(Upper L)	
ABG	25-38	G	G		F				F	(Upper L)	
3G	38-74	G	P		G				P	(Subsoil)	
BCG	74-97	G	F		F				F	(Subsoil)	
CKG	97-120	G	F		F				F	(Subsoil)	

TOPSOIL INTERPRETATIONS:

TOPSOIL INTERPRETATIONS:		SUBSOIL (TO 1.5 M) INTERPRETATION	<u> 18</u> :
TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:	30 cm (PEAT & TOPSOIL) 25-60 cm OBVIOUS WETNESS	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON:	ALL NO NO NO NO NO YES
RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF EASYFORD HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS ABOUT 10 CM OF TOPSOIL UNDERLYING THE PEAT.

09/01/93

(ERS) LANDFORM: LEVEL SOIL SERIES: EMBARRAS TYPICAL SLOPES: 0-2% SOIL ZONE: GRAY SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC MEDIUM GLACIOLACUSTRINE SURFACE STONINESS: NON PARENT MATERIAL:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
LH	0-5		/						5.6			
AE1	5-12	10YRm	6/1	LIGHT GRAY	MFPL	FR	SIL	0.94	5.5			
AE2	12-27	10YRm	6/3	PALE BROWN	MFPL	FR	SIL	0.35	5.7			
BT	27-72	10YRm	5/3	BROWN	MFSBK	FR	SIL	0.38	5.8			
BC	72-92	10YRm	4/3	BROWN-DARK BROWN	WFSBK	FR	SIL	0.3	6.			
CK	92-120	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	FR	SIL		7.3			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE1	5-12	G	G		G				G (Upper L)
AE2	12-27	G	G		G				G (Upper L)
BT	27-72	G	G		G				G (Subsoil)
BC	72-92	G	G		G				G (Subsoil)
CK	92-120	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: EMBARRAS SOILS ARE DEVELOPED ON SILT LOAM TEXTURED MATERIAL. TOPSOIL IN FORESTED AREAS IS VERY THIN OR ABSENT. INSTEAD, THERE IS A LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS DERIVED FROM THE LH AND AE HORIZONS COMBINED, IS VARIABLE IN DEPTH AND FAIRLY LIGHT IN COLOR.

9/01/93

SOIL SERIES:

ETA

(ETA)

LANDFORM:

BLANKET

1-5%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL MEDIUM GLACIOFLUVIAL USUAL SOIL MOISTURE:

SURFACE STONINESS:

YPICAL SOIL PROFILE:

Torizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
.н	0-5		/						4.8		
EGJ .	5-13	10YRm	5/3	BROWN	MMPL	VFR	L	0.33	5.2		
TGJ	13-33	10YRm	4/3	DARK BROWN	MFSBK	FR	L	0.26	5.		
CGJ	33-69	10YRm	4/3	DARK BROWN	STRAT	VFR	SL		5.7		
GJ	69-82	10YRm	4/4	DARK YELLOWISH BROWN	STRAT	FR	L		6.4		
CKGJ	82-100	10YRm	5/6	YELLOWISH BROWN	MA	FR-F	CL		7.3		

SOIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Ove	rall Rating
н	0-5									
EGJ	5-13	G	G		G				G	(Upper L)
TGJ	13-33	G	G		G				G	(Subsoil)
CGJ	33-69	G	G		G				G	(Subsoil)
GJ	69-82	G	G		G				G	(Subsoil)
CKGJ	82-100	G	F		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE LOW

0.059 MODERATE MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: FACE INSTABILITY: NO SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: MO IMPORTANT TEXTURE CHANGE: NO

OTES:

DEVELOPED ON LOAM TEXTURED MATERIAL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A PLATY, LIGHT COLORED AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED MAINLY OF THE AE HORIZON MATERIAL AND IS THEREFORE, FAIRLY LIGHT IN COLOR. AP HORIZONS ARE ABOUT 10 TO 15 CM THICK.

09/01/93

SOIL SERIES:

GRANADA

(GRN) LANDFORM;

UNDULATING, ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-30%

PARENT MATERIAL: MODERATELY COARSE BEDROCK SURFACE STONINESS: NON

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-3		/						6.7		
AH	3-6	10YRm	3/2	VERY DARK GRAYISH BROWN	MMGR	L	L	7.6	6.4		
AE	6-24	10YRm	5/4	YELLOWISH BROWN	SMPL	FR	L	0.27	6.8		
BT	24-42	10YRm	5/6	YELLOWISH BROWN	WMABK	F	CL	0.25	5.9		
BC	42-85	10YRm	6/6	BROWNISH YELLOW	MA	FR	SIL-SICL		5.9		
CCA	85-95	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	FR	SIL	0.19	7.2		
CK	95-120	2.5Ym	4/4	OLIVE BROWN	MA	FR	SIL		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
T 11	0-3								
LH	0-3								
AH	3-6	F	G		G				F (Upper L)
AE	6-24	G	G		F				F (Upper L)
BT	24-42	G	F		G				F (Subsoil)
BC	42-85	G	F		G				F (Subsoil)
CCA	85-95	G	G		F				F (Subsoil)
CK	95-120	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

muntal mutamina	1.5
TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.046
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRANADA SOILS ARE DEVELOPED ON SANDY LOAM TO CLAY LOAM TEXTURED BEDROCK. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. ON CULTIVATED AREAS, THE MIXING OF THE SURFACE HORIZONS MAKE UP THE AP HORIZON.

9/01/93

SOIL SERIES:

GREEN COURT (GRC)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE: MOIST

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
н	0-5		/						6.8			
н.	5-13	10YRm	3/2	VERY DARK GRAYISH BROWN	MMGR	VFR	SICL	16.67	6.9			
E	13-23	10YRd	7/2	LIGHT GRAY	MMPL	SO	SIL	0.3	6.3			
В	23-33	10YRd	5/2	GRAYISH BROWN	MFSBK	Н	SIC	0.92	5.4			
т	33-63	10YRd	5/3	BROWN	WMPR	VH	C	0.79	5.1			
CA	63-71	10YRd	8/2	WHITE	MA	SLH	SIC		7.8			
K	71-120	10YRd	6/1	GRAY	MA	SLH	SIL		7.9			

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall	Rating
н	0-5									
н	5-13	G	F		F				F (Upp	per L)
E	13-23	G	G		G				G (Upp	per L)
В	23-33	P	P		G				P (Sul	osoil)
т	33-63	F	P		G				P (Sul	osoil)
CA	63-71	G	F		F				F (Sul	osoil)
K	71-120	G	G		F				F (Sul	osoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm
THICKNESS RANGE:	20-30 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.050
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: THESE SOILS ARE DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. IN FORESTED AREAS, THE AH OR AHE HORIZON IS ABOUT 8 TO 10 CM THICK, WITH AN AE AND AB ALSO PRESENT, ALTHOUGH THE AB HORIZON HAS POOR SUITABILITY BECAUSE OF TEXTURE. IN CULTIVATED FIELDS, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS AND IS ABOUT 20 CM.

09/01/93

SOIL SERIES:

GREGG-AA

(aaGGG) LANDFORM: BLANKET

SOIL ZONE:

GRAY

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

6-9%

PARENT MATERIAL:

GRAVELLY OR COBBLEY, VERY

SURFACE STONINESS:

DROUGHTY

NON

COARSE GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

BTJ 8-23 7.5YT 5/4 BROWN WFSBK FR GR			O.C. I	PH EC	Sat% SAR
	GRSL	GRSI	0.95	5.2	
BC 23-36 10VRm 6/4 LIGHT VELLOWISH BROWN SGR L. GR	GRLS	GRLS	0.27	5.7	
DC 25 50 TOTAL 0/4 BIGHT IDDEONIEM BROWN	GRLS	GRLS		6.	
CK 36-120 2.5Ym 5/4 LIGHT OLIVE BROWN SGR L GF	GRSL	GRSI		7.8	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-8	F	P		G				P (Upper L)
BTJ	8-23	G	P		G				P (Subsoil)
BC	23-36	F	P		G				P (Subsoil)
CK	36-120	F	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

NOT OBVIOUS VERY THIN, GRAVELLY MODERATE 0.026 LOW MODERATE

10 cm

5-10 cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. DEVELOPED ON LOAMY SAND TEXTURED DEPOSITS WITH 40% GRAVEL. IN FORESTED AREAS, AH OR AHE HORIZONS ARE VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON IS COMPOSED MAINLY OF AE MATERIAL, IS VERY LIGHT IN COLOR AND IS ABOUT 10 CM IN THICKNESS.

09/01/93

SOIL SERIES:

HANLAN-AA

(aaHNL) LANDFORM: ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-9%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

PARENT MATERIAL:

MEDIUM TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SA	R
LH	0-5		/						6.			
AE1	5-15	10YRm	6/2	LIGHT BROWNISH GRAY	WMPL	FR	SIL	0.68	5.6			
AE2	15-18	10YRm	5/3	BROWN	WMPL	FR	L	0.3	5.7			
вт	18-33	10YRm	5/4	YELLOWISH BROWN	MMSBK	FR	L	0.33	6.2			
BC	33-60	2.5Ym	5/4	LIGHT OLIVE BROWN	WMSBK	FR	L		6.			
CK	60-120	2.5Ym	4/4	OLIVE BROWN	MA	FR	L		7.8			

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
гн	0-5								
AE1	5-15	G	G		G				G (Upper L)
AE2	15-18	G	G		G				G (Upper L)
BT	18-33	G	G		G				G (Subsoil)
BC	33-60	G	G		G				G (Subsoil)
CK	60-120	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

		,	
TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. HANLAN SOILS ARE DEVELOPED ON LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN TN LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP IS DERIVED FROM THE MIXING OF THE LH AND AE HORIZONS AND IS ABOUT 10 TO 20 CM THICK.

09/01/93

SOIL SERIES:

HANLAN-AAST (aastHNL) LANDFORM:

ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES: 6-9%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: STONY, MEDIUM TILL

SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure C	onsistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-5	/						6.		
AE1	5-15	10YRm 6/2	LIGHT BROWNISH GRAY	WMPL	FR	STSIL	0.68	5.6		
AE2	15-18	10YRm 5/3	BROWN	WMPL	FR	STL	0.3	5.7		
BT	18-33	10YRm 5/4	YELLOWISH BROWN	MMSBK	FR	STL	0.33	6.2		
BC	33-60	2.5Ym 5/4	LIGHT OLIVE BROWN	WMSBK	FR	STL		6.		
CK	60-120	2.5Ym 4/4	OLIVE BROWN	MA	FR	STL		7.8		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE1	5-15	G	P		G				P (Upper L)
AE2	15-18	G	P		G				P (Upper L)
BT	18-33	G	P		G				P (Subsoil)
BC	33-60	G	P		G				P (Subsoil)
CK	60-120	G	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. VARIANT OF HANLAN THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

HARGWEN-AA

(aaHGW) LANDFORM: ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

10-30%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MEDIUM TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
AE	0-15	10YRm	6/4	LIGHT YELLOWISH BROWN	WFPL	FR	SL	0.6	6.5			
BT	15-30	10YRm	5/6	YELLOWISH BROWN	SMSBK	F	L	0.65	6.5			
вс	30-55	2.5Ym	5/4	LIGHT OLIVE BROWN	WCSBK	FR	L		7.			
ck	55-120	2.5Ym	4/4	OLIVE BROWN	MA	FR	L		7.5			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
ΑE	0-15	G			G				G (Upper L)
вт	15-30	G	G		G				G (Subsoil)
вс	30-55	G	G		G				G (Subsoil)
ck	55-120	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

OTES: HOME SCA IS 14. HARGWEN SOILS ARE DEVELOPED ON LOAM TEXTURED TILL. FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE AN LH HORIZON OVERLYING AN AE HORIZON. IN CULTIVATED FIELDS, THE AP HORIZON IS ABOUT 15 CM THICK AND IS COMPOSED MAINLY OF AE MATERIAL.

09/01/93

SOIL SERIES:

HATTONFORD (HAT)

LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE: DROUGHTY

SURFACE STONINESS: MODERATELY

MODERATELY COARSE

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
LH	0-3		/						6.9			
AHEJ	3-6	10YRm	3/2	VERY DARK GRAYISH BROWN	WFPL	L	SL	5.06	6.9			
AEJ	6-18	10YRm	5/4	YELLOWISH BROWN	WFPL	L	SL	0.69	6.5			
BTJ	18-30	10YRm	3/3	DARK BROWN	SGR	L	SL	0.77	5.5			
BC	30-45	10YRm	5/4	YELLOWISH BROWN	SGR	L	LS		5.9			
2BC	45-105	2.5Ym	4/4	OLIVE BROWN	MMSBK	F	CL		5.3			
2C	105-143	2.5Ym	4/4	OLIVE BROWN	MA	F	CL		6.1			
2CK	143-153	2.5Ym	4/4	OLIVE BROWN	MA	FR	CL		7.4			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Ratin	ıg
LH	0-3									
AHEJ	3-6	F	G		F				F (Upper L)	
AEJ	6-18	F	G		G				F (Upper L)	
BTJ	18-30	F	G		G				F (Subsoil)	
BC	30-45	F	P		G				P (Subsoil)	
2BC	45-105	G	F		G				F (Subsoil)	
2C	105-143	G	F		G				F (Subsoil)	
2CK	143-153	G	F		F				F (Subsoil)	

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

15 cm
10-20 cm
NOT OBVIOUS
NONE
MODERATE
0.046
LOW
MODERATE
HIGH

SOBSOIL	(TO	1.5	M)	INTERPRETATIONS:
SEASONAL	LY I	HIGH	W.I	·:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON A VENEER OF SANDY LOAM MATERIAL OVER CLAY LOAM TEXTURED TILL. THE SANDY VENEER MATERIAL IS UNSTABLE ON EXPOSED FACES. IN FORESTED AREAS, HATTONFORD SOILS HAVE A THIN LH HORIOZN AND A RELATIVELY THICK AE HORIZON. THERE IS VERY LITTLE OR NO AH OR AHE HORIZONS. IN CULTIVATED FIELDS, THE AP HORIZON IS ABOUT 15 TO 20 CM THICK AND IS A MIXTURE OF ALL THE SURFACE HORIZONS (MAINLY AE MATERIAL).

09/01/93

SOIL SERIES:

HATTONFORD-ST

(stHAT) LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL STONY, MODERATELY COARSE

SURFACE STONINESS:

USUAL SOIL MOISTURE: DROUGHTY EXCEEDINGLY

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	0-5		/				,		6.1		
ΑE	5-20	10YRm	6/2	LIGHT BROWNISH GRAY	WMPL	L	STSL	0.28	6.9		
вт	20-37	10YRm	5/3	BROWN	WFSBK	FR	STSL	0.54	6.4		
BT	37-72	10YRm	4/3	DARK BROWN	MFSBK	F	STCL	0.62	5.8		
BC	72-114	2.5Ym	4/2	DARK GRAYISH BROWN	MMSB	F	STC		6.		
CK	114-150	2.5Ym	4/4	OLIVE BROWN	MA	F	STCL-C		7.3		

SOIL QUALITY RATINGS:

Morizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Over	all Rating
н	0-5									
Æ	5-20	F	P		F				P	(Upper L)
BT	20-37	G	P		G				P	(Subsoil)
BT	37-72	G	P		G				P	(Subsoil)
BC	72-114	G	P		G				P	(Subsoil)
CK	114-150	G	P		F				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15	cm	
10-2	20	cm
TOM	OBV	JIOUS
STON	1λ	
MODE	ERAT	ľΕ
0.04	16	
LOW		
MODE	ERAT	ľΕ

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT ON HATTONFORD THAT IS STONIER THAN NORMAL.

SCA -13

09/01/93

SOIL SERIES:

HIGHTOWER-AA (aaHTW) LANDFORM:

GRAY

VENEER

SOIL ZONE:

TYPICAL SLOPES: USUAL SOIL MOISTURE: DROUGHTY

9-30%

PARENT MATERIAL:

SOIL CLASSIFICATION:

BRUNISOLIC GRAY LUVISOL VERY GRAVELLY, COBBLY,

SURFACE STONINESS: VERY

MODERATELY COARSE

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure (Consistence	Texture	0.C.	рн	EC Sat	% SAR
LH	0-3	/								
AE	3-8	10YRm 6/1	GRAY	WFPL	L	VGSL	0.65	5.6		
BF	5-24	7.5YR 5/6	STRONG BROWN	WMSBK	L	VGSL	0.9	6.2		
AE2	8-13	10YRm 6/6	BROWNISH YELLOW	WMPL	L	VGSL				
BT	26-390	10YRm 6/6	BROWNISH YELLOW	MMSBK	F	VGSL	0.49	5.6		
CK	39-100	2.5Ym 4/4	OLIVE BROWN	SGR	L	VGSL				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
AE	3-8	F	U	P	G				U (Upper L)
BF	5-24	F	U		G				U (Upper L)
AE2	8-13	F	U		G				U (Upper L)
BT	26-390	F	U		G				U (Subsoil)
CK	39-100	F	U						U (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS
STRIPPING LIMITATIONS: GRAVELLY, STONY
WATER PROGRAMMERS. WATER EROSION K=: RISK ON <5% SLOPE: MODERATE
RISK ON 5-9% SLOPE: MODERATE
RISK ON 9-15% SLOPE: HIGH

15 cm 0.063

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: MO HARD BEDROCK: NO NOT OBVIOUS NON-SODIC SOFTROCK:
GRAVELLY, STONY SODIC SOFTROCK:
MODERATE NO NO GRAVEL: YES STONY LAYER: YES FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: HOME SCA IS 14. DEVELOPED ON SANDY LOAM TEXTURED MATERIAL WITH 60% GRAVELS AND COBBLES. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE WHEN VERTICALLY DITCHED. IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO AH OR AHE HORIZON. THE HORIZON SEQUENCE IS USUALLY LH, AE1, BF AND AE2. THESE SOILS ARE CLASSIFIED AS BRUNISOLIC GRAY LUVISOL.

9/01/93

SOIL SERIES:

HORBURG

(HBG)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION:

BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

MOM

GLACIOFLUVIAL

YPICAL SOIL PROFILE:

Orizon Depth Color Code Color Name Structure Consistence Texture O.C. ph EC Sat% SA P 0-10 10YR 3/3 DARK BROWN WFGR FR SL 5.9 0.4 56. M 10-40 10YR 5/4 YELLOWISH BROWN SGR FR SL 5.7 0.2 28. TJ 40-70 10YR 5/4 YELLOWISH BROWN SGR L SL 5.2 0.1 27. 70-120 10YR 4/3 BROWN SGR L SL 7.1 0.4 24. 0.0													
M 10-40 10YR 5/4 YELLOWISH BROWN SGR FR SL 5.7 0.2 28. TJ 40-70 10YR 5/4 YELLOWISH BROWN SGR L SL 5.2 0.1 27.	orizon	Depth Color Cod		Code	Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat% S	SAR
TJ 40-70 10YR 5/4 YELLOWISH BROWN SGR L SL 5.2 0.1 27.	.P	0-10	10YR	3/3	DARK BROWN	WFGR	FR	SL		5.9	0.4	56.	
10 70 2011 071 0000000000000000000000000	M	10-40	10YR	5/4	YELLOWISH BROWN	SGR	FR	SL		5.7	0.2	28.	
70-120 10YR 4/3 BROWN SGR L SL 7.1 0.4 24. 0	TJ	40-70	10YR	5/4	YELLOWISH BROWN	SGR	L	SL		5.2	0.1	27.	
		70-120	10YR	4/3	BROWN	SGR	L	SL		7.1	0.4	24.	0.4

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
.P	0-10	G	G		G	G	G		G (Upper L)
M	10-40	G	G		G	G	F		F (Subsoil)
TJ	40-70	F	P		G	G	F		P (Subsoil)
	70-120	F	P		F	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	MODERATE
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NC
HARD BEDROCK:	NC
NON-SODIC SOFTROCK:	NC
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NC
SALINE OR SODIC LOWER SUBSOIL:	NC
IMPORTANT TEXTURE CHANGE:	NC

OTES: DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED. IN FORESTED AREAS, AH OR AHE HORIZONS ARE VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE LH, BM AND AE HORIZONS. IN CULTIVATED AREAS, THE AP HORIZON IS ABOUT 10 TO 20 CM THICK AND IS A MIXTURE OF ALL THE SURFACE HORIZONS.

cm

09/01/93

SOIL SERIES:

HUBALTA

(HUB)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-30% MESIC

PARENT MATERIAL: MODERATELY FINE TILL

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	_		Sat%	SAR
AP BT	0-15 15-80	10YR 10YR	6/3 5/4	PALE BROWN YELLOWISH BROWN	WMGR MMSBK	FR F	L CL	6.5		46.	
CK	80-200	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL	7.7	0.2	39.	0.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		G	G	G	G	G (Upper L)
BT	15-80	G	F		G	G	G	G	F (Subsoil)
CK	80-200	G	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HUBALTA SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. THERE IS A LH HORIZON AND A PLATY, LIGHT COLORED AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS DERIVED FROM THE LH AND AE HORIZONS AND IS 15 TO 25 CM THICK.

9/01/93

SOIL SERIES:

HUBALTA-ST (stHUB) LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS: EXCEEDINGLY

TILL

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
2	0-15	10YR	6/3	PALE BROWN	WMGR	FR	STL	1.2	6.5	1.	46.	0.1
r	15-80	10YR	5/4	YELLOWISH BROWN	MMSBK	F	STCL	0.1	6.9	0.5	44.	0.1
ζ	80-200	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	STCL		7.7	0.2	39.	0.1

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
p	0-15	G	Р		G	G	G	G	P (Upper L)
?	15-80	G	P		G	G	G	G	P (Subsoil)
ζ	80-200	G	Р		F	G	G	G	P (Subsoil)

cm OUS

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-25
COLOR CHANGE TO SUBSOIL:	NOT OBVI
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

TTES: VARIANT OF HUBALTA THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

HUBALTA-XP (xpHUB)

LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-30%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MODERATELY FINE TILL/SOFTROCK

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

AE 0-12 10YR 6/4 LIGHT YELLOWISH BROWN MMPL FR SIL BT 12-48 10YR 5/4 YELLOWISH BROWN MMSBK F L-CL	5.3 0.4 4	41. 36.
2BC 48-65 2.5Y 5/4 LIGHT OLIVE BROWN SGR FR SL 2C 65-110 2.5Y 5/6 LIGHT OLIVE BROWN SGR FR SL		29.

SOIL QUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR	
AE 0-12 G G G G	G (Upper L)
BT 12-48 G F F G G	F (Subsoil)
2BC 48-65 G G G F	F (Subsoil)
2C 65-110 G G G F	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: 10-25 cm

COLOR CHANGE TO SUBSOIL: NOT OBVIOUS

STRIPPING LIMITATIONS: NONE

WIND EROSION RISK: LOW WATER EROSION K=:

RISK ON <5% SLOPE: LOW
RISK ON 5-9% SLOPE: MODERATE
RISK ON 9-15% SLOPE: HIGH

15 cm 0.053

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: YES SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: VARIANT OF HUBALTA WITH SANDY LOAM TEXTURED SOFTROCK AT LESS THAN 1 M. THE UNDERLYING SANDIER MATERIAL IS NON SALINE-SODIC AND EXPOSED FACES MAY BE UNSTABLE.

09/01/93

SOIL SERIES:

JAMES RIVER

(JMR) LANDFORM: BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP1	0-33	10YR	2/1	BLACK	MMGR	FR	SIL-L		7.7	0.6	72.	0.1
AP2	33-41	10YR	2/1	BLACK	MMGR	FR	SIL-L		7.7	0.6	63.	0.3
BMK	41-85	10YR	4/3	BROWN-DARK BROWN	WFSBK	F	SIL-SICL		7.9	0.4	44.	0.2
СК	85-130	10YR	5/2	GRAYISH BROWN	MA	F	SIL-SICL		8.	0.4	42.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP1	0-33	G	G		P	G	F	G	P (Upper L)
AP2	33-41	G	G		P	G	F	G	P (Upper L)
BMK	41-85	G	F		F	G	G	G	F (Subsoil)
СК	85-130	G	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: THICKNESS RANGE:

40	cm	
35-4	10	cm
OBVI	OUS	
VERY	TH	CK
LOW		
0.05	55	

LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SILT LOAM TEXTURED MATERIAL.

09/01/93

SOIL SERIES:

JAMES RIVER-XS (xsJMR) LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1~5%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

COARSE GLACIOFLUVIAL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL/VERY SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	 Sat%	SAR
AP1	0-33	10YR	2/1	BLACK	MMGR	FR	SIL-L		7.7	0.6	72.	0.1
AP2	33-41	10YR	2/1	BLACK	MMGR	FR	SIL-L		7.7	0.6	63.	0.3
BMK	41-85	10YR	4/3	BROWN-DARK BROWN	WFSBK	F	SIL-SICL		7.9	0.4	44.	0.2
CK	85-100	10YR	5/2	GRAYISH BROWN	MA	F	SIL-SICL		8.	0.4	42.	0.3
2CK	100-130	10YR	5/3	BROWN	SGR	L	LS					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP1	0-33	G	G		P	G	F	G	P (Upper L)
AP2	33-41	G	G		P	G	F	G	P (Upper L)
BMK	41-85	G	F		F	G	G	G	F (Subsoil)
CK	85-100	G	F		F	G	G	G	F (Subsoil)
2CK	100-130	F	P						P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

40 cm 35-40 cm OBVIOUS VERY THICK LOW 0.055 LOW

MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF JAMES RIVER HAVING SAND TEXTURED MATERIAL WITHIN 1 M. THE SANDY MATERIAL CAUSES EXPOSED FACES TO BE UNSTABLE.

NO NO NO NO NO NO NO NO NO NO

09/01/93

SOIL SERIES:

JAMES RIVER-XT

(xtJMR) LANDFORM: VENEER

SOIL ZONE:

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL/TILL

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP1	0-33	10YR	2/1	BLACK	MMGR	FR	SIL-L		7.7	0.6	72.	0.1
AP2	33-41	10YR	2/1	BLACK	MMGR	FR	SIL-L		7.7	0.6	63.	0.3
BMK	41-85	10YR	4/3	BROWN-DARK BROWN	WFSBK	F	SIL-SICL		7.9	0.4	44.	0.2
CK	85-100	10YR	5/2	GRAYISH BROWN	MA	F	SIL-SICL		8.	0.4	42.	0.3
2CK	100-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP1	0-33	G	G		P	 G	F	G	P (Upper L)
AP2	33-41	G	G		P	G	F	G	P (Upper L)
вмк	41-85	G	F		F	G	G	G	F (Subsoil)
CK	85-100	G	F		F	G	G	G	F (Subsoil)
2CK	100-130	G	F						F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	40 cm	SEASONALLY HIGH W.T.:
THICKNESS RANGE:	35-40 cm	HARD BEDROCK:
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:
STRIPPING LIMITATIONS:	VERY THICK	SODIC SOFTROCK:
WIND EROSION RISK:	LOW	GRAVEL:
WATER EROSION K=:	0.055	STONY LAYER:
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:
		IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF JAMES RIVER HAVING TILL WITHIN 1 M. THE TEXTURE DIFFERENCE BETWEEN THE TWO MATERIALS IS NOT SIGNIFICANT.

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

09/01/93

SOIL SERIES:

JARVIS

(JRV) LANDFORM: TERRACED, RIDGED

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GRAVELLY, VERY COARSE

GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name		Consistence			-	Sat% SAR
AE	0-18	10YRm 6/1	GRAY	WFPL	L	VG		6.	
BT	18-72	10YRm 5/4	YELLOWISH BROWN	MMSBK	F	VG	0.67	6.6	
CK	72-120	2.5Ym 4/4	OLIVE BROWN	SGR	L	VG		7.9	

SOIL QUALITY RATINGS:

		рН	EC	Sat%	SAR	Overall Rating
AE 0-18 F BT 18-72 G CK 72-120 F	ប ប ប	G G F				U (Upper L) U (Subsoil) U (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: PICK ON 9-15% SLOPE:	15 cm 10-20 cm NOT OBVIOUS GRAVELLY MODERATE 0.053 LOW MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SANDY LOAM TO SAND TEXTURED MATERIAL WITH 60% GRAVEL CONTENT. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED. IN FORESTED AREAS, JARVIS SOILS HAVE LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THEY HAVE A THIN LH HORIZON OVERLYING A FAIRLY THICK, GRAY, PLATY AE HORIZON.

09/01/93

SOIL SERIES:

JUDY

(JUY)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY OR COBBLY,

SURFACE STONINESS:

EXCESSIVELY

MODERATELY TEXTURED

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
LH ·	0-5	10YRm	2/1	BLACK					5.3			
ΑE	5-10	10YRm	5/2	GRAYISH BROWN	WFPL	FR	GRSIL		4.8			
BF	10-15	10YRm	4/8	DARK YELLOWISH BROWN	WF	FR	GRSIL		5.6			
вт	15-40	10YRm	5/8	YELLOWISH BROWN	MM	FR	GRSIL		5.			
вс	40-120	10YRm	4/4	DARK YELLOWISH BROWN	MA	FR	GRSCL		4.7			

SOIL QUALITY RATINGS:

for ЪН ΑE ΒF зт

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-5								
	5-10	G	F		F				F (Upper L)
	10-15	G	F		G				F (Subsoil)
	15-40	G	F		G				F (Subsoil)
	40-120	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:

WIND EROSION RISK:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: 10 cm 5-15 cm NOT OBVIOUS STONY, GRAVELLY, VERY

THIN 0.059 MODERATE MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON EXCESSIVELY STONY, GRAVELLY OR COBBLY, SANDY CLAY LOAM MATERIAL. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THERE IS USUALLY AN LH, AE AND BF HORIZON.

09/01/93

SOIL SERIES: LOBLEY (LOB) LANDFORM: BLANKET TYPICAL SLOPES: GRAY SOIL ZONE: 2-60% SOIL CLASSIFICATION: BRUNISOLLIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: VERY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code Color Name		Structure Consistence Text		Texture	O.C.	рН	EC	Sat% SAR
AP	0-13	10YR	4/3	BROWN	WFGR	FR	L		6.2	0.3	50.
BT	13-60	10YR	5/4	YELLOWISH BROWN	MFSBK	F	L		5.7	0.1	35.
BC	60-120	2.5Y	4/4	OLIVE BROWN	MA	F	CL		5.8	0.2	46.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-13	G	G		G	G	G		G (Upper L)
BT	13-60	G	G		G	G	G		G (Subsoil)
BC	60-120	G	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	STONY, TOPOGRAPHY	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.072	STONY LAYER:	YES
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS). INSTEAD, THERE IS A LH, AE, BM, AND ANOTHER AE HORIZON. IN CULTIVATED AREAS,

THE AP HORIZON IS DERIVED FROM THESE HORIZONS AND IS USUALLY ABOUT 15 CM THICK.

9/01/93

ori Н HEG EG BG ГG KG

SOIL SERIES:

MACKAY

(MKY)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION:

MEDIUM TILL

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

YPICAL SOIL PROFILE:

Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рH	EC	Sat% SAR
0-3		/						5.7		
3-6	10YRm	5/2	GRAYISH BROWN	MFPL	FR	SIL	0.57	6.2		
6-21	10YRm	5/3	BROWN	SMPL	FR	SIL	0.22	5.8		
21-31	10YRm	5/3	BROWN	MFSBK	F	SICL	0.17	5.4		
31-102	10YRm	4/2	DARK GRAYISH BROWN	MMSBK	F	CL	0.34	6.1		
102-120	2.5Ym	4/4	OLIVE BROWN	MA	F	CL	0.36	7.		
	0-3 3-6 6-21 21-31 31-102	0-3 3-6 10YRm 6-21 10YRm 21-31 10YRm 31-102 10YRm	0-3 / 3-6 10YRm 5/2 6-21 10YRm 5/3 21-31 10YRm 5/3 31-102 10YRm 4/2	0-3 / 3-6 10YRm 5/2 GRAYISH BROWN 6-21 10YRm 5/3 BROWN 21-31 10YRm 5/3 BROWN 31-102 10YRm 4/2 DARK GRAYISH BROWN	0-3 /	0-3 / 3-6 10YRm 5/2 GRAYISH BROWN MFPL FR 6-21 10YRm 5/3 BROWN SMPL FR 21-31 10YRm 5/3 BROWN MFSBK F 31-102 10YRm 4/2 DARK GRAYISH BROWN MMSBK F	0-3 / 3-6 10YRm 5/2 GRAYISH BROWN MFPL FR SIL 6-21 10YRm 5/3 BROWN SMPL FR SIL 21-31 10YRm 5/3 BROWN MFSBK F SICL 31-102 10YRm 4/2 DARK GRAYISH BROWN MMSBK F CL	0-3 / 3-6 10YRm 5/2 GRAYISH BROWN MFPL FR SIL 0.57 6-21 10YRm 5/3 BROWN SMPL FR SIL 0.22 21-31 10YRm 5/3 BROWN MFSBK F SICL 0.17 31-102 10YRm 4/2 DARK GRAYISH BROWN MMSBK F CL 0.34	0-3 / 5.7 3-6 10YRm 5/2 GRAYISH BROWN MFPL FR SIL 0.57 6.2 6-21 10YRm 5/3 BROWN SMPL FR SIL 0.22 5.8 21-31 10YRm 5/3 BROWN MFSBK F SICL 0.17 5.4 31-102 10YRm 4/2 DARK GRAYISH BROWN MMSBK F CL 0.34 6.1	0-3 / 5.7 3-6 10YRm 5/2 GRAYISH BROWN MFPL FR SIL 0.57 6.2 6-21 10YRm 5/3 BROWN SMPL FR SIL 0.22 5.8 21-31 10YRm 5/3 BROWN MFSBK F SICL 0.17 5.4 31-102 10YRm 4/2 DARK GRAYISH BROWN MMSBK F CL 0.34 6.1

OIL QUALITY RATINGS:

izon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Ove	rall Rating
	0-3									
G	3-6	G	G		G				G	(Upper L)
	6-21	G	G		G				G	(Upper L)
	21-31	F	F		G				F	(Subsoil)
	31-102	G	F		G				F	(Subsoil)
;	102-120	G	F		G				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	_
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES:

SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. FORESTED AREAS, AH OR AHE HORIZONS ARE VERY THIN OR ABSENT. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A FAIRLY THICK, IRON STAINED, BROWN AEG HORIZON, AND AN AB HORIZON. MACKAY SOILS ARE NOT EXTENSIVELY CULTIVATED.

09/01/93

SOIL SERIES:

MACKAY-PT

(ptMKY)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-28

SOIL CLASSIFICATION:

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

(PEATY)

SURFACE STONINESS:

PARENT MATERIAL:

MEDIUM TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Cod	Color Code Color Name		Consistence	Texture	o.c.	рН	EC	Sat% SAR
ОМ	0-20	10YRm 2/	2 VERY DARK BROWN			0				
AEG	20-38	10YRm 5/	3 BROWN	SMPL	FR	SIL	0.22	5.8		
BTG	38-90	10YRm 4/	2 DARK GRAYISH BROWN	MMSBK	F	CL	0.34	6.1		
CKG	90-120	2.5Ym 4/	4 OLIVE BROWN	MA	F	CL	0.36	7.		

SOIL QUALITY RATINGS: _____

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OM AEG BTG CKG	0-20 20-38 38-90 90-120	G G G	G F F		G G G				(Peat) G (Upper L) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	40 cm (PEAT & AEG HORIZON)
THICKNESS RANGE:	35-70 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF MACKAY THAT HAS 15 TO 50 CM OF SURFACE PEAT. THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON) UNDERLYING THE PEAT. INSTEAD, THERE IS A BROWNISH, PLATY

AEG HORIZON ABOUT 20 CM THICK.

ALL

NO

NO

NO

NO

NO

NO

NO

NO

YES

09/01/93

SOIL SERIES:

MARSH HEAD

(MSH) LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION:

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

MEDIUM FLUVIAL OR

SURFACE STONINESS:

NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code Color Name S		Structure	Structure Consistence		o.c.	рН	EC	Sat%	SAR
AEG	0-20	10YR	5/1	GRAY	WMPL	FR	FSL	0.8	7.5	0.3	34.	0.1
BTG	20-90	10YR	5/2	GRAYISH BROWN	WFSBK	FR-F	SL		7.6	0.2	33.	0.1
CKG	90-200	10YR	6/2	LIGHT BROWNISH GRAY	MA	FR-F	SIL		8.	0.2	50.	0.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AEG	0-20	G	G		F	G	G	G	F (Upper L)
BTG	20-90	G	G		F	G	G	G	F (Subsoil)
CKG	90-200	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS WETNESS

HARD BEDROCK:
NON-SODIC SOFTROCK:
SODIC SOFTROCK:
GRAVEL:
STONY LAYER:
FACE INSTABILITY:
SOLONETZIC B HORIZON:
SALINE OR SODIC LOWER SUBSOIL:
IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

NOTES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. THESE SOILS HAVE LESS THAN 5 CM OF TOPSOIL (AH OR AHE HORIZON). INSTEAD, THEY HAVE A FAIRLY THICK, GRAY, PLATY AEG HORIZON.

09/01/93

SOIL SERIES:

MCDOUGALL (MDL)

LANDFORM:

ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

16-30%

SOIL CLASSIFICATION: ORHIC DARK GRAY

CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS: MODERATELY

PARENT MATERIAL: MEDIUM SOFTROCK

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	-	EC	Sat%	SAR
AP	0-15	10YR		VERY DARK GRAYISH BROWN	MFGR	FR	L	6.2			
BTJ	15-45	10YR	5/2	GRAYISH BROWN	WFSBK	F	SIL				
CK	45-100	10YR	6/4	LIGHT YELLOWISH BROWN	STRAT	F	SIL	7.9	0.2	41.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		G	G	P		P (Upper L)
BTJ	15-45	. G	G						G (Subsoil)
CK	45-100	G	G		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	15 cm 10-20 cm OBVIOUS TOPOGRAPHY LOW
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	_
RISK ON 9-15% SLOPE:	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO SILT LOAM TEXTURED WEATHERED BEDROCK. SANDSTONE SLABS MAY BE ENCOUNTERED NEAR THE SURFACE. THERE IS SOMETIMES A THIN VENEER (<20 CM) OF TILL OR GRAVEL ON THE SURFACE.

NO NO NO NO NO NO NO NO NO NO

9/01/93

SOIL SERIES:

MCPHERSON-AA

(aaMPH)

LANDFORM:

ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

16-30% MESIC

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL PARENT MATERIAL:

MEDIUM TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MODERATELY

YPICAL SOIL PROFILE:

Torizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
Н	0-3		/									
E	3-25	10YRm	5/3	BROWN	WCPL	FR	SIL-L	0.82	5.8			
T	25-38	10YRin	5/4	YELLOWISH BROWN	MMSBK	F	L	0.49	5.3			
C	38-120	10YRm	5/4	YELLOWISH BROWN	WCSBK	FR	SL		5.8			

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
Н .	0-3								
E.	3-25	G	G	P	G				G (Upper L)
т	25-38	G	G		G				G (Subsoil)
C	38-120	G	G		G				G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:
STRIPPING LIMITATIONS:	TOPOGRAPHY	SODIC SOFTROCK:
WIND EROSION RISK:	LOW	GRAVEL:
WATER EROSION K=:	0.059	STONY LAYER:
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

HOME SCA IS 14. DEVELOPED ON LOAM TEXTURED TILL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THESE OTES: SOILS HAVE A THIN LH HORIZON OVERLYING A THICK, DISTINCT, PLATY AE HORIZON.

09/01/93

SOIL SERIES:

MCPHERSON-AAST

LANDFORM:

ROLLING

SOIL ZONE:

GRAY

(aastMPH)

TYPICAL SLOPES:

16-30% MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL STONY, MEDIUM TILL

USUAL SOIL MOISTURE:

SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure C	Structure Consistence		0.C.	рн	EC	Sat% SAR
LH AE	0-3 3-25	/ 10YRm 5/3	BROWN	WCPL	FR	STSIL-L	0.82	5.8		
BT BC	25-38 38-120	10YRm 5/4 10YRm 5/4	YELLOWISH BROWN YELLOWISH BROWN	MMSBK WCSBK	F FR	STL	0.49	5.3		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH AE BT BC	0-3 3-25 25-38 38-120	G G G	P P P		G G G				P (Upper L) P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 20 cm 15-25 THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: LOW WATER EROSION K=: 0.059 RISK ON <5% SLOPE: MODERATE RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: HIGH

cm NOT OBVIOUS STONY, TOPOGRAPHY

MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. VARIANT OF MCPHERSON THAT IS STONIER THAN NORMAL.

9/01/93

SOIL SERIES:

NOSEHILL-AA

(aaNHL)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION:

BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

YPICAL SOIL PROFILE:

orizon Depth		Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
н	0-5		/					0.7	4.2			
E1	5-10	10YRm	6/1	GRAY	MFPL	FR	SIL	1.4	4.5			
F	10-15	10YRm	5/8	YELLOWISH BROWN	WFPL	FR	SIL	0.45	5.2			
E2	15-25	10YRm	6/3	PALE BROWN	SFPL	FR	SIL	0.31	5.4			
В	25-40	2.5Ym	5/4	LIGHT OLIVE BROWN	MCPL	F	L	0.22	4.9			
г	40-65	10YRm	5/4	YELLOWISH BROWN	MFSBK	F	SICL		5.7			
С	65-105	2.5Ym	4/4	OLIVE BROWN	MFSBK	F	SIC		4.8			
	105-120	10YRm	4/4	DARK YELLOWISH BROWN	MA	F	CL		5.5			

OIL OUALITY RATINGS:

rizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Ove	rall Rating
I	0-5									
1	5-10	G	G		F				F	(Upper L)
,	10-15	G	G		G				G	(Upper L)
2	15-25	G	G		G				G	(Upper L)
3	25-40	F	G		F				F	(Upper L)
?	40-65	G	F		G				F	(Subsoil)
2	65-105	G	F		F				F	(Subsoil)
	105-120	G	F		G				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS: TYPICAL THICKNESS: 20 cm SEASONALLY HIGH W.T.:

TITIONE INTOINIDE.	20 0111	DELIBORATED HIGH WITE	210
THICKNESS RANGE:	15-35 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THICK	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.072	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

OTES: HOME SCA IS 14. NOSEHILL SOILS ARE DEVELOPED ON LOAM TO CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS). INSTEAD, THERE IS AN LH, AE, BF, A SECOND AE, AND AN AB

HORIZON.

09/01/93

SOIL SERIES: SOIL ZONE:

NOSEHILL-AAST (aastNHL)

GRAY

PARENT MATERIAL:

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL STONY, MODERATELY FINE

TILL

LANDFORM:

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

BLANKET 2-15% MESIC

SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-5		/					0.7	4.2		
AE1	5-10	10YRm	6/1	GRAY	MFPL	FR	STSIL	1.4	4.5		
BF	10-15	10YRm	5/8	YELLOWISH BROWN	WFPL	FR	STSIL	0.45	5.2		
AE2	15-25	10YRm	6/3	PALE BROWN	SFPL	FR	STSIL	0.31	5.4		
AB	25-40	2.5Ym	5/4	LIGHT OLIVE BROWN	MCPL	F	STL	0.22	4.9		
BT	40-65	10YRm	5/4	YELLOWISH BROWN	MFSBK	F	STSICL		5.7		
BC	65-105	2.5Ym	4/4	OLIVE BROWN	MFSBK	F	STSIC		4.8		
С	105-120	10YRm	4/4	DARK YELLOWISH BROWN	MA	F	STCL		5.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE1	5-10	G	P		F				P (Upper L)
BF	10-15	G	P		G				P (Upper L)
AE2	15-25	G	P		G				P (Upper L)
AB	25-40	F	P		F				P (Upper L)
BT	40-65	G	P		G				P (Subsoil)
BC	65-105	G	P		F				P (Subsoil)
С	105-120	G	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

20 cm 15-35 cm NOT OBVIOUS STONY, VERY THICK LOW 0.072 MODERATE MODERATE

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: YES FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HOME SCA IS 14. VARIANT OF NOSEHILL THAT IS STONIER THAN NORMAL.

HIGH

9/01/93

SOIL SERIES:

OCHIESE-AA

(aaOHS)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

PODZOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

YPICAL SOIL PROFILE:

Torizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
н	0-5		/						6.8			
E1	5-10	10YRm	4/2	DARK GRAYISH BROWN	MFPL	FR	SIL	1.58	5.8			
F	10-18	7.5YR	4/4	DARK BROWN	WFGR	FR	SIL	1.72	5.7			
.E2	18-30	10YRm	6/3	PALE BROWN	SMPL	FR	SIL	0.01	5.3			
B	30-35	10YRm	5/6	YELLOWISH BROWN	MMSBK	F	SIL	0.69	4.8			
T	35-70	2.5Ym	4/2	DARK GRAYISH BROWN	SFSBK	VF	C	0.61	5.2			
С	70-102	2.5Ym	4/2	DARK GRAYISH BROWN	MASBK	F	С		5.5			
K	102-120	2.5Ym	4/2	DARK GRAYISH BROWN	MA	F	CL		7.4			

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	0ve:	rall Rating
н	0-5					~~~~~~				
E1	5-10	G	G		G				G	(Upper L)
F	10-18	G	G		G				G	(Upper L)
E2	18-30	G	G		G				G	(Upper L)
В	30-35	F	G		F				F	(Upper L)
T	35-70	F	P		G				P	(Subsoil)
С	70-102	G	P		G				P	(Subsoil)
K	102-120	G	F		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20	cm		
15-3	5	cm	
TO	OBV	/IOUS	
ONE			
MOL			
0.07	2		
10DE	RAT	ľΕ	
10DE	RAT	ľΕ	

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSO	IL: NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: HOME SCA IS 14. DEVELOPED ON CLAY LOAM TEXTURED TILL THAT IS BORDERING
ON CLAY TEXTURED. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH
OR AHE HORIZON). HORIZON SEQUENCE INCLUDES THE LH, AE, BF, A SECOND
AE, AND AN AB HORIZON.

09/01/93

SOIL SERIES:

ORCHARD-AA

(aaORC)

LANDFORM:

BLANKET, ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

16-30%

SOIL CLASSIFICATION: BRUNISOLIC DARK GRAY

PARENT MATERIAL:

USUAL SOIL MOISTURE:

SURFACE STONINESS:

DROUGHTY

LUVISOL

MODERATELY COARSE EOLIAN

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
AHK	0-15	10YRd	4/1	DARK GRAY	WFGR	FR	SIL	7.92	7.5			
AHEK	15-27	10YRd	4/2	DARK GRAYISH BROWN	WFGR	FR	SIL	3.57	7.9			
BMK	27-39	7.5YR	6/6	REDDISH YELLOW	MMSBK	FR	SL	0.11	8.1			
AEK	39-51	10YRd	6/4	LIGHT YELLOWISH BROWN	WCSBK	FR	SL	0.04	8.			
BT	51-69	10YRd	6/6	BROWNISH YELLOW	WFPR	FR	SL	0.34	7.8			
CK	69-120	10YRd	5/2	GRAYISH BROWN	SGR	FR	SL		8.1			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Ove	rall Rating
			~							
AHK	0-15	G	G		F				F	(Upper L)
AHEK	15-27	G	G		P				P	(Upper L)
BMK	27-39	G	G		P				P	(Subsoil)
AEK	39-51	G	G		F				F	(Subsoil)
BT	51-69	G	G		F				F	(Subsoil)
CK	69-120	G	G		P				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE.

15-35	C
OBVIOUS	
NONE	
LOW	
0.055	
LOW	
MODERATE	2
HIGH	

30 cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 15. DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE WHEN VERTICALLY DITCHED.

09/01/93

Ho Н ΑН BG всо CG

SOIL SERIES:

PASS CREEK

(PCR)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY

TYPICAL SLOPES: SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS:

NON

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR	
	0-8	10YRm	2/1	BLACK					6.8			
Н	8-18	10YRm	2/2	VERY DARK BROWN	SGR	L	LS	4.52	6.7			
3	18-46	10YRm	4/4	DARK YELLOWISH BROWN	SGR	L	S	0.27	6.4			
CG	46-76	2.5Ym	4/4	OLIVE BROWN	SGR	L	S		6.3			
3 /	76-120	2.5Ym	5/2	GRAYISH BROWN	SGR	L	SL		6.1			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
н	0-8								
AH	8-18	F	P		F				P (Upper L)
BG	18-46	F	P		G				P (Subsoil)
BCG	46-76	F	P		G				P (Subsoil)
CG	76-120	F	G		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY
THICKNESS RANGE:	10-20 cm	HARD BEDROC
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC S
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTR
WIND EROSION RISK:		GRAVEL:
WATER EROSION K=:	-	STONY LAYER
RISK ON <5% SLOPE:	-	FACE INSTAB
RISK ON 5-9% SLOPE:	-	SOLONETZIC
RISK ON 9-15% SLOPE:	-	SALINE OR S
		IMPORTANT T

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SAND TO SANDY LOAM TEXTURED SOILS ARE WET ALL YEAR AND LACK COHESION, THEREFORE, EXPOSED FACES ARE UNSTABLE.

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

09/01/93

SOIL SERIES: PEDLEY (PDY) LANDFORM: BLANKET

SOIL ZONE: GRAY TYPICAL SLOPES: 6-15

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL USUAL SOIL MOISTURE: DROUGHTY

MODERATELY COARSE EOLIAN

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat% SAR
LHK	0-5	/				-		7.8		
BMK	5-20	7.5YR 4/4	DARK BROWN	WFSBK	FR	SL	0.86	7.7		
AEK	20-38	10YRm 6/4	LIGHT YELLOWISH BROWN	WFSBK	FR	SL	0.03	8.		
BTK	38-56	10YRm 4/4	DARK YELLOWISH BROWN	WCSBK	FR	SL	0.31	7.9		
CK	56-127	2.5Ym 5/2	GRAYISH BROWN	SGR	FR	SL		8.3		

SURFACE STONINESS:

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LHK	0-5								
BMK	5-20	G	G		P				P (Upper L)
AEK	20-38	G	G		P				P (Upper L)
BTK	38-56	G	G		F				F (Subsoil)
CK	56-127	G	G		P				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-35 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). HORIZON SEQUENCE IS USUALLY AN LH, BM AND AE HORIZON.

9/01/93

SOIL SERIES:

PEERS

(PRS)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL VERY COARSE EOLIAN

USUAL SOIL MOISTURE: DROUGHTY

SURFACE STONINESS: NON

YPICAL SOIL PROFILE:

orizon	Depth	Color	Color Code Color Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
E1	0-10	10YR	5/2	GRAYISH BROWN	SGR	L	LS	2.	5.5	0.5	47.	0.1
м1	10-18	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LS	0.6	6.3	0.2	34.	0.1
E2	18-35	10YR	5/3	BROWN	SGR	L	LS		6.6	0.1	28.	0.1
M2	35-85	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		6.2	0.1	30.	0.1
С	85-120	2.5Y	4/4	OLIVE BROWN	SGR	L	LS		6.2	0.1	26.	0.4

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
E1	0-10	F	P	F	G	G	G	G	P (Upper L)
м1	10-18	F	P		G	G	G	G	P (Upper L)
E2	18-35	F	P		F	G	F	G	P (Upper L)
M2	35-85	F	P		G	G	F	G	P (Subsoil)
С	85-120	F	P		G	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20	cm	
15-3	5	cm
NOT	OBV	COUS
VERY	TH	ΙN
MODE	RATI	Ξ
0.02	0	
LOW		
LOW		
MODE	RATI	Ξ

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: DEVELOPED ON LOAMY SAND TO SAND TEXTURED DEPOSITS. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE WHEN VERTICALLY DITCHED. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THESE SOILS USUALLY HAVE AN LH, AE, BM AND ANOTHER AE HORIZON.

09/01/93

SOIL SERIES:

PEGASUS

(PGS) LANDFORM:

ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

9-60%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS:

NON

MODERATELY FINE SOFTROCK

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Color Code Color N		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AE	0-20	10YR	5/3	BROWN	MMPL	VFR	SIL	0.9	6.1	0.4	44.	0.1
BT	20-40	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL	0.6	5.8	0.2	51.	0.1
BC	40-105	2.5Y	5/4	LIGHT OLIVE BROWN	WMSBK	FR-F	SCL		5.8	0.2	38.	0.1
CK	105-120	10YR	6/2	LIGHT BROWNISH GRAY	MA	FR-F	SICL		8.1	0.3	62.	0.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-20	G	G		G	G	G	G	P (Upper L)
BT	20-40	G	F		G	G	G	G	F (Subsoil)
BC	40-105	G	F		G	G	G	G	F (Subsoil)
CK	105-120	G	F		P	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 CM NOT OBVIOUS
TOPOGRAPHY LOW 0.053

LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SILTY CLAY LOAM TEXTURED SOFTROCK FROM THE PASKAPOO FORMATION. THE SOILS ARE SUSCEPTIBLE TO EROSION BY WATER WHEN THE VEGETATION IS REMOVED. IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THEY HAVE A THIN LH HORIZON OVERLYING A THICK, PLATY AE HORIZON.

9/01/93

SOIL SERIES:

PEPPERS-AA

(aaPPS)

LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS:

NON

GLACIOFLUVIAL/TILL

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	На	EC	Sat% SAR
н	0-3		/						6.6		
м	3-8	5YRm	3/4	DARK REDDISH BROWN	WMSBK	FR	L-SL	1.44	6.8		
E	8-13	10YRm	5/4	YELLOWISH BROWN	SGR	FR	LS	0.21	7.1		
T	13-28	10YRm	4/4	DARK YELLOWISH BROWN	MMSBK	F	SCL	0.55	7.2		
BC	28-43	2.5Ym	5/4	LIGHT OLIVE BROWN	WMSBK	FR	SL		7.2		
CK ·	43-120	2.5Ym	4/4	OLIVE BROWN	MA	FR	SL		7.7		

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
н	0-3								
M	3-8	G	G		F				F (Upper L)
E	8-13	G	P		F				P (Upper L)
T	13-28	G	F		F				F (Subsoil)
вс	28-43	G	G		F				F (Subsoil)
CK	43-120	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

5-15 NOT OBVIOUS VERY THIN MODERATE 0.046 LOW MODERATE HIGH

cm

10 cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

OTES: HOME SCA IS 14. DEVELOPED ON A VENEER OF SANDY LOAM TO LOAMY SAND TEXTURED MATERIAL OVER CLAY LOAM TEXTURED TILL AT LESS THAN 1 M. THE SANDY MATERIAL CAUSES EXPOSED FACES OF TRENCH WALLS TO BE UNSTABLE. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). THE HORIZON SEQUENCE IS USUALLY AN LH, BM AND AE HORIZON.

09/01/93

SOIL SERIES:

PERCOTTE

(PCO)

LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

16-60%

NON

PARENT MATERIAL:

SOIL CLASSIFICATION:

MEDIUM EOLIAN/TILL

ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE: SURFACE STONINESS: DROUGHTY

TYPICAL SOIL PROFILE:

	Depth	Color Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR	
AHK	0-3		VERY DARK GRAYISH BROWN	WFGR	FR	SIL	8.24	7.8			
AEK	3-18	7.5YR 6/4	LIGHT BROWN	WFGR	FR	SIL	1.7	8.			
BMK	18-30	5YRm 4/8	YELLOWISH RED	WFSBK	FR	SIL	0.44	8.			

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHK	0-3	G	G		P				P (Upper L)
AEK	3-18	G	G		P				P (Upper L)
BMK	18-30	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm OBVIOUS NONE LOW 0.066 MODERATE

MODERATE

HIGH

HARD BEDROCK:
NON-SODIC SOFTROCK:
SODIC SOFTROCK:
GRAVEL:
STONY LAYER:
FACE INSTABILITY:
SOLONETZIC B HORIZON:
SALINE OR SODIC LOWER SUBSOIL:
IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO NO NO NO NO YES NO OIL: NO

YES

NOTES:

DEVELOPED ON A SILT LOAM TEXTURED VENEER OVER SANDY CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, THE AH OR AHE HORIZON IS VERY THIN OR ABSENT. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A FAIRLY THICK, LIGHTER COLORED AE HORIZON.

09/01/93

SOIL SERIES: PINTO-AA (aaPTO) LANDFORM: VENEER
SOIL ZONE: GRAY TYPICAL SLOPES: 2-9%
SOIL CLASSIFICATION: PODZOLIC GRAY LUVISOL USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL: MODERATELY COARSE SURFACE STONINESS: NON

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
 Сн	0-3		/						5.6			
AE1	3-10	10YRm	5/2	GRAYISH BROWN	SGR	L	LS	0.58	5.3			
BF	10-15	7.5YR	5/6	STRONG BROWN	SGR	L	SL	0.81	5.6			
AE2	15-30	10YRm	5/6	YELLOWISH BROWN	SGR	L	LS	0.05	5.7			
вт	30-48	10YRm	5/8	YELLOWISH BROWN	SGR	VFR	SL	0.2	5.2			
вс	48-63	10YRm	5/4	YELLOWISH BROWN	SGR	L	LS		5.8			
2BC	63-75	10YRm	5/6	YELLOWISH BROWN	MA	F	SCL		6.6			
2CK	75-120	10YRm	5/4	YELLOWISH BROWN	MA	F	SCL		7.3			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Ratin	ıg
LH	0-3									
AE1	3-10	F	P		G				P (Upper L)	
BF	10-15	F	G		G				F (Upper L)	
AE2	15-30	F	P		G				P (Upper L)	
3T	30-48	G	G		G				G (Subsoil)	
вс	48-63	F	P		G				P (Subsoil)	
BC	63-75	G	F		G				F (Subsoil)	
2CK	75-120	G	F		F				F (Subsoil)	

TOPSOIL INTERPRETATIONS:

25 cm	SEASONALLY HIGH W.T.:	NO
20-30 cm	HARD BEDROCK:	NO
NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
NONE	SODIC SOFTROCK:	NO
MODERATE	GRAVEL:	NO
0.059	STONY LAYER:	NO
MODERATE	FACE INSTABILITY:	YES
MODERATE	SOLONETZIC B HORIZON:	NO
HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
	IMPORTANT TEXTURE CHANGE:	YES
	20-30 cm NOT OBVIOUS NONE MODERATE 0.059 MODERATE MODERATE	20-30 cm HARD BEDROCK: NOT OBVIOUS NON-SODIC SOFTROCK: NONE SODIC SOFTROCK: MODERATE GRAVEL: 0.059 STONY LAYER: MODERATE FACE INSTABILITY: MODERATE SOLONETZIC B HORIZON: HIGH SALINE OR SODIC LOWER SUBSOIL:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HOME SCA IS 14. DEVELOPED ON A VENEER OF SANDY LOAM TO LOAMY SAND
TEXTURED MATERIAL OVER SANDY CLAY LOAM TEXTURED TILL. THE UPPER SANDY
MATERIAL WILL CAUSE EXPOSED FACES OF TRENCH WALLS TO BE UNSTABLE. IN
FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON).
INSTEAD, THE HORIZON SEQUENCE IS USUALLY AN LH, AE, BF AND ANOTHER AE
HORIZON.

09/01/93

SOIL SERIES:

RAT

(RAT)

LANDFORM:

VENEER 1-5%

SOIL ZONE:

GRAY

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL

TYPICAL SLOPES: USUAL SOIL MOISTURE: TEMPORARY PONDING

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL/TILL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (Consistence	Texture	o.c.	рН	EC	Sat% :	SAR
LH	0-3		/						4.8			
AEGJ	3-15	10YRm	6/4	LIGHT YELLOWISH BROWN	SGR	L	SL	0.99	4.9			
BTGJ	15-33	7.5YR	5/6	STRONG BROWN	SGR	L	SCL	0.49	5.1			
BCGJ	33-45	7.5YR	5/6	STRONG BROWN	SGR	L	SL		5.3			
2BTGJ	45-70	10YRm	4/3	DARK BROWN	MMSBK	F	CL	0.35	5.2			
2BCGJ	70-97	10YRm	4/3	DARK BROWN	WFSBK	FR	CL		6.			
2CKGJ	97-120	10YRm	5/6	YELLOWISH BROWN	MA	FR	CL		7.3			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Ratio	ng
LH	0-3									
AEGJ	3-15	F	G		F				F (Upper L)
BTGJ	15-33	F	F		G				F (Subsoil)
BCGJ	33-45	F	G		G				F (Subsoil)
2BTGJ	45-70	G	F		G				F (Subsoil)
2BCGJ	70-97	G	F		G				F (Subsoil)
2CKGJ	97-120	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10	cm
5-15	cm
NOT	OBVIOUS
VERY	THIN
MODE	RATE
0.04	6
LOW	
MODE	RATE
HIGH	

SEASONALLY HIGH W.T.:	SPF
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO

NO

YES

SALINE OR SODIC LOWER SUBSOIL:

IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON A VENEER OF SANDY LOAM TEXTURED MATERIAL OVER CLAY LOAM TEXTURED TILL. THE SANDY SURFACE LAYER WILL CAUSE EXPOSED FACES TO BE UNSTABLE. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THESE SOILS HAVE A THIN LH HORIZON OVERLYING A LIGHTER COLORED AE HORIZON. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES.

9/01/93

SOIL SERIES: ROSEVEAR (RSV) LANDFORM: BLANKET SOIL ZONE: GRAY TYPICAL SLOPES: 0-2% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MEDIUM GLACIOLACUSTRINE SURFACE STONINESS: NON

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
н	0-5		/					0.52	5.9		
E1	5-10	10YRm	6/2	LIGHT BROWNISH GRAY	SMPL	FR	SIL	0.5	5.8		
E2	10-22	10YRm	6/3	PALE BROWN	SMPL	FR	SIL	0.5	5.6		
В	22-30	10YRm	5/3	BROWN	MCPL	F	SIL	0.63	5.6		
г	30-53	10YRm	5/3	BROWN	MFSBK	F	SICL		6.4		
C	53-65	10YRm	4/4	DARK YELLOWISH BROWN	MFABK	F	SICL		6.6		
K	65-120	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	F	SIL		7.7		

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Ove	rall Rating
H	0-5									
E1	5-10	G	G		G				G	(Upper L)
E2	10-22	G	G		G				G	(Upper L)
В	22-30	F	G		G				F	(Upper L)
r.	30-53	G	F		G				F	(Subsoil)
2	53-65	G	F		G				F	(Subsoil)
K	65-120	G	G		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	20-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

OTES: THESE SOILS ARE DEVELOPED ON SILT LOAM TEXTURED MATERIAL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING TWO AE HORIZONS, AND AN AB HORIZON.

09/01/93

SOIL SERIES:

SUNCHILD (SCH) LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-9% MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL MEDIUM

USUAL SOIL MOISTURE:

SURFACE STONINESS: NON

GLACIOLACUSTRINE/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Code		Color Name	Structure	Consistence	Texture	0.C.	рн	EC	Sat% SAR
LH	0-2		/						6.				
AE1	2-7	10YRm 4	1/4	YELLOWISH BROWN	SMPL	VFR	SIL		5.8				
BF	7-12	10YRm 5	5/4	YELLOWISH BROWN	MMPL	VFR	SIL		6.				
AE2	12-25	10YRm 6	5/4	LIGHT YELLOWISH BROWN	MMPL	VFR	SIL		5.3				
BT	25-55	10YRm 5	5/3	BROWN	SFSBK	F	SICL		5.1				
BC	55-85	10YRm 4	1/3	DARK BROWN	MA	F	SICL		5.2				
2CK	85-	10YRm 4	1/3	DARK BROWN	MA	F	L		7.5				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overal	l Rating
LH	0-2									
AE1	2-7	G	G		G				G (U	pper L)
BF	7-12	G	G		G				G (U	pper L)
AE2	12-25	G	G		G				G (U	pper L)
BT	25-55	G	F		G				F (S	ubsoil)
BC	55-85	G	F		G				F (S	ubsoil)
2CK	85-	G	G		F				F (S	ubsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.072
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON SILTY TO LOAMY GLACIOLACUSTRINE VENEERS OVERLYING LOAM TO CLAY LOAM TILL. THE TEXTURE CHANGE IS NOT SIGNIFICANT. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THESE SOILS USUALLY HAVE AN LH, AE, BF AND ANOTHER AE HORIZON.

9/01/93

SOIL SERIES: SOIL ZONE:

SUNDANCE

(SUC)

LANDFORM:

BLANKET

GRAY

TYPICAL SLOPES:

10-30%

SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

GLACIOFLUVIAL

SURFACE STONINESS:

NON

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
E1 ·	0-3	10YRm	5/1	GRAY	WFPL	L	SL	1.	5.1		
F	3-8	10YRm	4/4	DARK YELLOWISH BROWN	WFSBK	L	SL	1.16	5.6		
E2	8-18	10YRm	6/4	LIGHT YELLOWISH BROWN	SGR	L	SL	0.4	5.7		
т	18-28	10YRm	5/4	YELLOWISH BROWN	WCSBK	FR	SL	0.76	5.5		
С	28-66	2.5Ym	5/4	LIGHT OLIVE BROWN	SGR	L	LS		6.		
K	66-120	2.5Ym	4/2	DARK GRAYISH BROWN	SGR	L	LS		7.7		

OIL QUALITY RATINGS:

ting
L)
L)
L)
i1)
i1)
il)
-

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm
10-20 cm
NOT OBVIOUS
NONE
MODERATE
0.046
LOW
MODERATE
HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: SANDY LOAM TO SAND TEXTURED MATERIAL. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THESE SOILS HAVE AN LH, AE, BF AND ANOTHER AE HORIZON.

NO

NO

NO

NO

NO

YES

YES

09/01/93

SOIL SERIES:

SUNDANCE-ST

(stSUC)

LANDFORM.

BLANKET

SOIL ZONE: SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL

GRAY

TYPICAL SLOPES: USUAL SOIL MOISTURE:

10-30% DROUGHTY

PARENT MATERIAL:

STONY, MODERATELY COARSE

SURFACE STONINESS:

EXCEEDINGLY

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AE1	0-3	10YRm 5/1	GRAY	WFPL	L	STSL	1.	5.1		
BF	3-8	10YRm 4/4	DARK YELLOWISH BROWN	WFSBK	L	STSL	1.16	5.6		
AE2	8-18	10YRm 6/4	LIGHT YELLOWISH BROWN	SGR	L	STSL	0.4	5.7		
BT	18-28	10YRm 5/4	YELLOWISH BROWN	WCSBK	FR	STSL	0.76	5.5		
BC	28-66	2.5Ym 5/4	LIGHT OLIVE BROWN	SGR	L	STLS		6.		
CK	66-120	2.5Ym 4/2	DARK GRAYISH BROWN	SGR	L	STLS		7.7		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Over	rall Rating
AE1	0-3	F	Р		G				Р	(Upper L)
BF	3-8	F	P		G				P	(Upper L)
AE2	8-18	F	P		G				P	(Upper L)
BT	18-28	G	P		G				P	(Subsoil)
BC	28-66	F	P		G				P	(Subsoil)
CK	66-120	F	P		F				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE MODERATE 0.046 LOW MODERATE

HIGH

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF SUNDANCE THAT IS STONIER THAN NORMAL.

NTERPRETATION GUIDELINES

SCA 13

9/01/93

SOIL SERIES:

SUNDRE

(SUD)

LANDFORM:

TERRACED

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC DARK GRAY

USUAL SOIL MOISTURE:

DROUGHTY

CHERNOZEMIC

MODERATELY COARSE GLACIOFLUVIAL/ GRAVEL SURFACE STONINESS:

YPICAL SOIL PROFILE:

PARENT MATERIAL:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
·	0-26	10YR	3/3	DARK BROWN	WFGR	FR	L	3.5	7.9	0.7	60.	0.1
1	26-75	10YR	4/3	BROWN-DARK BROWN	WFSBK	FR	L		8.2	0.5	40.	0.1
t	75-115	10YR	5/3	BROWN	SGR	L	SL					
cĸ	115-120	10YR	6/2	LIGHT BROWNISH GRAY	SGR	L	GRSL					

OIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
)	0-26	G	G		P	G	F	G	P (Upper L)
í	26-75	G	G		P	G	G	G	P (Subsoil)
	75-115	F	G						F (Subsoil)
:K	115-120	F	P						P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 10-30 cm

LOW 0.032 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

OTES: DEVELOPED ON A VENEER OF SANDY LOAM TEXTURED MATERIAL OVER GRAVELLY SAND. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE. THE DEPTH TO GRAVEL IS VARIABLE BUT IT USUALLY OCCURS GREATER THAN 20 CM BELOW THE SURFACE, THEREFORE, TOPSOILS ARE USUALLY GRAVEL-FREE.

09/01/93

SOIL SERIES:

TOLMAN

(TOM) LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-9	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	SIL	1.9	6.5	0.5	58.	0.2
BT	9-50	10YR	5/3	BROWN	WFSBK	FR	SICL		6.	0.1	49.	0.4
BC	50-90	10YR	5/3	BROWN	MA	FR	SICL		6.3	0.1	70.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP BT	0-9 9-50	G · G	G		G G	G G	G G	G G	G (Upper L)
BC	50-90	G	F		G	G	F	G	F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	5-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: TOLMAN SOILS ARE ASSOCIATED WITH LAKES. A STONY OR GRAVELLY LAYER IS OFTEN LOCATED AT 1.2 M WHERE TILL IS OFTEN ENCOUNTERED. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A THICK, PLATY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS ABOUT 10 CM THICK AND IS DERIVED MAINLY FROM AE MATERIAL.

0/01/93

SOIL SERIES: TOM HILL-AA (aaTML) LANDFORM: BLANKET

SOIL ZONE: GRAY TYPICAL SLOPES: 6-15%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MEDIUM TILL SURFACE STONINESS: MODERATELY

PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
	0-5		/						5.4			
1	5-10	10YRm	6/2	LIGHT BROWNISH GRAY	SFPL	FR	SIL		5.7			
2	10-20	10YRm	6/4	LIGHT YELLOWISH BROWN	MCPL	FR	SIL		6.1			
	20-45	10YRm	5/4	YELLOWISH BROWN	MFSBK	F	SIL		5.3			
	45-77	2.5Ym	4/4	OLIVE BROWN	WFSBK	F	L		5.4			
	77-120	2.5Ym	4/4	OLIVE BROWN	MA	F	L		5.5			

OIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	0ve:	rall Rating
	0-5									
1	5-10	G	G		G				G	(Upper L)
2	10-20	G	G		G				G	(Upper L)
	20-45	G	G		G				G	(Subsoil)
	45-77	G	G		G				G	(Subsoil)
	77-120	G	G		G				G	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TES: HOME SCA IS 14. DEVELOPED ON LOAM TEXTURED TILL. IN FORESTED AREAS,
THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THESE
SOILS HAVE A THIN LH HORIZON OVERLYING A LIGHTER COLORED, PLATY, FAIRLY
THICK AE HORIZON.

09/01/93

SOIL SERIES:

TOM HILL-AAST (aastTML) LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-15%

PARENT MATERIAL: STONY, MEDIUM TILL

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	0.C.	рн Е	C Sat% SAR
LH	0-5	/						5.4	
AE1	5-10	10YRm 6/2	LIGHT BROWNISH GRAY	SFPL	FR	STSIL		5.7	
AE2	10-20	10YRm 6/4	LIGHT YELLOWISH BROWN	MCPL	FR	STSIL		6.1	
BT	20-45	10YRm 5/4	YELLOWISH BROWN	MFSBK	F	STSIL		5.3	
BC	45-77	2.5Ym 4/4	OLIVE BROWN	WFSBK	F	STL		5.4	
C	77-120	2.5Ym 4/4	OLIVE BROWN	MA	F	STL		5.5	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE1	5-10	G	P		G				P (Upper L)
AE2	10-20	G	P		· G				P (Upper L)
BT	20-45	G	P		G				P (Subsoil)
BC	45-77	G	P		G				P (Subsoil)
С	77-120	G	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14. VARIANT OF TOM HILL THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

WEALD

(WLD)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

6-9% MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: PODZOLIC GRAY LUVISOL MEDIUM GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
0-5		/						4.5		
5-10	10YRm	6/1	LIGHT GRAY	MFPL	FR	SL	0.78	5.6		
10-15	10YRm	5/8	YELLOWISH BROWN	WFPL	FR	SIL	1.1	6.4		
15-22	10YRm	6/3	PALE BROWN	MMPL	FR	L	0.29	5.8		
22-47	2.5Ym	5/6	LIGHT OLIVE BROWN	MFSBK	F	L	0.25	5.8		
47-74	2.5Ym	5/4	LIGHT OLIVE BROWN	WFSBK	F	SIL		6.3		
74-120	2.5Ym	5/2	GRAYISH BROWN	MA	F	SIL		7.9		
	0-5 5-10 10-15 15-22 22-47 47-74	0-5 5-10 10YRm 10-15 10YRm 15-22 10YRm 22-47 2.5Ym 47-74 2.5Ym	0-5 / 5-10 10YRm 6/1 10-15 10YRm 5/8 15-22 10YRm 6/3 22-47 2.5Ym 5/6 47-74 2.5Ym 5/4	0-5 / 5-10 10YRm 6/1 LIGHT GRAY 10-15 10YRm 5/8 YELLOWISH BROWN 15-22 10YRm 6/3 PALE BROWN 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN	0-5 / 5-10 10YRm 6/1 LIGHT GRAY MFPL 10-15 10YRm 5/8 YELLOWISH BROWN WFPL 15-22 10YRm 6/3 PALE BROWN MMPL 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN MFSBK 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN WFSBK	0-5 / 5-10 10YRm 6/1 LIGHT GRAY MFPL FR 10-15 10YRm 5/8 YELLOWISH BROWN WFPL FR 15-22 10YRm 6/3 PALE BROWN MMPL FR 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN MFSBK F 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN WFSBK F	0-5 / 5-10 10YRm 6/1 LIGHT GRAY MFPL FR SL 10-15 10YRm 5/8 YELLOWISH BROWN WFPL FR SIL 15-22 10YRm 6/3 PALE BROWN MMPL FR L 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN MFSBK F L 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN WFSBK F SIL	0-5 / 5-10 10YRm 6/1 LIGHT GRAY MFPL FR SL 0.78 10-15 10YRm 5/8 YELLOWISH BROWN WFPL FR SIL 1.1 15-22 10YRm 6/3 PALE BROWN MMPL FR L 0.29 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN MFSBK F L 0.25 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN WFSBK F SIL	0-5 / 4.5 5-10 10YRm 6/1 LIGHT GRAY MFPL FR SL 0.78 5.6 10-15 10YRm 5/8 YELLOWISH BROWN WFPL FR SIL 1.1 6.4 15-22 10YRm 6/3 PALE BROWN MMPL FR L 0.29 5.8 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN MFSBK F L 0.25 5.8 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN WFSBK F SIL 6.3	0-5 / 4.5 5-10 10YRm 6/1 LIGHT GRAY MFPL FR SL 0.78 5.6 10-15 10YRm 5/8 YELLOWISH BROWN WFPL FR SIL 1.1 6.4 15-22 10YRm 6/3 PALE BROWN MMPL FR L 0.29 5.8 22-47 2.5Ym 5/6 LIGHT OLIVE BROWN MFSBK F L 0.25 5.8 47-74 2.5Ym 5/4 LIGHT OLIVE BROWN WFSBK F SIL 6.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overa	all Rating
LH	0-5									
AE1	5-10	G	G		G				G	(Upper L)
BF	10-15	G	G		G				G	(Upper L)
AE2	15-22	G	G		G				G	(Upper L)
BT	22-47	G	G		G				G	(Subsoil)
BC	47-74	G	G		G				G	(Subsoil)
CK	74-120	G	G		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.072	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES:

WEALD SOILS ARE DEVELOPED ON SILT LOAM TEXTURED DEPOSITS. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS). INSTEAD, THERE IS A LH, AE, BF, AND ANOTHER AE HORIZON.

09/01/93

SOIL SERIES:

WEASONE

(WSN)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL FINE GLACIOLACUSTRINE USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-3	10YRm 4/2	DARK GRAYISH BROWN				23.35	6.4		
AE	3-11	10YRm 7/2	LIGHT GRAY	MMPL	FR	SIL	2.35	6.3		
BT	11-21	10YRm 4/3	DARK BROWN	MFSBK	F	SIC	1.41	5.6		
BC	21-48	10YRm 5/3	BROWN	MA	F	SIC	1.31	6.1		
CK	48-120	2.5Ym 4/4	OLIVE BROWN	MA	F	SIC		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
LH	0-3								
AE	3-11	G	G		G				G (Upper L)
BT	11-21	G	F		G				F (Subsoil)
BC	21-48	G	F		G				F (Subsoil)
CK	48-120	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=: RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 5-15 cm NOT OBVIOUS NONE LOW 0.059 MODERATE MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:	
SEASONALLY HIGH W.T.: HARD BEDROCK:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL: STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	ИО
IMPORTANT TEXTURE CHANGE:	ИО

NOTES: THESE SOILS ARE DEVELOPED ON SILTY CLAY TO CLAY TEXTURED MATERIAL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A PLATY, LIGHT GRAY COLORED AE HORIZON.

09/01/93

SOIL SERIES: SOIL ZONE: WILDHAY-AA (aaWHY) LANDFORM:

ROLLING 6-9%

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL: MODERATELY COARSE TILL

SOIL CLASSIFICATION: PODZOLIC GRAY LUVISOL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-5		/						4.3		
AE1	5-8	10YRm	6/2	LIGHT BROWNISH GRAY	MFPL	VFR	SIL	1.1	5.1		
BFJ	8-13	7.5YR	4/4	DARK BROWN	MMPL	VFR	SIL	1.55	5.1		
AE2	13-28	10YRm	5/4	YELLOWISH BROWN	SMPL	VFR	SIL	0.46	5.4		
BT	28-45	10YRm	5/6	YELLOWISH BROWN	SFSBK	F	CL	0.26	5.9		
вс	45-55	2.5Ym	5/4	LIGHT OLIVE BROWN	WFSBK	FR	L		6.7		
CK	55-120	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	FR	L		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Ove	rall Rating
LH	0-5									
AE1	5-8	G	G		G				G	(Upper L)
BFJ	8-13	G	G		G				G	(Upper L)
AE2	13-28	G	G		G				G	(Upper L)
BT	28-45	G	F		G				F	(Subsoil)
BC	45-55	G	G		G				G	(Subsoil)
CK	55-120	G	G		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.072
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 14.

09/01/93

SOIL SERIES:

WILDHAY-AAST (aastWHY)

LANDFORM:

ROLLING 6-9%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

DROUGHTY

SOIL CLASSIFICATION: PARENT MATERIAL:

PODZOLIC GRAY LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

EXCEEDINGLY

STONY, MODERATELY COARSE

TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-5		/						4.3		
AE1	5-8	10YRm	6/2	LIGHT BROWNISH GRAY	MFPL	VFR	STSIL	1.1	5.1		
BFJ	8-13	7.5YR	4/4	DARK BROWN	MMPL	VFR	STSIL	1.55	5.1		
AE2	13-28	10YRm	5/4	YELLOWISH BROWN	SMPL	VFR	STSIL	0.46	5.4		
BT	28-45	10YRm	5/6	YELLOWISH BROWN	SFSBK	F	STCL	0.26	5.9		
BC	45-55	2.5Ym	5/4	LIGHT OLIVE BROWN	WFSBK	FR	STL		6.7		
CK	55-120	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	FR	STL		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE1	5-8	G	P		G				P (Upper L)
BFJ	8-13	G	P		G				P (Upper L)
AE2	13-28	G	P		G				P (Upper L)
BT	28-45	G	P		G				P (Subsoil)
BC	45-55	G	P		G				P (Subsoil)
CK	55-120	G	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm 15-25 cm NOT OBVIOUS STONY LOW 0.072 MODERATE MODERATE

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: YES FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HOME SCA IS 14. VARIANT OF WILDHAY THAT IS STONIER THAN NORMAL.

HIGH

9/01/93

SOIL SERIES: WILDWOOD (WWO) LANDFORM: LEVEL SOIL ZONE: GRAY TYPICAL SLOPES: 0-2%

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL: FINE LACUSTRINE SURFACE STONINESS: NON

YPICAL SOIL PROFILE:

orizon	Depth	Color Code		Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat% SAR
н	0-10		/						6.2		
Н	10-15	10YRm	3/1	VERY DARK GRAY	SFGR	FR	C	9.49	5.9		
EG	15-25	10YRm	5/3	BROWN	SFPL	VFR	SIL	0.65	5.8		
BG	25-30	5Ym	5/1	GRAY	MFSBK	FR-F	SICL	0.78	5.7		
TG1	30-52	5Ym	4/1	DARK GRAY	MFSBK	F	HC	0.84	5.4		
TG2	52-84	10YRm	4/2	DARK GRAYISH BROWN	MFSBK	F	HC	0.65	6.4		
CG	84-109	2.5Ym	4/4	OLIVE BROWN	MA	FR	HC		6.9		
KG	109-120	2.5Ym	4/2	DARK GRAYISH BROWN	STRAT	FR	HC		7.4		

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	0ve:	rall Rating
н	0-10									
Н	10-15	G	P		G				P	(Upper L)
EG	15-25	G	G		G				G	(Upper L)
BG	25-30	F	F		G				F	(Upper L)
TG1	30-52	G	P		G				P	(Subsoil)
TG2	52-84	G	P		G				P	(Subsoil)
CG	84-109	G	P		G				P	(Subsoil)
KG	109-120	G	P		F				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

			_
TYPICAL THICKNESS:	25 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	20-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	_	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	_	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	_	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

OTES: SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE. IN FORESTED AREAS, AH OR AHE HORIZONS ARE VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH HORIZON OVERLYING A PLATY, BROWNISH COLORED AEG HORIZON, AND AN AEG HORIZON.

09/01/93

SOIL SERIES:

WILDWOOD-PT

(ptWWO)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION:

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

(PEATY)

SURFACE STONINESS:

NON

PARENT MATERIAL:

FINE LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
OMP AEG	0-20	10YR 3/2 10YRm 5/3	VERY DARK GRAYISH BROWN BROWN	SFPL	VFR	O SIL	0.65	5.8		
BTG	30-80	10YRm 4/2	DARK GRAYISH BROWN	MFSBK	F	HC	0.84	5.4		
CKG	80-120	2.5Ym 4/2	DARK GRAYISH BROWN	STRAT	FR	HC		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
OMP AEG BTG CKG	0-20 20-30 30-80 80-120	G G G	G P P		G G F				(Peat) G (Upper L) P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm (PEAT & AEG	SEASONALLY HIGH W.T.:	ALL
	HORIZON)	HARD BEDROCK:	NO
THICKNESS RANGE:	25-60 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	_	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF WILDWOOD HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON) UNDERLYING THE PEAT. INSTEAD, THERE IS A BROWNISH, PLATY AEG HORIZON ABOUT 10 CM THICK.

09/01/93

SOIL SERIES:

WINDFALL

(WND)

LANDFORM:

RIDGED

NON

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ELUVIATED DYSTRIC BRUNISOL USUAL SOIL MOISTURE:

SURFACE STONINESS:

DROUGHTY

PARENT MATERIAL: VERY COARSE EOLIAN

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SA	AR
AE	0-6	-10YR	5/4	YELLOWISH BROWN	SGR	L	LS	0.57	5.1			
BM1	6-16	10YR	5/6	YELLOWISH BROWN	SGR	L	LS	0.23	5.1			
BM2	16-56	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	LS	0.17	5.2			
BC1	56-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	SL	0.17	5.4			
BC2	110-200	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	SL-LS	0.23	5.5			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overal	1 Rating
AE	0-6	F	P	• Р	G				P (U	pper L)
вм1	6-16	F	P		G				P (S	ubsoil)
вм2	16-56	F	P		G				P (S	ubsoil)
3C1	56-110	F	G		G				F (S	ubsoil)
3C2	110-200	F	P		G				P (S	ubsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SAND TEXTURED MATERIAL. EXPOSED FACES OF TRENCH WALLS ARE UNSTABLE. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THERE IS A THIN LH HORIZON OVERLYING AN AE HORIZON.

cm 6

0-10 cm OBVIOUS VERY THIN MODERATE 0.020 LOW LOW MODERATE



2.14 Soil Correlation Area #14

General Description of the Area

 Occurs in the foothills, northwest from the Bow River through Hinton and to the British Columbia border, with outlying areas on the Mayberne Benchland and Clear Hills.

Ecoregion/Climate

- Upper Boreal-Cordilleran ecoregion of the Western Plateau-Benchlands.
- The ecoregion of SCA 14 is mostly Upper Boreal-Cordilleran with small inclusions of Subalpine.
- Agroclimate is estimated to be 5H (very severe heat limitation).
- Average annual precipitation is near 540 mm, most of which (340 mm) occurs during the summer, often creating a moisture surplus.
- Summer temperatures are cooler than the Lower Boreal-Cordilleran ecoregion, but warmer in the winter.
- Winds have a large effect on climate in the Saskatchewan and Athabasca River Valleys.

Soil and Landscapes

- Soils are largely Luvisolic and Brunisolic. Excessive moisture results in significant Organic soils as well.
- Profile development is generally 85 cm deep.
- Most landforms are influenced by the underlying bedrock. Veneers and blankets of Cordilleran till over Tertiary- and Cretaceous-aged bedrock of varying lithology dominate, with significant colluvium veneers.

Soil Reclamation Issues

- Severe Chinook winds in the Saskatchewan and Athabasca River valleys cause a high risk
 of erosion on disturbed sites.
- Potential soil erosion by water is very high given the steep slopes and high summer rainfall.
- Hard bedrock (usually within 1.5 m of the surface) requires blasting which results in large fragments.

NOTE: There are no SCA 14 profiles included in this edition of the manual. Major correlation work is required for the soil names in this area.



2.15 Soil Correlation Area # 15

This SCA is almost entirely made up of Banff and Jasper National Parks.

No information included.



2.16 Soil Correlation Area #16

General Description of the Area

 Occurs in the southern Alberta foothills from the Morley Indian Reserve, south to Waterton Park, and includes the Porcupine Hills.

Ecoregion/Climate

- The ecoregion of SCA 16 is montane, subalpine and alpine.
- Agroclimate is 6H to 7H.
- Climate varies greatly by ecoregion/landscape position (valley to exposed range).
- Growing season P-PE = greater than 150 mm.

Soil and Landscapes

- Mineral landscapes are largely composed of till and colluvium, often over shallow bedrock.
- Soil types vary widely; from Dark Brown to Dark Gray, Chernozems, Luvisolic, Brunisolic and Gleysolic.

Soil Reclamation Issues

- Frequent chinook winds cause droughtiness.
- Potential soil erosion by wind is high on disturbed sites.
- Potential soil erosion by water is high because slopes are often steep and long.
- Short growing season due to late spring and early fall frost.
- Frost action in soil at exposed sites can increase the risk of erosion.



INTERPRETATION GUIDELINES

SCA 16

09/01/93

SOIL SERIES:

BRAGG CREEK

(BRG) LANDFORM: TERRACED

SOIL ZONE:

DARK GRAY - GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION:

TYPICAL SOIL PROFILE:

ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

DRY YES

PARENT MATERIAL: MEDIUM

GLACIOFLUVIAL/GRAVEL

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AHE	0-23	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	STSL		7.5	0.5	56.	0.1
вм	23-45	10YR	4/3	BROWN-DARK BROWN	WMGR	L	GRSL		7.5	0.8	39.	0.2
ск	45-90	10YR	5/2	GRAYISH BROWN	SGR	L	GR		7.8	0.9	24.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AHE	0-23	G	P		G	G	G	 G	P (Topsoil)
ВМ	23-45	F	P		G	G	G	G	U (Subsoil)
CK	45-90	F	U		F	G	F	G	U (Subsoil)

cm cm

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20
THICKNESS RANGE:	0-25
COLOR CHANGE TO SUBSOIL:	OBVIOU
STRIPPING LIMITATIONS:	STONY
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	SLIGHT
RISK ON 5-9% SLOPE:	SLIGHT
RISK ON 9-15% SLOPE.	HTGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES:

BRAGG CREEK SOILS OCCUR IN VALLEYS AS TERRACES AND FILL. THESE SOILS ARE COARSE TEXTURED WITH SUBSURFACE GRAVEL, AND THE EXPOSED FACES ARE UNSTABLE. THE SOIL IS DROUGHTY AND CAN BE DIFFICULT TO REVEGETATE.

09/01/93

LEIGHTON CENTRE (LTC) SOIL SERIES: SOIL ZONE:

DARK GRAY - GRAY SOIL CLASSIFICATION: DARK GRAY LUVISOL

MODERATELY FINE TILL

LANDFORM:

TYPICAL SLOPES:

BLANKET 2-10% USUAL SOIL MOISTURE: MESIC

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рH	EC	Sat% SAR
LH	0-8	10YR 2/1	BLACK				26.4	5.8		
AHE	8-16	10YR 2/1	BLACK	MFGR	VFR	L	5.69	5.5		
AE	16-36	10YR 5/3	BROWN	WCPL	FR	L	0.97	6.3		
AB	36-46	10YR 4/3	BROWN-DARK BROWN	MFSBK	F	SICL	1.	5.7		
BT	46-93	10YR 3/3	DARK BROWN	MMSBK	F	SICL	0.65	5.7		
CK	93-120	2.5 Y 4/4	OLIVE BROWN	MA	F	SICL		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-8			G					
AHE	8-16	G	G	G	F				F
AE	16-36	G	G	P	F				P (Topsoil)
AB	36-46	F	F		F				F (Topsoil)
BT	46-93	F	F		F				F (Topsoil)
CK	93-120	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

20 TYPICAL THICKNESS: 15-40 cm THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: LOW WATER EROSION K=: 0.053 RISK ON <5% SLOPE: MODERATE MODERATE RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

LEIGHTON CENTRE-GR

INTERPRETATION GUIDELINES

SCA 16

9/01/93

SOIL SERIES: SOIL ZONE:

LEIGHTON CENTRE-GR(grLTC) LANDFORM:

SOIL CLASSIFICATION: DARK GRAY LUVISOL PARENT MATERIAL:

DARK GRAY - GRAY

GRAVELLY, MODERATELY FINE SURFACE STONINESS:

BLANKET

TYPICAL SLOPES:

2-10%

USUAL SOIL MOISTURE: MESIC

NON

TILL

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
P	0-22	10YR	3/3	DARK BROWN	MFGR	FR	GRL-SIL		7.4	0.8	0.1
т	22-80	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	GRCL		7.3	0.4	0.2
K	80-120	2.5Y	4/4	OLIVE BROWN	MA	F	GRCL		7.8	0.2	0.3

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
P	0-22	G	Р		G	G		G	P. (Topsoil)
т	22-80	F	P		G	G		G	P (Subsoil)
K	80-120	F	P		F	G		G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20	cm
THICKNESS RANGE:	15-40	CM
COLOR CHANGE TO SUBSOIL:	OBVIOU	S
STRIPPING LIMITATIONS:	STONY	
WIND EROSION RISK:	LOW	
WATER EROSION K=:	0.053	
RISK ON <5% SLOPE:	MODER	ATE
RISK ON 5-9% SLOPE:	MODER	ATE
RISK ON 9-15% SLOPE:	HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: GRAVELLY VARIANT OF LEIGHTON CENTRE.

LEVEL

SCA 16

09/01/93

SOIL SERIES: SOIL ZONE: POTHOLE CREEK-AA (aaPOT)

TYPICAL SLOPES:

LANDFORM:

0-2%

SOIL CLASSIFICATION:
PARENT MATERIAL:

ORTHIC HUMIC GLEYSOL
FINE GLACIOLACUSTRINE

DARK GRAY - GRAY

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH	0-30	10YR	2/1	BLACK	MMGR	FR	L		6.5	0.2	
BG	50-65	10YR	3/2	VERY DARK GRAYISH BROWN	MA	S	SIL		6.8	0.1	
BCG	90-110	10YR	3/3	DARK BROWN	MA	VS	C		7.	0.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-30	G	G		G	G			G (Topsoil)
BG	50-65	F	G		G	G			F (Subsoil)
BCG	90-110	P	P		G	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 30 cm THICKNESS RANGE: 20-40 cm COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: WETNESS, VERY THICK WIND EROSION RISK:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: -

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 8. THESE SOILS ARE FINE TEXTURED AND WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

SLIGHTLY

SCA 16

09/01/93

SOIL SERIES: ROBINSON (RSN) LANDFORM: BLANKET
SOIL ZONE: DARK GRAY - GRAY TYPICAL SLOPES: 2-9%
SOIL CLASSIFICATION: DARK GRAY LUVISOL USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	SAR
AP	0-30	10YR	2/1	BLACK	MFGR	FR	SICL	5.6	5.4	0.2	59.	
ВT	30-75	10YR	4/3	BROWN-DARK BROWN	MMSBK	F	C		5.5	0.2	64.	
CK	75-120	5Y	5/3	OLIVE	MA	F	С		7.8	0.4	52.	0.5

SURFACE STONINESS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
ΑP	0-30	G	F	G	P	G	G		P (Topsoil)
ВT	30-75	F	P		F	G	F		P (Subsoil)
CK	75-120	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.050	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: A LIGHTER COLORED AE HORIZON SOMETIMES OCCURS BETWEEN THE TOPSOIL AND SUBSOIL AND WILL AID IN SEPARATION OF THE TOPSOIL FROM SUBSOIL.

09/01/93

SOIL SERIES: SPRUCE RIDGE (SPR) LANDFORM: BLANKET SOIL ZONE: DARK GRAY - GRAY TYPICAL SLOPES: 9-15% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: MOM

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	AR
LH	0-4						20.36	6.			
AE	4-19	7.5 YR 4/4	BROWN - DARK BROWN	WMPL	VFR	SIL	2.08	4.2			
BT	19-94	10YR 4/3	BROWN - DARK BROWN	MMSBK	F	SICL	1.38	4.8			
CK	94-120	10YR 3/3	DARK BROWN	MA	F	CL		7.			

SOIL QUALITY RATINGS:

Horizon	Deṗth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-4			G					
AE	4-19	G	G	G	U				U (Topsoil)
BT	19-94	F	F		P				P (Subsoil)
CK	94-120	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 SEASONALLY HIGH W.T.: NO cm 10-20 cm THICKNESS RANGE: HARD BEDROCK: NO COLOR CHANGE TO SUBSOIL: OBVIOUS NON-SODIC SOFTROCK: NO STRIPPING LIMITATIONS: NONE SODIC SOFTROCK: NO WIND EROSION RISK: GRAVEL: LOW NO WATER EROSION K=: 0.059 STONY LAYER: NO MODERATE FACE INSTABILITY: RISK ON <5% SLOPE: NO RISK ON 5-9% SLOPE: MODERATE SOLONETZIC B HORIZON: NO RISK ON 9-15% SLOPE: SALINE OR SODIC LOWER SUBSOIL: HIGH NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEPTH TO BEDROCK IS 1 TO 2 M IN VALLEYS, SHALLOWER ON VALLEY SIDES AND STEEP SLOPES.

SOILS ARE OFTEN STONY.

INTERPRETATION GUIDELINES

SCA 16

09/01/93

SOIL SERIES:

SPRUCE RIDGE-XP (xpSPR)

SOIL ZONE:

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

DARK GRAY - GRAY

MODERATELY FINE TILL/SOFTROCK

LANDFORM:

TYPICAL SLOPES:

VENEER 9-15%

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AE	0-15	10YR	5/1	GRAY	MMPL	FR	SIL		6.2	0.1	
BT	15-40	10YR	5/3	BROWN	MMABK	F	CL		6.7	0.1	
BC	50-60	10YR	5/3	BROWN	MA	F	CL		7.2	0.1	
2C	60-65	10YR	5/3	BROWN	MA	R	R				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AE	0-15	G	G		F	G			F (Topsoil)
BT	15-40	F	F		G	G			F (Subsoil)
BC	50-60	F	F		G	G			F (Subsoil)
2C	60-65	U	υ .						U (Subsoil)

TOPSOIL INTERPRETATIONS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 9-15% SLOPE:


TYPICAL THICKNESS:

10-20 cm OBVIOUS THIN LOW 0.059 MODERATE MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSO	OIL: NO
IMPORTANT TEXTURE CHANGE:	YES

VARIANT OF SPRUCE RIDGE THAT HAS WEATHERED BEDROCK WITHIN 1 M OF THE SURFACE. NOTES:



2.17 Soil Correlation Area #17

General Description of the Area

 The area occurs from Fox Creek and Valleyview, west; west of Spirit River; and from Grimshaw and Rainbow Lake, west.

Ecoregion/Climate

- The Lower Boreal-Cordilleran ecoregion of the North-Western Benchlands.
- Agroclimate is mostly 4H (severe heat limitation).
- Growing season P-PE= -200 to -100 mm.
- Average precipitation in the Lower Boreal-Cordilleran ecoregion is 460 mm, most of which
 occurs during the summer, making this ecoregion the second wettest area in Alberta.
 Winter precipitation is similar to the Low and Mid Boreal Mixedwood ecoregions.
- Summer temperatures are colder than the Low and Mid Boreal Mixedwood ecoregions.
 Temperatures are warmer in the winter however, because Arctic highs rarely reach this area and numerous chinooks occur.

Soil and Landscapes

- Dominantly Luvisolic with some Brunisolic soils. Excessive moisture results in significant Organics.
- The Clear Hills Uplands are dominated by undulating and hummocky moraines (till), with significant blankets of till over bedrock, and some glaciofluvial deposits.
- Profile development is generally 65 cm deep with 15 to 20 cm of topsoil.

Soil Reclamation Issues

- The risk of soil erosion by water is generally high to moderate on steep and long slopes, and low on undulating landscapes.
- The risk of soil erosion by wind is generally low.
- Topsoil salvage of cultivated Luvisols should include the Ap and Ae horizons. In forested areas, the salvaged topsoil should include the Ae and all horizons above it.



0/01/93

SOIL SERIES:

ALBRIGHT

(AGH)

LANDFORM:

BLANKET 2-9%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

(SOLONETZIC)

USUAL SOIL MOISTURE:

PARENT MATERIAL:

SOIL CLASSIFICATION:

FINE TILL

GLEYED DARK GRAY LUVISOL

SURFACE STONINESS:

SLIGHTLY

PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-18	10YR	3/3	DARK BROWN	MFGR	FR	SICL		6.1	0.5	51.	
'nJGJ	18-65	10YR	4/2	DARK GRAYISH BROWN	MMCOL	F	CL		7.5	0.6	67.	2.2
GJ	65-110	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		7.8	1.4	75.	3.1

OIL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-18	G	F		G	G	G		F (Upper L)
NJGJ	18-65	G	F		F	G	F	G	F (Subsoil)
GJ	65-110	G	F		F	G	F	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.040
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

TES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TO CLAY TEXTURED MATERIAL. UNDER FORESTED AREAS, THERE IS A THIN LH HORIZON OVERLYING AN AH OR AHE HORIZON AND A LIGHT GRAY, PLATY AE HORIZON. THESE SOILS ARE WIDELY CULTIVATED AND THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC. POOR PERMEABILITY AND LOSS OF ORGANIC MATTER IS CONTRIBUTING TO SERIOUS SOIL EROSION BY WATER. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

ALCAN

(ALC)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

2-60% MOIST

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL PARENT MATERIAL:

FINE TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LH	0-3	10YRm 3/3	DARK BROWN					6.4		
AE	3-13	10YRm 6/2	LIGHT BROWNISH GRAY	PL	FR	SIL-L	0.73	5.4		
AB	13-21	10YRm 5/3	BROWN	SBK	F	C-HC	0.63	4.8		
BT	21-41	10YRm 4/4	DARK YELLOWISH BROWN	WMCOL	VF	CL-C	0.6	4.7		
BC	41-61	10YRm 3/3	DARK BROWN	SBK	F	C		5.1		
CK	61-120	10YRm 4/2	DARK GRAYISH BROWN	MA	F	CL-C		6.9		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
AE	3-13	G	G		G				G (Upper L)
AB	13-21	F	P		F				P (Subsoil)
BT	21-41	F	P		F				P (Subsoil)
BC	41-61	G	P		G				P (Subsoil)
CK	61-120	G	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 5-15 cm VERY THIN, TOPOGRAPHY

0.063 MODERATE MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: OCCURING MOSTLY IN FORESTED AREAS, THESE SOILS HAVE LITTLE OR NO TOPSOIL (AH OR AHE HORIZONS). INSTEAD, THEY HAVE A THIN LH HORIZON OVERLYING A PLATY, LIGHT COLORED AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS COMPOSED OF THE MIXTURE OF THE SURFACE HORIZONS AND IS VARIABLE IN COLOR. THE AB HORIZON IS OF POOR QUALITY DUE TO CLAYEY TEXTURES AND SHOULD NOT BE INCLUDED IN THE UPPER LIFT.

/01/93

BOUNDARY (BUD) LANDFORM: SOIL SERIES: VENEER GRAY TYPICAL SLOPES: SOIL ZONE: 2-15% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL: MODERATELY FINE SURFACE STONINESS: MODERATELY

TILL/SOFTROCK

PICAL SOIL PROFILE:

rizon	Depth Color Code		Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
	0-5	10YRm	3/3	DARK BROWN				2.6	4.6		
	5-12	10YRm	5/2	GRAYISH BROWN	WFPL	F	С	1.2	4.6		
?J	12-22	7.5YR	5/5	STRONG BROWN	SBK	F	C	0.5	4.2		
	22-30	2.5Ym	5/4	LIGHT OLIVE BROWN	WFSBK	F	SICL	0.3	4.1		
	30-60	2.5Ym	5/4	LIGHT OLIVE BROWN	MA	F	SIC		3.9		

IL QUALITY RATINGS:

cizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
	0-5								
	5-12	F	P		F				P (Upper L)
FJ	12-22	G	P		F				P (Subsoil)
	22-30	G	F		F				F (Subsoil)
	30-60	G	F		P				P (Subsoil)

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TOPSOIL INTERPRETATIONS:

10 cm TYPICAL THICKNESS: SEASONALLY HIGH W.T.: THICKNESS RANGE: 5-15 cm HARD BEDROCK: NO COLOR CHANGE TO SUBSOIL: OBVIOUS NON-SODIC SOFTROCK: YES STRIPPING LIMITATIONS: VERY THIN SODIC SOFTROCK: NO WIND EROSION RISK: LOW GRAVEL: NO WATER EROSION K=: RISK ON <5% SLOPE: LOW RISK ON 5-9% SLOPE: MODE RISK ON 9-15% SLOPE: HIGH 0.053 STONY LAYER: NO FACE INSTABILITY: NO MODERATE SOLONETZIC B HORIZON: NO HIGH SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

TES: DEVELOPED ON A VENEER OF SILTY CLAY TEXTURED TILL OVER SOFT, SILTY CLAY TEXTURED BEDROCK. SOMETIMES THE TILL HAS ERODED AWAY LEAVING ONLY WEATHERED BEDROCK. THESE SOILS ARE RARELY CULTIVATED BECAUSE OF ACIDITY CAUSED BY VERY ACID SHALES. IN FORESTED AREAS, LH AND AE HORIZONS OCCUR IN PLACE OF TOPSOIL. CARE MUST BE TAKEN DURING TOPSOIL STRIPPING TO AVOID CONTAMINATION WITH ACID SUBSOIL.

09/01/93

SOIL SERIES:

BRAEBURN (BBN)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	on Depth Color Code		Code	Color Name	Structure Consistence		Texture	O.C.	рН	EC	Sat% SAR
AP	0-15	10YR	4/3	BROWN	WFPL	FR	SIL		6.5	0.3	43.
BT	15-75	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL		6.9	0.2	49.
CK	75-110	2.5Y	4/4	OLIVE BROWN	MA	F	CL		6.4	0.2	50.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		G	G	G		G (Upper L)
BT	15-75	G	G		G	G	G		G (Subsoil)
CK	75-110	G	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm OBVIOUS NONE

0.063 MODERATE MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, THE TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. IN CULTIVATED AREAS WHICH ARE RARE, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS.

01/93

SOIL SERIES:

BRAEBURN-ST

(stBBN) LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: PARENT MATERIAL:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

STONY, MODERATELY FINE

SURFACE STONINESS:

EXCEEDINGLY

TILL

PICAL SOIL PROFILE:

izon	Depth	Color	Color Code Color Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
	0-15	10YR	4/3	BROWN	WFPL	FR	STSIL		6.5	0.3	43.
	15-75	10YR	5/4	YELLOWISH BROWN	MMSBK	F	STCL		6.9	0.2	49.
	75-110	2.5Y	4/4	OLIVE BROWN	MA	F	STCL		6.4	0.2	50.

IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-15	G	P		G	G	G		P (Upper L)
	15-75	G	P		G	G	G		P (Subsoil)
	75-110	G	P		G	G	G		P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm THICKNESS RANGE: 10-20 cm COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: STONY WIND EROSION RISK: LOW 0.063 WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: MODERATE MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: YES FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

TES: VARIANT OF BRAEBURN THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

DEMMITT

(DMT)

LANDFORM:

UNDULATING, ROLLING

SOIL ZONE:

GRAY

TYPICAL SLOPES: SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

2-15%

PARENT MATERIAL:

MEDIUM TILL

SURFACE STONINESS:

MESIC MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat% SAR
LH	0-3	10YRm	4/2	DARK GRAYISH BROWN				24.9	6.2		
AE	3-10	10YRm	7/2	LIGHT GRAY	WFPL	FR	SIL	0.680	6.3		
AB	10-22	10YRm	5/3	BROWN	WMPL	FR	SIL	0.348	5.9		
BT	22-52	10YRm	5/4	YELLOWISH BROWN	ABK	F	CL-C	0.651	5.4		
BC	52-67	10YRm	5/2	GRAYISH BROWN	ABK	F	CL	0.523	5.5		
С	67-120	10YRm	5/3	BROWN	MA	F	CL	0.482	6.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3						NO THE SET FOR THE SET SET SEE SEE SEE SEE SEE SEE		
AE	3-10	G	G		G				G (Upper L)
AB	10-22	G	G		G				G (Upper L)
BT	22-52	G	P		G				P (Subsoil)
BC	52-67	G	F		G				F (Subsoil)
С	67-120	G	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS: WIND EROSION RISK:
WATER EROSION K=: RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm	
15-25	cm
OBVIOUS	
NONE	
LOW	
0.059	
LOW	
MODERATE	Ξ
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON SANDY CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS. THE AB HORIZON IS OF GOOD QUALITY AND SHOULD BE

INCLUDED IN THE UPPER LIFT.

01/93

DIXONVILLE (DXV) LANDFORM: SOIL SERIES: BLANKET GRAY TYPICAL SLOPES: 2-15% SOIL ZONE: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: SOIL CLASSIFICATION: MESIC

PARENT MATERIAL: MODERATELY FINE TILL SURFACE STONINESS: MODERATELY

PICAL SOIL PROFILE:

zon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
	0-5	10YRm	3/2	VERY DARK GRAYISH BROWN					6.1			
	5-12	10YRm	6/1	GRAY	MMPL	F	SIL	0.8	5.4			
	12-22	10YRm	4/3	BROWN	SBK	F	SIC	0.9	4.6			
	22-42	10YRm	4/4	DARK YELLOWISH BROWN	ABK	VF	С	0.4	4.6			
	42-64	10YRm	5/2	GRAYISH BROWN	SBK	F	C		4.6			
	64-120	10YRm	5/2	GRAYISH BROWN	MA	F	CL		5.3			

L QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
	0-5								
	5-12	F	G	P	G				F (Topsoil)
	12-22	F	P		F				P (Subsoil)
	22-42	F	P		F				P (Subsoil)
	42-64	G	P		F				P (Subsoil)
	64-120	G	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TOPSOIL INTERPRETATIONS:		SUBSOIL (TO 1.5 M) INTERPRETATIONS	<u>3</u> :
TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	10 cm 5-15 cm OBVIOUS VERY THIN LOW 0.059 LOW MODERATE HIGH	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO NO NO NO NO NO NO

ES: DIXONVILLE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. THE AB HORIZON IS OF POOR QUALITY DUE TO CLAYEY TEXTURE AND SHOULD NOT BE INCLUDED IN THE UPPER LIFT.

09/01/93

SOIL SERIES: SOIL ZONE:

HALVERSON

GRAY

(HVN)

LANDFORM: TYPICAL SLOPES: VENEER 1-9%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC

PARENT MATERIAL:

MODERATELY COARSE GLACIOFLUVIAL/TILL

MODERATELY

TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AHE/AE 0-16 BT/BC 16-90 2CK 90-120	10YR 4/3 10YR 4/4 10YR 3/3	BROWN-DARK BROWN DARK YELLOWISH BROWN DARK BROWN	MMPL MMABK MA	VFR FR/F F	SL SCL/CL CL	0.6	6.2 6.7 7.8	0.2 0.5 0.7	45.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Hq	EC	Sat%	SAR	Overall Rating
AHE/AE	0-16	G	G		G	G	G	G	G (Upper L)
BT/BC	16-90	. G	F		G	G	G	G	F (Subsoil)
2CK	90-120	G	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm MODERATE 0.046 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO NO SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE: YES

NOTES: DEVELOPED ON A SANDY LOAM VENEER OVER CLAY LOAM TEXTURED TILL. THE SANDY LAYER MAY HAVE UNSTABLE EXPOSED FACES.

01/93

SOIL SERIES:

HALVERSON-GR

(grHVN)

LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

GRAVELLY, MODERATELY

SURFACE STONINESS:

MODERATELY

COARSE GLACIOFLUVIAL/TILL

ICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рн	EC	Sat%	SAR
/AE	0-16	10YR	4/3	BROWN-DARK BROWN	MMPL	VFR	GRSL	0.6	6.2	0.2	41.	0.1
BC	16-90	10YR	4/4	DARK YELLOWISH BROWN	MMABK	FR/F	GRSCL/CL		6.7	0.5	45.	1.5
	90-120	10YR	3/3	DARK BROWN	MA	F	CL		7.8	0.7	57.	3.1

L QUALITY RATINGS:

zon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
/AE	0-16	G	Р		G	G	G	G	P (Upper L)
BC	16-90	G	F		G	G	G	G	F (Subsoil)
	90-120	G	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm OBVIOUS GRAVELLY MODERATE 0.046 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

ES: VARIANT OF HALVERSON THAT CONTAINS GRAVEL LAYERS IN THE VENEER MATERIAL.

09/01/93

SOIL SERIES: HALVERSON-ST (stHVN) LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

GLACIOFLUVIAL/TILL

STONY, MODERATELY COARSE SURFACE STONINESS: EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence T		Texture	O.C.	рН	EC	Sat%	SAR
AHE/AE BT/BC	0-16 16-90	10YR 10YR	4/3 4/4	BROWN-DARK BROWN DARK YELLOWISH BROWN	MMPL MMABK	VFR FR/F	STSL STSCL/CL	0.6	6.2 6.7	0.2	41. 45.	
2CK	90-120	10YR	3/3	DARK BROWN	MA	F	CL		7.8	0.7	57.	3.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	pН	EC	Sat%	SAR	Overall Rating
AHE/AE	0-16	G	P		G	G	G	G	P (Upper L)
BT/BC	16-90	G	P		G	G	G	G	P (Subsoil)
2CK	90-120	G	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20	cm
OBVIOUS	
STONY	
MODERATI	Ξ
0.046	
LOW	
MODERATI	Ξ

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF HALVERSON THAT IS STONIER THAN NORMAL IN THE VENEER MATERIAL.

01/93

izon

J JGJ J

izon

J JGJ

SOIL SERIES:

HAZELMERE

(HZM)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9% TEMPORARY PONDING

LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL:

SOIL CLASSIFICATION:

FINE TILL

GLEYED SOLONETZIC GRAY

PICAL SOIL PROFILE:

n	Depth	ch Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
	0-6	10YR	2/1	BLACK								
	6-8	10YR	2/1	BLACK	MFGR	FR	SIL					
	8-24	10YR	6/3	PALE BROWN	MMPL	FR	SIL		5.7	0.2	37.	
	24-88	10YR	3/3	DARK BROWN	MMCOL	F	CL		5.2	0.3	53.	
	88-120	10YR	3/2	VERY DARK GREYISH BROWN	MA	F	CL		7.2	1.1	61.	

L QUALITY RATINGS:

n	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
	0-6								
	6-8	G	G						G (Upper L)
	8-24	G	G		G	G	G		G (Upper L)
	24-88	G	F		G	G	G		F (Subsoil)
	88-120	G	F		F	G	F		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.066
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH
· ·	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

ES: DEVELOPED ON CLAY TEXTURED TILL. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

HILLBURN (HBR)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES: SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

9-15%

PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	O.C.	рН	EC	Sat%	SAR
AP	0-12	10YR	2/2	VERY DARK BROWN	MFGR	L	SL	3.6	6.3	0.5	63.	0.1
BT1	15-27	10YR	3/2	VERY DARK GRAYISH BROWN	COL	F	CL		6.1	0.2	41.	0.1
BT2	33-80	10YR	3/2	VERY DARK GRAYISH BROWN	COL	VF	С		5.6	0.2	49.	0.3
BC	80-120	10YR	3/2	VERY DARK GRAYISH BROWN	MA	VF	SC		6.3	0.4	52.	1.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
AP	0-12	F	G		G	G	F	G	F (Upper L)
BT1	15-27	G	F		G	G	G	G	F (Subsoil)
BT2	33-80	F	P		G	G	G	G	P (Subsoil)
BC	80-120	F	P		G	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm
5-15 cm
NOT OBVIOUS
VERY THIN
LOW
0.059
LOW
MODERATE
HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HILLBURN SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE A THIN LFH HORIZON OVERLYING A PLATY, LIGHT COLORED AE HORIZON. HILLBURN SOILS ARE CONSIDERED NON-ARABLE.

MOUNTAIN CREEK

NTERPRETATION GUIDELINES

SCA 17

NO

NO

NO

NO

NO

NO

YES

NO

NO

/01/93

SOIL SERIES:

MOUNTAIN CREEK (MCK)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION:

ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE GLACIOFLUVIAL

SURFACE STONINESS:

PICAL SOIL PROFILE:

rizon	Depth	Color Code		Color Name	Structure C	o.c.	рН	EC	Sat%	SAR		
	0-5	10YR	5/3	BROWN	WFPL	VFR	SL	0.5				
	5-15	10YR	5/4	YELLOWISH BROWN	SGR	L	SL		6.4	0.4	40.	0.2
	15-200	10YR	5/3	BROWN	SGR	L	SL		7.7	0.4	35.	0.1

IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
	0-5	G	G				_	_	G (Upper L)
	5-15 15-200	F	G G		G F	G G	G G	G G	F (Subsoil) F (Subsoil)
	13-200	F .	G			G	G	G	r (Subsoll)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

SEASONALLY HIGH W.T.: 1-10 cm HARD BEDROCK: NON-SODIC SOFTROCK: VERY THIN SODIC SOFTROCK:

GRAVEL:

STONY LAYER:

COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: VERY THI STRIPPING LIMITATIONS: WIND EROSION RISK: MODERATE WATER EROSION K=: 0.040 RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: LOW MODERATE HIGH

FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TES: DEVELOPED ON LOAMY SAND TO SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE

09/01/93

SOIL SERIES:

MURDALE

(MUD)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

9-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL FINE TILL

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Cod	e Color Name	Structure	Consistence	Texture	o.c.	pН	EC	Sat% SAR
AHE	0-7	10YRm 4/	2 DARK GRAYISH BROWN	WFGR	FR	SL	4.54	6.4		
AE	7-17	10YRm 7/	3 VERY PALE BROWN	PL	FR	SIL	0.55	5.3		
AB	17-27	10YRm 5/	3 BROWN	WFSBK	F	SIL	0.6	5.		
BT	27-52	10YRm 4/	3 DARK BROWN	WMCOL	VF	С	0.6	6.5		
BC	52-67	10YRm 3/	2 VERY DARK GRAYISH BROWN	SBK	F	SIC		7.4		
CSK	67-120	2.5Ym 3/	2 VERY DARK GRAYISH BROWN	MA	F	SICL		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нq	EC	Sat%	SAR	Overall Rating
AHE	0-7	G	G		G				G (Upper L)
AE	7-17	G	G		G				G (Upper L)
AB	17-27	F	G		F				F (Upper L)
BT	27-52	F	P		G				P (Subsoil)
BC	52-67	G	F		F				F (Subsoil)
CSK	67-120	G	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON SILTY CLAY LOAM TO CLAY TEXTURED TILL MATERIAL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) IS ABSENT OR VERY THIN. INSTEAD, THERE IS AN LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS. THE AB HORIZON IS OF FAIR QUALITY AND SHOULD BE INCLUDED IN THE UPPER LIFT.

CM

01/93

SOIL SERIES:

SNIPE

(SNP)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL USUAL SOIL MOISTURE: WATERTABLE/PONDING

NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

PICAL SOIL PROFILE:

izon	Depth	Color Code		Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat% SAR
	0-15	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	SICL		5.9	1.2	83.
	15-45	10YR	5/3	BROWN	MFSBK	F	CL-C		6.4	0.5	66.
	45-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		6.6	0.4	76.

IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-15	G	, F		G	G	Р		P (Upper L)
	15-45	G	P		G	G	F		P (Subsoil)
	45-100	G	P		G	G	F		P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

TES: SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS OCCASIONALLY ABSENT AND THESE SOILS MAY HAVE AN AEG HORIZON INSTEAD.

09/01/93

SOIL SERIES:

SNIPE-PT (ptSNP) LANDFORM:

LEVEL

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL (PEATY)

SURFACE STONINESS:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
OM	0-20		/				0				
AH	20-35	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	FSL-SIL		5.9	1.2	83.
BTG	35-65	10YR	5/3	BROWN	MFSBK	F	С		6.4	0.5	66.
BCG	60-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		6.6	0.4	76.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
OM AH	0-20 20-35	G	G		G	G	Р		(Peat) P (Upper L)
BTG	35-65	G	P		G	G	F		P (Subsoil)
BCG	60-100	G	Р		G	G	F		P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	35 cm (PEAT &	SEASONALLY HIGH W.T.:	ALL
	TOPSOIL OR AEG	HARD BEDROCK:	NO
	HORIZON)	NON-SODIC SOFTROCK:	NO
THICKNESS RANGE:	30-65 cm	SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	GRAVEL:	NO
STRIPPING LIMITATIONS:	WETNESS	STONY LAYER:	NO
WIND EROSION RISK:		FACE INSTABILITY:	YES
WATER EROSION K=:	-	SOLONETZIC B HORIZON:	NO
RISK ON <5% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 5-9% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO
RISK ON 9-15% SLOPE:	_		

NOTES: VARIANT OF SNIPE WHICH HAS 15 TO 50 CM OF SURFACE PEAT. THERE IS SOMETIMES ABOUT 15 CM OF TOPSOIL (AH OR AHE HORIZON) AND OFTEN ONLY AN AEG HORIZON UNDERLYING THE PEAT.

/01/93

riz

ri.

SOIL SERIES:

TEEPEE

(TPE)

LANDFORM:

UNDULATING, STEEP

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-60%

SOIL CLASSIFICATION: ELUVIATED DYSTRIC BRUNISOL USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE SOFTROCK

SURFACE STONINESS:

NON

PICAL SOIL PROFILE:

zon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	AR
	0-5	10YR	3/3	DARK BROWN								
	5-13	10YR	5/3	BROWN	SGR	FR	SL					
	13-20	10YR	5/3	BROWN	WFPL	FR	SL					
	20-65	10YR	5/4	YELLOWISH BROWN	WFSBK	F	SCL					
	65-120	10YR	5/4	YELLOWISH BROWN	SGR	FR	SL					

IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
	0-5								
	5-13	G	G						G (Upper L)
	13-20	G	G						G (Upper L)
	20-65	G	F						F (Subsoil)
	65-120	G	G						G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS TOPOGRAPHY MODERATE 0.040 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: YES SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

TES: DEVELOPED ON WEATHERED SANDSTONE WITH A SANDY LOAM TEXTURE. THIN OR DISCONTINUOUS GLACIAL DRIFT MAY OCCUR. TOPSOIL IS GENERALLY ABSENT. INSTEAD THESE SOILS HAVE A THIN LH HORIZON OVERLYING A BM AND AN AE HORIZON.

09/01/93

SOIL SERIES: TOAD (TOD) LANDFORM: BLANKET SOIL ZONE: GRAY TYPICAL SLOPES: 1-9% SOIL CLASSIFICATION: BRUNISOLIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC SURFACE STONINESS: PARENT MATERIAL: MEDIUM GLACIOFLUVIAL NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
LH	0-5	10YRm	3/3	DARK BROWN				18.6	6.4			
AE1	5-10	10YRm	7/3	VERY PALE BROWN	WFPL	FR	SL	1.233	6.2			
AE2	10-20	10YRm	7/3	VERY PALE BROWN	MMPL	FR	SIL		6.			
BF	20-30	10YRm	5/4	YELLOWISH BROWN	PL	FR	SIL		5.7			
AE3	30-37	10YRm	6/4	LIGHT YELLOWISH BROWN	PL	FR	SIL		5.8			
BT1	37-49	10YRm	5/3	BROWN	COL	F	С		5.7			
BT2	49-61	10YRm	4/3	DARK BROWN	ABK	VF	HC		6.7			
CK1	61-83	10YRm	4/2	DARK GRAYISH BROWN	ABK	FR	SIC		7.7			
CK2	83-120	10YRm	5/1	GRAY	STRAT	F	SIC		8.			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	0ve	rall Rating
LH	0-5									
AE1	5-10	G	G		G				G	(Upper L)
AE2	10-20	G	G		G				G	(Upper L)
BF	20-30	G	G		G				G	(Upper L)
AE3	30-37	G	G		G				G	(Upper L)
BT1	37-49	G	P		G				P	(Subsoil)
BT2	49-61	F	P		G				P	(Subsoil)
CK1	61-83	G	F		F				F	(Subsoil)
CK2	83-120	G	F		F				F	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	20-30 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.072	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILTY CLAY LOAM TO CLAY TEXTURED MATERIAL. TOPSOIL IS GENERALLY ABSENT. INSTEAD THESE SOILS HAVE A THIN LH HORIZON OVERLYING ALTERNATING AE AND BF HORIZONS. SEPARATION OF THE UPPER LIFT MATERIAL FROM SUBSOIL BY COLOR IS DIFFICULT.

2.18 Soil Correlation Area #18

General Description of the Area

- Dark-Gray and Black Soil Zone of the South Peace area.
- Occurs from Beaverlodge, east to Slave Lake, north to Peace River and Manning, and west to the border.

Ecoregion/Climate

- Low Boreal Mixedwood ecoregion (transition between Aspen Parkland and Low Boreal Mixedwood ecoregion).
- Agroclimate is 2H and 3H (slight to moderate heat limitation).
- Growing season P-PE= -200 to -250 mm.
- Precipitation is lower than both the Lower Boreal-Cordilleran and Mid Boreal Mixedwood ecoregions.
- Precipitation of this ecoregion is similar to the Mid Boreal Mixedwood and Aspen Parkland ecoregions.
- Summer temperatures are warmer than the other Boreal ecoregions while winter temperatures are colder than all but the Mid Boreal Mixedwood ecoregion.

Soil and Landscapes

- Mainly Dark Gray soils (Luvisols and some Solonetzic Luvisols) with significant Black soils (Chernozemic and some Solonetzic Chernozems).
- Landscapes are dominantly glaciolacustrine and moraines having long slopes.
- Profile development is generally 65 cm deep with 15 to 20 cm of topsoil.
- · Acid soils are common in the northwest part of the SCA.

Soil Reclamation Issues

- The risk of soil erosion by water is generally moderate to low. However, serious erosion can occur on areas with long slope lengths, even when slope gradient is low (2 to 3%).
- The risk of soil erosion by wind is generally low.
- Soil salinity.



9/01/93

SOIL SERIES:

ALBRIGHT-AA (aaAGH) LANDFORM:

(SOLONETZIC)

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9% TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL: FINE TILL

YPICAL SOIL PROFILE:

orizon	on Depth Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR		
P	0-17	10YR	4/2	DARK GRAYISH BROWN	MMGR	FR	L		5.5	0.5	52.	0.
TNJGJ	17-45	10YR	5/3	BROWN	SMSBK	VF	С		6.6	0.9	56.	0.
SKGJ	50-70	10YR	4/1	DARK GRAY	MA	F	CL		7.6	7.3	57.	4.2

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
P	0-17	G	G		F	G	G	 G	F (Topsoil)
TNJGJ	17-45	P	P		G	G	G	G	P (Subsoil)
SKGJ	50-70	F	F		F	P	G	F	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 20 cm
TYPICAL THICKNESS: 15-25 cm
OBVIOUS COLOR CHANGE TO SUBSOIL: OBVIOUS
STRIPPING LIMITATIONS: NONE
WIND EROSION RISK: LOW WIND EROSION RISK: RISK ON <5% SLOPE: 0.040
RISK ON 5-9% SLOPE: MODERATE
RISK ON 9-15% SLOPE: HIGH WATER EROSION K=:

LOW 0.040

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

OTES: HOME SCA IS 17. THESE SOILS ARE DEVELOPED ON CLAY LOAM TO CLAY TEXTURED, TILL MATERIAL. UNDER FORESTED AREAS, THERE IS A THIN LH HORIZON OVERLYING AN AH OR AHE HORIZON AND A LIGHT GRAY, PLATY AE HORIZON. THESE SOILS ARE WIDELY CULTIVATED AND THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC. POOR PERMEABILITY AND LOSS OF ORGANIC MATTER IS CONTRIUTING TO SERIOUS SOIL EROSION BY WATER. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:	BEATTON	(BAT)	LANDFORM:	BLANKET
SOIL ZONE:	DARK GRAY & BLACK		TYPICAL SLOPES:	1-5%
SOIL CLASSIFICATION:	SOLONETZIC GRAY L	UVISOL	USUAL SOIL MOISTURE	: MOIST
PARENT MATERIAL:	VERY FINE GLACIOL	ACUSTRINE	SURFACE STONINESS:	NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-3	10YRm	4/2	DARK GRAYISH BROWN				3.38	6.7		
AE	3-10	10YRm	7/3	VERY PALE BROWN	SMPL	FR	SIL	0.48	5.3		
AB	10-17	10YRm	5/2	GRAYISH BROWN	SBK	F	SICL-SIC	1.08	5.1		
BTNJ	17-42	10YRm	3/3	DARK BROWN	COL	F	HC	1.06	5.1		
BC	42-62	10YRm	3/3	DARK BROWN	SBK	F	SIC	0.9	7.3		
CCASA	62-120	10YRm	4/2	DARK GRAYISH BROWN	MA	F	SIC	0.75	8.		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3			G					
AE	3-10	G	G	P	P				P (Topsoil)
AB	10-17	F	P		P				P (Subsoil)
BTNJ	17-42	F	P		P				P (Subsoil)
BC	42-62	F	P		G				P (Subsoil)
CCASA	62-120	F	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	370
TYPICAL THICKNESS:			NO
THICKNESS RANGE:	5-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.066	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES. THE LOWER SUBSOIL MAY BE SALINE AND SODIC.

09/01/93

SOIL SERIES:

BELLOY

(BLY)

LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY COARSE USUAL SOIL MOISTURE:

SURFACE STONINESS: MODERATELY

DROUGHTY

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

izon Depth Color Code Color Name		Color Name	Structure	Consistence	o.c.	рН	EC	Sat% SAR		
0-18	10YR	2/2	VERY DARK BROWN	SGR	L	SL	3.7	6.4	0.6	41.
18-30	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		5.8	0.1	28.
30-55	10YR	5/2	GRAYISH BROWN	SGR	L	LS		6.2	0.2	22.
55-100	10YR	3/3	DARK BROWN	MA	F	CL		7.	0.8	53.
	0-18 18-30 30-55	0-18 10YR 18-30 10YR 30-55 10YR	0-18 10YR 2/2 18-30 10YR 5/4 30-55 10YR 5/2	0-18 10YR 2/2 VERY DARK BROWN 18-30 10YR 5/4 YELLOWISH BROWN 30-55 10YR 5/2 GRAYISH BROWN	0-18 10YR 2/2 VERY DARK BROWN SGR 18-30 10YR 5/4 YELLOWISH BROWN SGR 30-55 10YR 5/2 GRAYISH BROWN SGR	0-18 10YR 2/2 VERY DARK BROWN SGR L 18-30 10YR 5/4 YELLOWISH BROWN SGR L 30-55 10YR 5/2 GRAYISH BROWN SGR L	0-18 10YR 2/2 VERY DARK BROWN SGR L SL 18-30 10YR 5/4 YELLOWISH BROWN SGR L LS 30-55 10YR 5/2 GRAYISH BROWN SGR L LS	0-18 10YR 2/2 VERY DARK BROWN SGR L SL 3.7 18-30 10YR 5/4 YELLOWISH BROWN SGR L LS 30-55 10YR 5/2 GRAYISH BROWN SGR L LS	0-18 10YR 2/2 VERY DARK BROWN SGR L SL 3.7 6.4 18-30 10YR 5/4 YELLOWISH BROWN SGR L LS 5.8 30-55 10YR 5/2 GRAYISH BROWN SGR L LS 6.2	0-18 10YR 2/2 VERY DARK BROWN SGR L SL 3.7 6.4 0.6 18-30 10YR 5/4 YELLOWISH BROWN SGR L LS 5.8 0.1 30-55 10YR 5/2 GRAYISH BROWN SGR L LS 6.2 0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
ΑP	0-18	F	G	G	F	G	G		F (Topsoil)
BTJ	18-30	F	P		F	G	F		P (Subsoil)
BC	30-55	F	P		F	G	F		P (Subsoil)
C	55-100	F	G		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

15 cm 10-20 cm OBVIOUS NONE HIGH 0.040 LOW MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

OTES: BELLOY SOILS ARE DEVELOPED ON A VENEER OF SANDY LOAM TO LOAMY SAND TEXTURED MATERIAL OVER CLAY TEXTURED TILL. IN FORESTED AREAS, THIN TOPSOIL (AH OR AHE HORIZONS) MAY OCCUR OVER A LEACHED HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS. THE SANDY VENEER WILL CAUSE AN EXPOSED FACE TO BE UNSTABLE.

09/01/93

SOIL SERIES: BELLOY-GR (grBLY) LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9% USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL GRAVELLY, MODERATELY

SURFACE STONINESS: MODERATELY

COARSE GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AP 0-15	10YR 3/2	VERY DARK GREYISH BROWN	WFGR	VFR	GRSL		7.5	0.7	34.	0.2
BM 15-50	10YR 3/4	DARK YELLOWISH BROWN	SGR	VFR	GRSL		7.8	1.	29.	0.3
2BT 50-100	10YR 3/4	DARK YELLOWISH BROWN	MMSBK	F	CL					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	P		G	G	G	G	P (Topsoil)
BM	15-50	G	P		F	G	F	G	P (Subsoil)
2BT	50-100	F	F						F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.040
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMDODTANT TEXTIDE CHANCE.	VEC

NOTES: VARIANT OF BELLOY WITH GRAVEL IN THE VENEER MATERIAL.

NTERPRETATION GUIDELINES

SCA 18

0/01/93

SOIL SERIES:

BELLOY-GRXC (grxcBL)

LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

GRAVELLY, MODERATELY

SURFACE STONINESS: SLIGHTLY

COARSE GLACIOFLUVIAL/

GLACIOLACUSTRINE

PICAL SOIL PROFILE:

rizon	Depth Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR		
	0-18	10YR	2/2	VERY DARK BROWN	SGR	L	GRSL	3.7	6.4	0.6	41.
J	18-30	10YR	5/4	YELLOWISH BROWN	SGR	L	GRLS		5.8	0.1	28.
	30-55	10YR	5/2	GRAYISH BROWN	SGR	L	GRLS		6.2	0.2	22.
	55-100	10YR	3/3	DARK BROWN	MA	F	CL		7.	0.8	53.

IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
	0-18	F	P	G	F	G	G		P (Topsoil)
J	18-30	F	P		F	G	F		P (Subsoil)
	30-55	F	P		F	G	F		P (Subsoil)
	55-100	F	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

15 cm 10-20 cm OBVIOUS NONE HIGH 0.040 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

TES: VARIANT OF BELLOY WITH GRAVEL IN THE VENEER MATERIAL, AND CLAY LOAM TEXTURED, WATER-LAID DEPOSITS AT LESS THAN 1 M.

09/01/93

SOIL SERIES:

BELLOY-ST (stBLY) LANDFORM:

VENEER 2-9%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL STONY, MODERATELY COARSE

SURFACE STONINESS:

EXCEEDINGLY

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP	0-18	10YR	2/2	VERY DARK BROWN	SGR	L	STSL	3.7	6.4	0.6	41.
BTJ	18-30	10YR	5/4	YELLOWISH BROWN	SGR	L	STLS		5.8	0.1	28.
BC	30-55	10YR	5/2	GRAYISH BROWN	SGR	L	STLS		6.2	0.2	22.
2C	55-100	10YR	3/3	DARK BROWN	MA	F	CL		7.	0.8	53.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	pН	EC	Sat%	SAR	Overall Rating
AP	0-18	F	Р	G	F	G	G		P (Topsoil)
BTJ	18-30	F	P		F	G	F		P (Subsoil)
BC	30-55	F	P		F	G	F		P (Subsoil)
2C	55-100	F	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

10-20 cm OBVIOUS STONY HIGH 0.040 LOW MODERATE HIGH

15 cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF BELLOY THAT IS STONIER THAN NORMAL IN THE VENEER MATERIAL.

09/01/93

SOIL SERIES:

BELLOY-STXC (stxcBL) LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION:

DARK GRAY LUVISOL

GLACIOLACUSTRINE

STONY, MODERATELY COARSE

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GLACIOFLUVIAL/

SURFACE STONINESS:

EXCEEDINGLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure C	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-18	10YR	2/2	VERY DARK BROWN	SGR	L	STSL	3.7	6.4	0.6	41.
BTJ	18-30	10YR	5/4	YELLOWISH BROWN	SGR	L	STLS		5.8	0.1	28.
BC	30-55	10YR	5/2	GRAYISH BROWN	SGR	L	STLS		6.2	0.2	22.
2C	55-100	10YR	3/3	DARK BROWN	MA	F	CL		7.	0.8	53.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	F	P	G	F	G	G		P (Topsoil)
BTJ	18-30	F	P		F	G	F		P (Subsoil)
BC	30-55	F	P		F	G	F		P (Subsoil)
2C	55-100	F	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K =: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

OBVIOUS STONY HIGH 0.040 LOW MODERATE HIGH

cm

15 cm

10-20

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: YES FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: VARIANT OF BELLOY THAT IS STONIER THAN NORMAL IN THE VENEER MATERIAL AND HAS CLAY LOAM TEXTURED, WATER-LAID DEPOSITS AT < 1 M.

09/01/93

SOIL SERIES:

BELLOY-XC (xcBLY)

LANDFORM:

VENEER 2-9%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES: USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY COARSE

GLACIOFLUVIAL/

GLACIOLACUSTRINE

SURFACE STONINESS: SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-18	10YR	2/2	VERY DARK BROWN	SGR	L	SL	3.7	6.4	0.6	41.
BTJ	18-30	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		5.8	0.1	28.
BC	30-55	10YR	5/2	GRAYISH BROWN	SGR	L	LS		6.2	0.2	22.
2C	55-100	10YR	3/3	DARK BROWN	MA	F	CL		7.	0.8	53.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рн	EC	Sat%	SAR	Overall Rating
AP	0-18	F	G	G	F	G	G		F (Topsoil)
BTJ	18-30	F	P		F	G	F		P (Subsoil)
BC	30-55	F	P		F	G	F		P (Subsoil)
2C	55-100	F	F		G	G	G		F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

15 cm	
10-20	cm
OBVIOUS	
NONE	
HIGH	
0.040	
LOW	
MODERATI	Ξ
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

S
S

NOTES: VARIANT OF BELLOY HAVING CLAY LOAM TEXTURED, WATER-LAID DEPOSITS AT LESS THAN 1 M.

09/01/93

SOIL SERIES:

BERWYN

(BWY)

LANDFORM:

BLANKET 2-9%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY FINE TILL USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

			_									
Horizon	Horizon Depth		Depth Color Code		Color Name	Structure Consistence Text			o.c.	рН	EC	Sat% SAI
LH	0-3	10YRm	2/2	VERY DARK BROWN								
AHE	3-10	10YRm	4/1	DARK GRAY	WFGR	FR	SIL	7.	6.6			
AE	10-17	10YRm	6/3	PALE BROWN	PL	FR	SIL	0.72	6.4			
AB	17-24	10YRm	5/3	BROWN	MFSBK	F	CL	0.62	5.9			
BT1	24-34	10YRm	4/2	DARK GRAYISH BROWN	SBK	VF	С	0.75	5.			
BT2	34-54	10YRm	4/3	DARK BROWN	WMABK		CL	0.63	4.8			
BC	54-69	10YRm	3/3	DARK BROWN	WFSBK	F	CL	0.49	4.5			
CK	69-120	10YRm	4/3	DARK BROWN	MA	F	CL		6.5			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
AHE	3-10	G	G	G	G				G (Topsoil)
AE	10-17	G	G	P	F				P (Subsoil)
AB	17-24	F	F		F				F (Subsoil)
BT1	24-34	P	P		P				P (Subsoil)
BT2	34-54		F		P				P (Subsoil)
BC	54-69	F	F		P				P (Subsoil)
CK	69-120	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

TD	CIII	
10-2	20	cm
OBV:	IOUS	
VER:	Y TH	IN
LOW		
0.05	53	
MODE	ERAT	E
MODE	ERAT	E

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) OVERLIES A LEACHED HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE

HIGH

HORIZONS.

09/01/93

SOIL SERIES:

BRAEBURN-AA (aaBBN) LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

16-60%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AP	0-15	10YR	6/3	PALE BROWN	MMPL	VFR	L		6.3	0.4	45.
BT	25-60	10YR	3/2	VERY DARK GRAYISH BROWN	SMSBK	F	CL		5.1	0.4	43.
BC	70-90	10YR	4/3	BROWN-DARK BROWN	SFSBK	F	CL		5.1	0.4	52.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		F	G	G		F (Topsoil)
BT	25-60	F	F		P	G	G		P (Subsoil)
BC	70-90	F	F		P	G	G		P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	TOPOGRAPHY	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 17. THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, THE TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. IN CULTIVATED AREAS WHICH ARE RARE, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS.

9/01/93

SOIL SERIES:

BRONCO

(BOC)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

6-15%

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

YPICAL SOIL PROFILE:

lorizon	Depth	Color	Code	Color Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
P	0-16	10YR	2/1	BLACK		MA	L	SICL	5.	5.9	0.6	70.	0.9
T	28-54	10YR	3/2	VERY DARK GRAYISH	BROWN	MMABK	F	С		6.7	1.4	76.	2.3
K1	69-89	10YR	3/2	VERY DARK GRAYISH	BROWN	MA	F	L		7.5	3.1	83.	2.
K2	89-120	10YR	3/2	VERY DARK GRAYISH	BROWN	MA	F	L		7.6	3.8	85.	2.

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
P	0-16	F	F	G	F		F	 G	F (Topsoil)
T	28-54	F	P		G		F	G	P (Subsoil)
K1	69-89	F	G		G		P	G	P (Subsoil)
K2	89-120	F	, G		F		P	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE LOW 0.033 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBS	OIL: NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SILTY CLAY LOAM TEXTURED DEPOSITS. SEPARATION OF TOPSOIL

FROM SUBSOIL BY COLOR IS DIFFICULT.

09/01/93

SOIL SERIES: CADOTTE-AA (aaCTE) LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: SOLONETZIC GRAY LUVISOL PARENT MATERIAL: VERY FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

USUAL SOIL MOISTURE:

TEMPORARY PONDING

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Co		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	SAR
LH	0-5	10YRm 2		VERY DARK BROWN					6.3			
AE	5-18	10YRm 7	7/2	LIGHT GRAY	SCPL	F	L	0.8	5.4			
AB	18-28	10YRm 5	5/2	GRAYISH BROWN	SBK	F	SIC	0.5	4.8			
BTNJ	28-51	10YRm 4	4/3	DARK BROWN	COL	VF	С	0.5	5.3			
BCK	51-69	10YRm 4	4/2	DARK GRAYISH BROWN	SBK	F	С		7.2			
CCAS	69-120	2.5Ym 4	4/2	DARK GRAYISH BROWN	MA	F	SICL		7.8			

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-18	P	G	P	P				P (Topsoil)
AB	18-28	F	P		P				P (Subsoil)
BTNJ	28-51	P	P		P				P (Subsoil)
BCK	51-69	F	P		G				P (Subsoil)
CCAS	69-120	F	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.066
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 22. DEVELOPED ON CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC.

09/01/93

SOIL SERIES: CARDINAL (CRN) LANDFORM: BLANKET
SOIL ZONE: DARK GRAY & BLACK TYPICAL SLOPES: 0-2%
SOIL CLASSIFICATION: DARK GRAY LUVISOL USUAL SOIL MOISTURE: MESIC
PARENT MATERIAL: MEDIUM GLACIOFLUVIAL SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHE	0-10	10YRm	4/3	BROWN	GR	FR	SIL	2.11	6.4		
AE	10-18	10YRm	6/3	PALE BROWN	PL	FR	SIL	0.53	6.3		
BT1	18-28	10YRm	4/4	DARK YELLOWISH BROWN	SBK	F	SICL	0.52	6.3		
BT2	28-43	10YRm	5/4	YELLOWISH BROWN	SBK	F	SICL	0.37	6.2		
BC	43-63	10YRm	6/4	LIGHT YELLOWISH BROWN	WFSBK	FR	L		5.8		
С	63-120	10YRm	6/4	LIGHT YELLOWISH BROWN	MA	FR	SIL		5.7		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
AHE	0-10	G	G	G	F				F (Topsoil)
AE	10-18	G	G	P	F				P (Subsoil)
BT1	18-28	F	F		F				F (Subsoil)
BT2	28-43	F	F		F				F (Subsoil)
BC	43-63	G	G		F				F (Subsoil)
C	63-120	G	G		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.055	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILTY CLAY LOAM TEXTURED MATERIAL. IN CULTIVATED AREAS, THE AE HORIZON PROVIDES A GUIDE TO TOPSOIL STRIPPING.

09/01/93

SOIL SERIES:

CODESA

(COS)

LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-5% USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL MODERATELY COARSE

SURFACE STONINESS: MODERATELY

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-10	10YR	3/2	VERY DARK GREYISH BROWN	WFGR	FR	SL		6.2	1.	74.	0.1
AE	10-30	10YR	5/3	BROWN	WFPL	VFR	SL		6.3	0.4	26.	0.2
2BT	30-75	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		5.1	0.1	42.	0.5
2CK	75-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.5	0.4	59.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G		F	G	F	G	F (Topsoil)
AE	10-30	G	G		F	G	F	G	F (Topsoil)
2BT	30-75	F	F		P	G	G	G	P (Subsoil)
2CK	75-130	F	F		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	10 cm 10-15 OBVIOUS	cm
STRIPPING LIMITATIONS:	NONE	
WIND EROSION RISK:	HIGH	
WATER EROSION K=:	0.046	
RISK ON <5% SLOPE:	LOW	
RISK ON 5-9% SLOPE:	HIGH	
RISK ON 9-15% SLOPE:	HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: DEVELOPED ON A VENEER OF SANDY LOAM TEXTUREED MATERIAL OVER CLAY LOAM TEXTURED TILL. THE AE HORIZON PROVIDES A GUIDE FOR TOPSOIL STRIPPING IN CULTIVATED AREAS. THE SANDY VENEER MAKES VERTICAL FACES UNSTABLE.

09/01/93

SOIL SERIES:

CODESA-GR (grCOS) LANDFORM:

VENEER 2-5%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: MESIC

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

SURFACE STONINESS: MODERATELY

PARENT MATERIAL: GRAVELLY, MODERATELY

COARSE GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Depth Color Co		Code Color Name		Structure Consistence Texture		Texture	O.C. pH		EC	Sat%	SAR
0-10	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	FR	GRSL		6.2	1.	74.	0.1
10-30	10YR	5/3	BROWN	WFPL	VFR	GRSL		6.3	0.4	26.	0.2
30-75	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL		5.1	0.1	42.	0.5
75-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.5	0.4	59.	0.3
	0-10 10-30 30-75	0-10 10YR 10-30 10YR 30-75 10YR	0-10 10YR 3/2 10-30 10YR 5/3 30-75 10YR 4/4	0-10 10YR 3/2 VERY DARK GRAYISH BROWN 10-30 10YR 5/3 BROWN 30-75 10YR 4/4 DARK YELLOWISH BROWN	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR 10-30 10YR 5/3 BROWN WFPL 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR FR 10-30 10YR 5/3 BROWN WFPL VFR 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK F	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR FR GRSL 10-30 10YR 5/3 BROWN WFPL VFR GRSL 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK F CL	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR FR GRSL 10-30 10YR 5/3 BROWN WFPL VFR GRSL 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK F CL	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR FR GRSL 6.2 10-30 10YR 5/3 BROWN WFPL VFR GRSL 6.3 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK F CL 5.1	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR FR GRSL 6.2 1. 10-30 10YR 5/3 BROWN WFPL VFR GRSL 6.3 0.4 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK F CL 5.1 0.1	0-10 10YR 3/2 VERY DARK GRAYISH BROWN WFGR FR GRSL 6.2 1. 74. 10-30 10YR 5/3 BROWN WFPL VFR GRSL 6.3 0.4 26. 30-75 10YR 4/4 DARK YELLOWISH BROWN MMSBK F CL 5.1 0.1 42.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	P		F	G	F	G	P (Topsoil)
AE	10-30	G	P		F	G	F	G	P (Topsoil)
2BT	30-75	F	F		P	G	G	G	P (Subsoil)
2CK	75-130	F	F		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	10-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.046
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF CODESA THAT IS GRAVELLY IN THE SURFACE VENEER.

09/01/93

SOIL SERIES: CODESA-ST (stCOS) LANDFORM:

SOIL ZONE: DARK GRAY & BLACK TYPICAL SIGN

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-5% USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: ORHIC GRAY LUVISOL STONY, MODERATELY COARSE SURFACE STONINESS: EXCEEDINGLY

GLACIOFLUVIAL/TILL

TYPICAL SOIL PROFILE:

Horizon Depth Co	olor Code	Color Name	Structure Co	onsistence	Texture	O.C.	рН	EC	Sat% SAR
BM 20-40 10)YR 3/3	PALE BROWN YELLOWISH BROWN DARK BROWN OLIVE BROWN	SGR SGR MMSBK MA	L L F F	STFSL STSL-LS CL L-CL	2.8	5.6	0.3	42. 31. 55.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE BM 2BT 2CK	0-20 20-40 40-83 83-120	F F F	P P F F	G	F F F G	G G G	G G G		P (Topsoil) P (Subsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	10 cm 10-15	CI
COLOR CHANGE TO SUBSOIL:	OBVIOUS	·
STRIPPING LIMITATIONS:	STONY	
WIND EROSION RISK:	HIGH	
WATER EROSION K=:	0.046	
RISK ON <5% SLOPE:	LOW	
RISK ON 5-9% SLOPE:	HIGH	
RISK ON 9-15% SLOPE:	HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF CODESA THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES: SOIL ZONE:

CULP-ST

(stCUL)

LANDFORM:

BLANKET 6-15%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

DARK GRAY & BLACK

TYPICAL SLOPES: USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL:

STONY, MODERATELY COARSE

SURFACE STONINESS:

EXCEEDINGLY

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP ·	0-12	10YR	3/3	DARK BROWN	MFGR	FR	STL	6.8	6.6	1.9	86.	0.
BT	12-60	10YR	5/4	YELLOWISH BROWN	MFSBK	FR	STL-STSL		6.5	0.2	30.	0.
BC	60-96	10YR	4/4	DARK YELLOWISH BROWN	SGR	VFR	STSL		6.4	0.1	28.	0.
CK	96-120	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	VFR	STSL		7.6	0.3	36.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	Р	G	G	G	P	G	P (Topsoil)
BT	12-60	G	P		G	G	F	G	P (Subsoil)
BC	60-96	G	P		F	G	F	G	P (Subsoil)
CK	96-120	G	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm OBVIOUS 10-20 cm STONY HIGH 0.053 MODERATE HIGH HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CULP THAT IS STONIER THAN NORMAL.

09/01/93

SOIL SERIES:

DEBOLT

SOIL CLASSIFICATION: GRAY SOLODIZED SOLONETZ

(DBO)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:
USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

FINE SOFTTOCK

SURFACE STONINESS:

MON

2-9%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AE	0-25	10YR	6/4	LIGHT YELLOWISH BROWN	MMPL	FR	SIL	1.4	6.2	0.5	31.	
BNT	30-60	10YR	3/2	VERY DARK GRAYISH BROWN	SCSBK	VF	C-SIC		8.	0.7	65.	7.3
CSK	60-120	10YR	3/3	DARK BROWN	MA	F	C-SIC		8.4	0.9	70.	11.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
	_				_				5
AE	0-25	G	G	F	F	G	G		F (Topsoil)
BNT	30-60	P	P		F	G	F	F	P (Subsoil)
CSK	60-120	F	P		F	G	F	P	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

15 cm	
10-20	cm
OBVIOUS	
NONE	
LOW	
0.059	
MODERATE	3
HIGH	
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	SPR NO
HARD BEDROCK:	140
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	YES
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY TO CLAY LOAM TEXTURED SOFTROCK. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS A LH HORIZON OVERLYING A PLATY, LIGHT COLORED AE HORIZON. THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE AND THE LOWER SUBSOIL IS SALINE AND SODIC.

09/01/93

SOIL SERIES:

DOIG (DIG)

LANDFORM:

BLANKET 2-9%

SOIL ZONE:

SOIL CLASSIFICATION:

SOLONETZIC GRAY LUVISOL

DARK GRAY & BLACK

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

TYPICAL SLOPES:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHE	0-7	10YRm	4/3	BROWN-DARK BROWN	WFGR	FR	SIL	4.66	5.9		
AE	7-12	10YRm	6/2	LIGHT BROWNISH GRAY	PL	FR	SIL	0.84	4.4		
AB	12-19	10YRm	5/2	GRAYISH BROWN	SBK	F	SIL	0.61	4.2		
BTN	19-39	10YRm	3/3	DARK BROWN	COL	VF	SIC	0.89	5.2		
BC	39-66	10YRm	3/4	DARK YELLOWISH BROWN	SBK	F	SIC	0.87	6.		
CCASA	66-120	10YRm	4/2	DARK GRAYISH BROWN	MA	F	SIC		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
AHE	0-7	G	G	G	F				F (Topsoil)
AE	7-12	G	G	P	U				U (Topsoil)
AB	12-19	F	G		U				U (Topsoil)
BTN	19-39	P	P		P				P (Subsoil)
BC	39-66	F	P		F				P (Subsoil)
CCASA	66-120	F	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.050
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC.

09/01/93

SOIL SERIES:

DONNELLY (DON)

I) LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK
GLEYED SOLONETZIC GRAY

TYPICAL SLOPES:

2-9%
TEMPORARY PONDING

.....

LUVISOL

USUAL SOIL MOISTURE:

SURFACE STONINESS: SL

SLIGHTLY

PARENT MATERIAL:

SOIL CLASSIFICATION:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S	SAR
AP BTNJGJ CKGJ	0-15 15-65 65-100	10YR 10YR 2.5Y	3/3 4/4 4/4	DARK BROWN DARK YELLOWISH BROWN OLIVE BROWN	WFGR MMCOL MA	FR F	SIL-SICL CL		5.	0.9	50. 51.	0.0

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	F		F	G	G '		F (Topsoil)
BTNJGJ	15-65	F	P		P	G	G		P (Subsoil)
CKGJ	65-100	F	P		G	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE LOW 0.066 MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

DONNELLY-XT (xtDON)

SOIL ZONE: DARK GRAY & BLACK
SOIL CLASSIFICATION: GLEYED SOLONETZIC GRAY

LUVISOL

PARENT MATERIAL:

VERY FINE

GLACIOLACUSTRINE/ TILL

LANDFORM:

VENEER

TYPICAL SLOPES:

2-9%

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-6	10YR	3/2	VERY DARK GREYISH BROWN							
AP	6-21	10YR	3/3	DARK BROWN	WFPL	VFR	SIL		6.4	0.6	49.
BTNJGJ	21-51	10YR	4/4	DARK YELLOWISH BROWN	MMCOL	F	CL-C		5.9	0.3	70.
BCGJ	51-76	2.5Y	5/2	GRAYISH BROWN	MA	F	CL-C		4.7	0.2	42.
2BCGJ	76-106	10YR	5/3	BROWN	MA	F	CL		5.1	0.3	60.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-6								
AP	6-21	G	G		F	G	G		F (Topsoil)
BTNJGJ	21-51	F	P		F	G	F		P (Subsoil)
BCGJ	51-76	F	P		P	G	G		P (Subsoil)
2BCGJ	76-106	F	F		P	G	F		P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.066
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF DONNELLY HAVING TILL WITHIN 1 M.

09/01/93

SOIL SERIES:

EAGLESHAM (EGL)

LANDFORM:

BLANKET, LEVEL.

SOIL ZONE:

DARK GRAY & BLACK

DEPRESSIONAL

SOIL CLASSIFICATION: TYPIC MESISOL

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

ORGANIC FEN PEAT

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name

Structure Consistence Texture O.C. pH EC Sat% SAR

0-120 10YR 3/3

DARK BROWN

SOIL OUALITY RATINGS:

Horizon Depth Consistence Texture

O.C. pH EC

Sat%

SAR

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

Overall Rating

ALL

NO

NO

NO

NO

NO

NO

NO

YES

OM 0-120

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK:

WATER EROSION K =:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

0 cm

cm

WETNESS

GRAVEL: STONY LAYER: FACE INSTABILITY:

SOLONETZIC B HORIZON:

SODIC SOFTROCK:

HARD BEDROCK:

SALINE OR SODIC LOWER SUBSOIL:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

IMPORTANT TEXTURE CHANGE:

NOTES: DEVELOPED ON DEEP DEPOSITS OF FEN PEAT, EXPOSED FACES ARE UNSTABLE. IN CULTIVATED AREAS, KEEP THE PLOW LAYER SEPARATED AND AVOID COMPACTION.

09/01/93

SOIL SERIES:

EAGLESHAM-XS

LANDFORM:

VENEER, LEVEL,

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

DEPRESSIONAL

SOIL CLASSIFICATION:

TERRIC MESISOL ORGANIC FEN

TITLE DESCRIPTION

0-1%

PARENT MATERIAL:

PEAT/GLACIOLACUSTRINE

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat%	SAR
OM	0-65	10YR	3/3	DARK BROWN			0					
AH	60-90	10YR	2/1	BLACK	MMGR	FR	L-SIL	6.2	6.2	0.6	48.	0.4
CG	90-130	10YR	6/1	LIGHT GRAY-GRAY	STRAT	FR-F	VFSL		6.5	0.8	43.	0.4

(xsEGL)

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
OM ·	0-65								(Peat)
AH	60-90	G	G	G	F	G	G	G	F (Topsoil)
CG	90-130	F	G		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

WIND EROSION RISK:

WATER EROSION K=:

THICKNESS RANGE:

0 cm cm WETNESS SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: ALL HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NIO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES:

Ol Al

VARIANT OF EAGLESHAM HAVING SANDY LOAM TEXTURED MATERIAL AT LESS THAN 1 M. IN CULTIVATED AREAS: SEPARATE THE PLOW LAYER; KEEP THE REMAINING ORGANIC AND MINERAL MATERIAL SEPARATED; AND AVOID COMPACTION TO PREVENT IMPEDED DRAINAGE.

SOIL CLASSIFICATION: TERRIC MESISOL

SCA 18

09/01/93

SOIL SERIES:

EAGLESHAM-XT (xtEGL) LANDFORM:

VENEER, LEVEL, DEPRESSIONAL

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

ORGANIC FEN PEAT/TILL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
OM	0-60	10YR	3/3	DARK BROWN			0	31.2	6.9	1.6	189.	0.3
BG	60-90	10YR	5/1	GRAY	MA	F	CL-C		7.5	0.5	44.	0.3
CG	90-130	10YR	6/1	LIGHT GRAY-GRAY	MA	F	CL-C		7.4	0.3	50.	0.4

SOIL QUALITY RATINGS:

Horizon Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
OM 0-60 BG 60-90 CG 90-130	F	P		G G	G G	G G	G G	(Peat) P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0	cm
THICKNESS RANGE:		cn
COLOR CHANGE TO SUBSOIL:		
STRIPPING LIMITATIONS:	WEI	NESS
WIND EROSION RISK:		
WATER EROSION K=:	-	
RISK ON <5% SLOPE:	-	
RISK ON 5-9% SLOPE:	-	
KISK ON 3-124 STOPE:	_	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES
THE OTHER TENTE CHANGE.	111

NOTES: VARIANT OF EAGLESHAM HAVING CLAY LOAM TO CLAY TEXTURED TILL WITHIN 1 M. IN CULTIVATED AREAS: SEPARATE THE PLOW LAYER; KEEP THE REMAINING ORGANIC AND MINERAL MATERIAL SEPARATED; AND AVOID COMPACTION TO PREVENT IMPEDED DRAINAGE.

9/01/93

SOIL SERIES:

ENILDA

(END)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

USUAL SOIL MOISTURE:

MEDIUM FLUVIAL

SURFACE STONINESS:

NON

YPICAL SOIL PROFILE:

H 0-10 10YR 2/1 BLACK MFGR FR CL 18.2 6.5 G 10-100 2.5Y 6/2 LIGHT BROWN STRAT F CL 6.9	orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
3 . 10-100 2.5Y 6/2 LIGHT BROWN STRAT F CL 6.9	I	0-10	10YR	2/1	BLACK	MFGR	FR	CL	18.2	6.5		
	3	10-100	2.5Y	6/2	LIGHT BROWN	STRAT	F	CL		6.9		

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Over	all Rating
H	0-10 10-100	G F	F F	G	G G					(Topsoil) (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: 10-20 COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: WETNESS WIND EROSION RISK. WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

10 cm 10-20 cm

SODIC SOFTROCK: GRAVEL: STONY LAYER:

FACE INSTABILITY:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

HARD BEDROCK:

NO NO NO NO YES

ALL

NO

NO

NO NO

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TTES: DEVELOPED ON FINE SAND TO SILTY CLAY STRATA. WET SOILS CAUSE EXPOSED FACES TO BE UNSTABLE.

09/01/93

SOIL SERIES:

ESHER

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL

(ESH)

LANDFORM:

BLANKET 2-9%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

(SOLONETZIC)

SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Co	de Color Name	Structure	Consistence	Texture	O.C.	pН	EC	Sat% SAR
LH	0-3	10YRm 3	/3 DARK BROWN				5.52	6.		
AHE	3-10	10YRm 4	2 DARK GRAYISH BROWN	WFGR	FR	С	5.5	5.8		
AE	10-13	10YRm 6	73 PALE BROWN	PL	FR	SIL	1.4	5.3		
AB	13-18	10YRm 6	73 PALE BROWN	SBK	F	С	0.94	4.8		
BTNJGJ1	18-33	10YRm 4	/3 DARK BROWN	WMCOL	VF	HC	0.9	4.3		
BTNJGJ2	33-48	10YRm 4	dark brown	SMSBK	VF	С	0.73	4.3		
BCGJ	48-68	10YRm 3	2 VERY DARK GRAYISH BROWN	WFSBK	F	С	0.79	6.5		
CSKGJ	68-120	10YRm 3	1 VERY DARK GRAY	MA	F	С	0.78	7.		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
AHE	3-10	G	P	G	F				P (Topsoil)
AE	10-13	G	G	F	P				P (Topsoil)
AB	13-18	F	P		P				P (Topsoil)
BTNJGJ	18-33	P	P		U				U (Subsoil)
BTNJGJ	33-48	P	P		U				U (Subsoil)
BCGJ	48-68	F	P		G				P (Subsoil)
CSKGJ	68-120	F	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE LOW 0.053 MODERATE HIGH

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS: SEASONALLY HIGH W.T.:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC. LOW PERMEABILITY AND LOSS OF ORGANIC MATTTER IS CONTRIBUTING TO SOIL EROSION BY WATER. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

9/01/93

SOIL SERIES:

ESHER-XT

(xtESH)

LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

TEMPORARY PONDING

PARENT MATERIAL:

(SOLONETZIC) VERY FINE

GLACIOLACUSTRINE/ TILL

YPICAL SOIL PROFILE:

rizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% S.	AR
,	0-14	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	L	SL	2.3	5.7	0.3	45.	2.
NJ1	24-34	10YR	5/2	GRAYISH BROWN	COL	VF	C		4.7	0.4	46.	5.3
NJ2	34-70	10YR	3/2	VERY DARK GRAYISH BROWN	COL	VF	C		4.6	0.5	59.	6.6
:GJ	80-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	SCL		6.7	5.8	60.	7.4

OIL QUALITY RATINGS:

G F (Topsoil	L)
F P (Subsoil	L)
F P (Subsoil	L)
F P (Subsoil	L)
	F P (Subsoil

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10-20 cm LOW 0.053 MODERATE HIGH HIGH

15 cm

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

TES: VARIANT OF ESHER HAVING SANDY CLAY LOAM TEXTURED TILL WITHIN 1 M.

09/01/93

SOIL SERIES: FAIRVIEW (FVW) LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9% USUAL SOIL MOISTURE: MESIC

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC
PARENT MATERIAL: MODERATELY FINE TILL

SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth Color Cod		Depth Color Code		Color Name	Structure Consistence 1		Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	4/1	DARK GRAY	WFGR	FR	L	2.5					
AE/AB	15-27	10YR	5/3	BROWN	MMPL	FR	L-CL	0.4					
BTN	27-60	10YR	4/2	DARK GRAYISH BROWN	MMSBK	VF	CL		7.8	1.1	64.	14.	
CCA	60-100	10YR	4/1	DARK GRAY	MA	F	CL		8.2	1.8	79.	19.	
CK	100-200	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		8.2	1.3	61.	24.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G	G					G (Topsoil)
AE/AB	15-27	G	F	P					P (Topsoil)
BTN	27-60	P	F		F	G	F	U	U (Subsoil)
CCA	60-100	F	F		F	G	F	U	U (Subsoil)
CK	100-200	F	F		F	G	F	U	U (Subsoil)

 ${\tt cm}$

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.040
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATI
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY LOAM TEXTURED TILL.

9/01/93

SOIL SERIES:

FALHER

(FAL)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

SOIL CLASSIFICATION: SOLONETZIC DARK GRAY

USUAL SOIL MOISTURE:

CHERNOZEMIC

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code		Cold	or Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
P	0-15	10YR	3/2	VERY	DARK	GRAYISH	BROWN	MFGR	FR	CL		6.1	0.3	57.	0.
TNJ	15-55	10YR	3/2	VERY	DARK	GRAYISH	BROWN	SFSBK	VF	C		6.4	0.6	71.	0.
SK	75-95	10YR	3/2	VERY	DARK	GRAYISH	BROWN	MA	VF	C		7.5	3.6	82.	1.

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
P	0-15	· G	F		F	G	G	G	F (Topsoil)
TNJ	15-55	P	P		F	G	F	G	P (Subsoil)
SK	75-95	P	P		G	F	Р	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NONE

0.053 MODERATE HIGH HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: FACE INSTABILITY: NO SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE:

OTES: DEVELOPED ON CLAY TEXTURED TILL. THE B HORIZON HAS SOLONETZIC TENDENCIES AND THE LOWER SUBSOIL MAY BE SALINE AND SODIC. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

09/01/93

SOIL SERIES:

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

GOOSE (GOS) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

	Depth	Color Code				Consistence			-	EC	Sat%	SAR
AHG	0-22	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	1.4	5.9	0.2	39.	0.4
BG	30-65	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	SCL		5.8	0.3	37.	0.7
CG	65-130	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	SIC		5.3	0.2	60.	1.9

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AHG	0-22	G	G	F	F	G	G	G	F (Topsoil)
BG	30-65	F	F		F	G	G	G	F (Subsoil)
CG	65-130	F	P		P	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

20 cm
10-30 cm
NOT OBVIOU
WETNESS
-
-
-

20 cm	5
10-30 cm	F
OT OBVIOUS	1
VETNESS	5

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: SOILS ARE WET ALL YEAR CAUSING EXPOSED FACES TO BE UNSTABLE.

09/01/93

SOIL SERIES:

GOOSE-PT (ptGOS) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

(PEATY)

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL

SURFACE STONINESS: NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рH	EC	Sat%	SAR
0-20		/				0					
20-42	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	1.4	5.9	0.2	39.	0.4
42-77	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	SCL		5.8	0.3	37.	0.7
77-130	10YR	3/2	VERY DARK GRAYISH BROWN	MA	F	SIC		5.3	0.2	60.	1.9
	0-20 20-42 42-77	0-20 20-42 10YR 42-77 10YR	0-20 / 20-42 10YR 3/2 42-77 10YR 4/2	0-20 / 20-42 10YR 3/2 VERY DARK GRAYISH BROWN 42-77 10YR 4/2 DARK GRAYISH BROWN	0-20 / 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK	0-20 / 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK F	0-20 / O 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR L 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK F SCL	0-20 / O 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR L 1.4 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK F SCL	0-20 / O 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR L 1.4 5.9 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK F SCL 5.8	0-20 / O 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR L 1.4 5.9 0.2 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK F SCL 5.8 0.3	0-20 / O 20-42 10YR 3/2 VERY DARK GRAYISH BROWN MFGR FR L 1.4 5.9 0.2 39. 42-77 10YR 4/2 DARK GRAYISH BROWN MFSBK F SCL 5.8 0.3 37.

SOIL QUALITY RATINGS:

Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
0-20								(Peat)
20-42	G	G	F	F	G	G	G	F (Topsoil)
42-77	F	F		F	G	G	G	F (Subsoil)
77-130	F	P		P	G	F	G	P (Subsoil)
	0-20 20-42 42-77	0-20 20-42 G 42-77 F	0-20 20-42 G G 42-77 F F	0-20 20-42 G G F 42-77 F F	0-20 20-42 G G F F 42-77 F F F	0-20 20-42 G G F F G 42-77 F F F G	0-20 20-42 G G F F G G 42-77 F F F G G	0-20 20-42 G G F F G G G 42-77 F F F G G G

TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	40 cm
THICKNESS RANGE:	35-70 cm (PEAT 8
	TOPSOIL
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	_
PICK ON -59 CLOPE.	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF GOOSE HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS ABOUT 20 CM OF TOPSOIL UNDERLYING THE PEAT.

09/01/93

SOIL SERIES:

GRIFFIN (GIF) LANDFORM:

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

LEVEL

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

0-2% USUAL SOIL MOISTURE: WATERTABLE/PONDING

(CARBONATED)

SURFACE STONINESS: NON

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure C	onsistence	Texture	o.c.	рН	EC	Sat% SA	R
AHK 0-20	10YRm 3/2 VERY	DARK GRAYISH BROWN	GR	FR	CL	6.85	7.5			
CKG1 20-40	10YRm 5/1	GRAY	MA	F	CL	1.8	8.			
CKG2 40-50	10YRm 5/1	GRAY	MA	F	CL		7.9			
CSK 50-120	10YRm 5/1	GRAY	MA	F	CL		7.7	2.8		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHK CKG1 CKG2 CSK	0-20 20-40 40-50 50-120	G F F F	F F F	G	G F F	G			F (Topsoil) F (Subsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:	20 cm 10-20 cm NOT OBVIOUS WETNESS
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

SOILS ARE WET ALL YEAR CAUSING EXPOSED FACES TO BE UNSTABLE. THEY ARE USUALLY NON-SALINE.

09/01/93

SOIL SERIES:

GRIMSHAW

(GMW)

LANDFORM:

BLANKET

1-5%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOLONETZ

SOIL CLASSIFICATION: DARK GRAY SOLODIZED

USUAL SOIL MOISTURE: SURFACE STONINESS:

SLIGHTLY

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

OR TILL

TYPICAL SOIL PROFILE:

Iorizon	zon Depth Color Code		Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR	
AP	0-15	10YR	2/1	BLACK	MFGR	FR	SIL	4.4				
BNT	18-45	10YR	4/2	DARK GRAYISH BROWN	COL	VF	C		7.2	5.5	74.	13.
CASA	45-100	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.9	9.8	58.	12.
SK1	100-130	10YR	4/2	DARK GRAYISH BROWN	MA	F	SIL		7.7	7.1	54.	14.
SAK	130-165	10YR	4/2	DARK GRAYISH BROWN	MA	F	SICL		7.8	7.9	69.	11.
SK2	165-200	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL		7.6	7.7	58.	11.

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-15	G	G	G					G (Topsoil)
NT	18-45	P	P		G	P	F	U	U (Subsoil)
CASA	45-100	F	P		F	P	G	P	P (Subsoil)
SK1	100-130	F	G		F	P	G	U	U (Subsoil)
SAK	130-165	F	F		F	P	F	P	P (Subsoil)
SK2	165-200	F	F		F	P	G	P	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

NOT OBVIOUS NONE LOW 0.043 LOW MODERATE HIGH

15 cm 10-20

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	SPR NO NO NO NO NO VES YES
---	---

OTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE AND THE LOWER SUBSOIL IS SALINE AND SODIC.

09/01/93

SOIL SERIES:

HAZELMERE-AA (aaHZM)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9% USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED SOLONETZIC GRAY LUVISOL

SURFACE STONINESS: SLIGHTLY

PARENT MATERIAL:

FINE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure (o.c.	рН	EC	Sat%	SAR		
AP BTNJGJ	0-12 12-20		5/2 4/1	GRAYISH BROWN DARK GRAY	MMGR SCSBK	FR F	L C			0.9	49. 49.	
CSKGJ	60-80	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.6	3.6	83.	4.9

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-12	G	G		F	G	G	G	F (Topsoil)
BTNJGJ	12-20	F	P		P	G	G	G	P (Subsoil)
CSKGJ	60-80	F	P		F	F	P	F	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 cm
THICKNESS RANGE: 10-20
COLOR CHANGE TO SUBSOIL: NOT OBV.
STRIPPING LIMITATIONS: NONE WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

cm NOT OBVIOUS

LOW 0.066 MODERATE HIGH HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE:

NOTES: HOME SCA IS 17. THE B HORIZON HAS SOLONETZEIC TENDENCIES WHILE THE LOWER SUBSOIL MAY BE SALINE AND SODIC. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

/01/93

SOIL SERIES: HEART (HRT) LANDFORM: DUNED

SOIL ZONE: DARK GRAY & BLACK TYPICAL SLOPES: 2-9%

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL USUAL SOIL MOISTURE: DROUGHTY

PARENT MATERIAL: VERY COARSE EOLIAN SURFACE STONINESS: NON

PICAL SOIL PROFILE:

rizon	zon Depth Color		lor Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-6	10YR	3/3	DARK BROWN								
1	6-16	10YR	5/2	GRAYISH BROWN	SGR	L	LS		5.5	0.5	47.	0.1
	16-24	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	LS		6.3	0.2	34.	0.1
2	24-41	10YR	5/3	BROWN	SGR	L	LS		6.6	0.1	28.	0.1
	41-91	10YR	5/4	YELLOWISH BROWN	SGR	L	LS		6.2	0.1	30.	0.1
	91-126	2.5Y	4/4	OLIVE BROWN	SGR	L	LS		6.2	0.1	26.	0.4

IL QUALITY RATINGS:

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-6								
1	6-16	F	P		F	G	G	G	P (Topsoil)
	16-24	F	P		F	G	G	G	P (Subsoil)
2	24-41	F	Ρ.		G	G	F	G	P (Subsoil)
	41-91	F	P		F	G	F	G	P (Subsoil)
	91-126	F	P		F	G	F	G	P (Subsoil)

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TOPSOIL INTERPRETATIONS:

10 cm	SEASONALLY HIGH W.T.:	NO
5-15 cm	HARD BEDROCK:	NO
NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
VERY THIN	SODIC SOFTROCK:	NO
HIGH	GRAVEL:	NO
0.020	STONY LAYER:	NO
LOW	FACE INSTABILITY:	YES
MODERATE	SOLONETZIC B HORIZON:	NO
MODERATE	SALINE OR SODIC LOWER SUBSOIL:	NO
	IMPORTANT TEXTURE CHANGE:	NO
	5-15 cm NOT OBVIOUS VERY THIN HIGH 0.020 LOW MODERATE	5-15 cm HARD BEDROCK: NOT OBVIOUS NON-SODIC SOFTROCK: VERY THIN SODIC SOFTROCK: HIGH GRAVEL: 0.020 STONY LAYER: LOW FACE INSTABILITY: MODERATE SOLONETZIC B HORIZON: MODERATE SALINE OR SODIC LOWER SUBSOIL:

TES: DEVELOPED ON LOAMY SAND TO SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

HELEN

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

(HEN) LANDFORM:

LEVEL

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

0-2% USUAL SOIL MOISTURE: WATERTABLE/PONDING

(SALINE)

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence		Texture	O.C.	рН	EC	Sat% SAR
AHS	0-15	10YRm	2/1	BLACK	WFGR	FR	SL-SCL	3.19	8.	7.	
CSG1	15-30	2.5Ym	4/2	DARK GRAYISH BROWN	MA	F	SIC-C	0.75	8.	11.	
CSG2	30-120	5Ym	4/1	DARK GRAY	MA	F	SIC-C		7.8	7.5	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Hq	EC	Sat%	SAR	Overall Rating
AHS	0-15	G	F	G	F	P			P (Topsoil)
CSG1	15-30	F	P		F	U			U (Subsoil)
CSG2	30-120	F	P		F	P			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

DEVELOPED ON SILTY CLAY TEXTURED GLACIOLACUSTRINE MATERIAL. SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES UNSTABLE.

cm

9/01/93

SOIL SERIES:

HIGH PRAIRIE (HPE)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

WATERTABLE/PONDING

SOIL CLASSIFICATION: ORTHIC HUMIC GLEYSOL PARENT MATERIAL:

MEDIUM FLUVIAL

USUAL SOIL MOISTURE: SURFACE STONINESS:

YPICAL SOIL PROFILE:

orizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

FR 0-15 10YRm 3/2 VERY DARK GRAYISH BROWN WFGR FR 15-35 10YRm 5/3 BROWN WFSBK F 10.6 HEJ SICL SICL 2.51 5.5 TJG 35-57 10YRm 4/3 BROWN-DARK BROWN MA F SICL 1.55 6.1 57-120 10YRm 4/2 DARK GRAYISH BROWN STRAT F SL-SCL 2.06 7.1 G KG

OIL OUALITY RATINGS:

Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overa	all Rating
0-15	G	F	G	F				F	(Topsoil)
15-35	F	F		F				F	(Subsoil)
35-57	F	F		F				F	(Subsoil)
57-120	F	F		G				F	(Subsoil)
	0-15 15-35 35-57	0-15 G 15-35 F 35-57 F	0-15 G F 15-35 F F 35-57 F F	0-15 G F G 15-35 F F 35-57 F F	0-15 G F G F 15-35 F F F 35-57 F F F	0-15 G F G F 15-35 F F F F 35-57 F F F	0-15 G F G F 15-35 F F F F 35-57 F F F	0-15 G F G F 15-35 F F F F 35-57 F F F	0-15 G F G F 15-35 F F F F F

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	15 cm 10-20
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	-

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:	ALL NO NO NO NO NO YES NO NO
IMPORTANT TEXTURE CHANGE:	NO
THE CHILL THE COURT OF THE COUR	

OTES: DEVELOPED ON SILTY CLAY LOAM TEXTURED MATERIAL. SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE.

cm

09/01/93

SOIL SERIES:

HYTHE

(HYH) LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL

MEDIUM TILL

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	На	EC	Sat%	SAR
AP	0-21	10YR	2/2	VERY DARK BROWN	MFGR	FR	SL .	3.1	6.2	0.4	52.	0.2
BT	23-61	10YR	3/1	VERY DARK GRAY	MFSBK	F	С		5.2	0.1	48.	1.2
CK	83-120	10YR	3/3	DARK BROWN	MA	F	SL/SCL		7.7	1.	51.	2.7

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.ć.	рН	EC	Sat%	SAR	Overall Rating
AP	0-21	G	G	G	F	G	G	G	F (Topsoil)
BT	23-61	. F	P		P	G	G	G	P (Subsoil)
CK	83-120	F	F ·		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.	:	NO
HARD BEDROCK:		NO
NON-SODIC SOFTROCK:		NO
SODIC SOFTROCK:		NO
GRAVEL:		NO
STONY LAYER:		NO
FACE INSTABILITY:		NO
SOLONETZIC B HORIZON	:	NO
SALINE OR SODIC LOWE	R SUBSOIL:	NO
IMPORTANT TEXTURE CH	ANGE:	NO

NOTES: DEVELOPED ON SANDY CLAY LOAM TEXTURED TILL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT.

SOIL CLASSIFICATION: HUMIC LUVIC GLEYSOL

SCA 18

09/01/93

SOIL SERIES: .

JOSEPHINE

(JOP)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

WATERTABLE/PONDING

PARENT MATERIAL:

FINE SOFTROCK

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-3	10YRm	3/3	DARK BROWN							
AH	3-10	10YRm	2/2	VERY DARK BROWN	WFGR	FR	SICL	9.1	5.6		
AEG	10-13	10YRm	5/3	BROWN	WFPL	FR	SIC	3.18	5.3		
ABG	13-23	10YRm	4/3	BROWN-DARK BROWN	WFSBK	FR	C-HC	1.36	5.2		
BTG	23-53	10YRm	4/2	DARK GRAYISH BROWN	SBK	F	HC	1.1	4.6		
BCG	53-68	5Ym	5/1	GRAY	WFSBK	F	HC	0.86	4.5		
CG	68-120	5Ym	4/1	DARK GRAY	MA	F	HC	0.66	4.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
ΑH	3-10	G	F	G	F				F (Topsoil)
AEG	10-13	G	P	G	P				P (Topsoil)
ABG	13-23	G	P		P				P (Subsoil)
BTG	23-53	F	P		P				P (Subsoil)
3CG	53-68	F	P		P				P (Subsoil)
gG	68-120	F	P		P				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm 5-15	G.M.	
OBVIOUS	cm	
WETNESS,	VERY	THI

	HARI
	NON-
N	SODI
	GRAV
	STON
	FACE
	SOLO
	SALI
	IMPO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THESE SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. THE AEG AND ABG HORIZONS ARE OF POOR QUALITY DUE TO CLAYEY TEXTURE AND SHOULD NOT BE INCLUDED IN THE UPPER LIFT.

09/01/93

SOIL SERIES: JUDAH

(JUH) LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE: MOIST

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code		Cold	or Name		Structure	Consistence	Texture	O.C.	рн	EC	Sat%	SAR
AP	0-25	10YR	3/2	VERY	DARK	GRAYISH	BROWN	MFGR	FR	SICL-L	3.4	6.7	0.5	54.	0.1
BT	25-85	10YR	3/2	VERY	DARK	GRAYISH	BROWN	MMSBK	F	C-HC	1.3	5.4	0.4	81.	0.4
CK	85-130	10YR	3/1		VERY	DARK GR	AY	MA	F	C-HC		7.7	1.8	88.	0.9

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-25	G	F	G	G	G	G	G	F (Topsoil)
BT	25-85	F	P		P	G	P	G	P (Subsoil)
CK	85-130	F	P		F	G	P	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.050	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TO HEAVY CLAY TEXTURED MATERIAL. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS

PRESENT.

09/01/93

SOIL SERIES:

(KTH) KATHLEEN

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Structure Consistence Texture		O.C.	рН	EC	Sat% SA	AR
AP	0-16	10YR	4/3	BROWN-DARK BROWN	SMGR	FR	L-CL	2.3	6.8	0.3	52.	
BT .	23-96	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	C		7.1	0.7	74.	
CK	96-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	C		8.	0.3	84. (0.7

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-16	G	F	G	G	G	G		F (Topsoil)
BT	23-96	F	P		G	G	F		P (Subsoil)
CK	96-120	F ·	· P		F	G	P	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: KATHLEEN SOILS ARE DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON). INSTEAD, THESE SOILS HAVE A LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS.

09/01/93

SOIL SERIES:

KENZIE (KNZ) LANDFORM:

BLANKET, LEVEL,

SOIL ZONE:

DARK GRAY & BLACK

SOIL CLASSIFICATION: TYPIC MESISOL

TYPICAL SLOPES:

DEPRESSIONAL 0-1%

PARENT MATERIAL: ORGANIC SPHAGNUM PEAT

USUAL SOIL MOISTURE:

WATERTABLE / PONDING

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon Depth

Color Code

Color Name

Structure Consistence Texture O.C. pH EC Sat% SAR

0-120 10YR 3/3

DARK BROWN

SOIL QUALITY RATINGS:

Horizon Depth Consistence Texture

O.C.

pН

EC

Sat%

SAR

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

Overall Rating

VES

NO

NO

NO

NO

NO

NO

YES .

0-120

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

WIND EROSION RISK:

WATER EROSION K=:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

0 cm

WETNESS

SODIC SOFTROCK: GRAVEL:

NON-SODIC SOFTROCK:

SEASONALLY HIGH W.T.:

STONY LAYER:

HARD BEDROCK:

FACE INSTABILITY:

SOLONETZIC B HORIZON:

SALINE OR SODIC LOWER SUBSOIL:

IMPORTANT TEXTURE CHANGE:

NO MO

NOTES: DEVELOPED ON DEEP PEAT DEPOSITS. EXPOSED FACES ARE UNSTABLE. IN

CULTIVATED AREAS, KEEP THE PLOW LAYER SEPARATED AND AVOID COMPACTION.

9/01/93

SOIL SERIES:

KENZIE-XC (xcKNZ)

LANDFORM:

VENEER, LEVEL

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION:

TERRIC MESISOL ORGANIC SPHAGNUM USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

PEAT/GLACIOLACUSTRINE

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
M	0-75	10YR	3/3	DARK BROWN			0					
G	75-120	2.5YR	3/4	DARK REDDISH BROWN	MA	F	SiCL					

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
M G	0-75 75-120	F	F						(Peat) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm	SEASONALLY HIGH W.T.:	YES
THICKNESS RANGE:	cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:		NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	YES

OTES: DEVELOPED ON A VENEER OF PEAT OVER SILTY CLAY LOAM TEXTURED MATERIAL. IN CULTIVATED AREAS: SEPARATE THE PLOW LAYER; KEEP THE REMAINING ORGANIC AND MINERAL MATERIAL SEPARATED; AND AVOID COMPACTION TO PREVENT

IMPEDED DRAINAGE.

INTERPRETATION GUIDELINES

SOIL CLASSIFICATION: BLACK SOLOD

SCA 18

09/01/93

SOIL SERIES:

LANDRY

(LAD)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9% TEMPORARY PONDING

PARENT MATERIAL: VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

USUAL SOIL MOISTURE:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color				or Name	Structur	e Consistence	Texture		рН	EC	Sat%	
AP	0-28		3/1			DARK GRAY	MCGR	FR	SICL	6.4	5.8		59.	
BTNJ	28-75	10YR	3/2	VERY	DARK	GRAYISH BROW	VN COL	VF	C		6.7	1.4	81.	2.7
CSK	75-120	10YR	3/2	VERY	DARK	GRAYISH BROW	VN MA	VF	C		7.2	4.4	90.	3.7

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-28	G	F	G	F		G		F (Topsoil)
BTNJ CSK ,	75-120	P P	P		G G	G F	P P	G G	P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25	cm	
20-3	0	cm
NOT	OBVI	OUS
NONE		
LOW		
0.04	0	
LOW		
MODE	RATE	
HIGH		

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE SOLONETZIC B HORIZON HAS AN UNDESIREABLE STRUCTURE AND THE SUBSOIL IS SALINE AND SODIC. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT.

9/01/93

SOIL SERIES:

LANDRY-XT

(xtLAD) LANDFORM: VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

SOIL CLASSIFICATION: BLACK SOLOD

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

MODERATELY

/TILL

TYPICAL SOIL PROFILE:

torizon	on Depth Color Code Color Name		Structure	Consistence	O.C.	рН	EC	Sat%	SAR			
.P	0-28	10YR	3/1	VERY DARK GRAY	MCGR	FR	SICL	6.4	5.8		59.	
TNJ	28-75	10YR	3/2	VERY DARK GRAYISH BROWN	COL	VF	C		6.7	1.4	81.	2.7
SK	75-90	10YR	3/2	VERY DARK GRAYISH BROWN	MA	VF	С		7.2	4.4	90.	3.7
CSK	90-120	10YR	4/4	OLIVE BROWN	MA	F	CL				0.	

SOIL QUALITY RATINGS:

lorizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
.P	0-28	G	F	G	F		G		F (Topsoil)
TNJ	28-75	P	P		G	G	P	G	P (Subsoil)
SK	75-90	P	P		G	F	P	G	P (Subsoil)
CSK	90-120	F	F						F (Subsoil)

TOPSOIL INTERPRETATIONS:

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

25 cm 20-30 cm NONE LOW 0.040 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

OTES: VARIANT OF LANDRY HAVING CLAY LOAM TEXTURED TILL WITHIN 1 M.

09/01/93

(LIH) SOIL SERIES: LEITH SOIL ZONE: DARK GRAY & BLACK

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY COARSE

GLACIOFLUVIAL

TYPICAL SLOPES: USUAL SOIL MOISTURE: SURFACE STONINESS:

LANDFORM:

2-15% DROUGHTY NON

BLANKET

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	pН	EC	Sat% SAR
AP	0-15	10YR	3/2	VERY DARK GREYISH BROWN	WFGR	FR	SL				
BT	15-65	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	SL				
BC	65-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	SL				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G						G (Topsoil)
BT	15-65	G	G						G (Subsoil)
BC	65-110	F	G						F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	HIGH
WATER EROSION K=:	0.040
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: LEITH SOILS ARE DEVELOPED ON SANDY LOAM TEXTURED MATERIAL AND EXPOSED FACES ARE UNSTABLE. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZONS) ARE THIN OVER A LEACHED HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS.

NTERPRETATION GUIDELINES

SCA 18

NO NO NO NO NO YES

NO NO

/01/93

SOIL SERIES:

LEITH-ER

(erLIH)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-15%

SOIL CLASSIFICATION

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

MODERATELY COARSE

SURFACE STONINESS:

NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

GLACIOFLUVIAL

PICAL SOIL PROFILE:

cizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
	0-7	10YR	3/2	VERY DARK GREYISH BROWN	SFGR	FR	SL				
	7-57	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	SL				
	57-110	2.5Y	5/4	LIGHT OLIVE BROWN	SGR	L	SL				

IL QUALITY RATINGS:

riz

zon	Depth	Consistence	Texture	0.C.	pН	EC	Sat%	SAR	Overall Rating
	0-7 7-57 57-110	G G F	G G G						G (Topsoil) G (Subsoil) F (Subsoil)
	57-110	F	G						F (Subs

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	7 cm	SEASONALLY HIGH W.T.:
THICKNESS RANGE:	5-10 cm	HARD BEDROCK:
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:
STRIPPING LIMITATIONS:	VERY THIN	SODIC SOFTROCK:
WIND EROSION RISK:	HIGH	GRAVEL:
WATER EROSION K=:	0.040	STONY LAYER:
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:
•		IMPORTANT TEXTURE CHANGE:

TES: VARIANT OF LEITH WITH ERODED TOPSOIL. THE POTENTIAL FOR FURTHER EROSION BY WIND AND WATER SHOULD BE A CONCERN.

09/01/93

SOIL SERIES: SOIL ZONE:

MURDALE-AA (aaMUD)

DARK GRAY & BLACK

SOIL CLASSIFICATION: DARK GRAY LUVISOL FINE TILL

LANDFORM:

TYPICAL SLOPES:

9-15%

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

SLIGHTLY

BLANKET

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon	Depth	Color Cod	e Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
AHE	0-7	10YRm 4/	DARK GRAYISH BROWN	WFGR	FR	SL	4.54	6.4		
AE	7-17	10YRm 7/	VERY PALE BROWN	PL	FR	SIL	0.55	5.3		
AB	17-27	10YRm 5/	BROWN	WFSBK	F	SIL	0.6	5.		
BT	27-52	10YRm 4/	DARK BROWN	WMCOL	VF	С	0.6	6.5		
BC	52-67	10YRm 3/	VERY DARK GRAYISH BROWN	SBK	F	SIC		7.4		
CSK	67-120	2.5Ym 3/	VERY DARK GRAYISH BROWN	MA	F	SICL		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHE	0-7	. G	G	G	F				F (Topsoil)
AE	7-17	G	G	P	P				P (Topsoil)
AB	17-27	F	G		P				P (Topsoil)
BT	27-52	P	P		G				P (Subsoil)
BC	52-67	F	P		G				P (Subsoil)
CSK	67-120	F	F		G				F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

20 cm 15-25	~
OBVIOUS	CI
NONE	
LOW	
0.046	
LOW	
HIGH	
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 17. THESE SOILS ARE DEVELOPED ON SILTY CLAY LOAM TO CLAY TEXTURED MATERIAL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZONS) ARE VERY THIN OR ABSENT. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS. THE AB HORIZON IS OF FAIR QUALITY AND SHOULD BE INCLUDED IN THE UPPER LIFT.

01/93

SOIL SERIES:

NAMPA

(NMA)

LANDFORM:

BLANKET 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED SOLONETZIC GRAY

LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL: VERY FINE GLACIOLACUSTRINE

PICAL SOIL PROFILE:

izon	Depth Color Code Color Name		Structure	Structure Consistence Texture C			0.C. pH		Sat%	SAR		
	0-12	10YR	4/2	DARK GRAYISH BROWN	MMGR	FR-F	SICL	3.9	7.3	0.6	58.	0.2
JGJ	12-50	10YR	3/1	VERY DARK GRAY	SCSBK	F-VF	С		8.1	0.6	93.	1.3
J	50-90	10YR	3/1	VERY DARK GRAY	MA	F	С		8.	3.5	97.	1.4
GJ	90-120	10YR	3/1	VERY DARK GRAY	MA	F	С		7.8	5.3	88.	1.4

L QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
	0-12	P	F	G	G	G	G	G	P (Topsoil)	
JGJ	12-50	P	P		F	G	P	G	P (Subsoil)	
J	50-90	F	P		F	F	P	G	P (Subsoil)	
GJ	90-120	F	P		F	P	P	G	P (Subsoil)	

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm	
5-15 cm	
NOT OBVIOUS	
VERY THIN	
LOW	
0.066	
MODEDATE	

HIGH HIGH

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

ES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES WHILE THE LOWER SUBSOIL IS WEAKLY TO MODERATELY SALINE AND SOMETIMES SODIC. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

INTERPRETATION GUIDELINES

SCA 18

09/01/93

SOIL SERIES:

NOTIKEWIN (NKW)

LANDFORM:

BLANKET

0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: TEMPORARY PONDING

SOIL CLASSIFICATION: DARK GRAY SOLODIZED

SOLONETZ

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Coo	e Color Name	Structure	Consistence	Texture	o.c.	pH l	EC Sat% SAR
АН	0-10	10YRm 3,	2 VERY DARK GRAYISH BROWN	GR	FR	SICL	4.86	5.5	
AE	10-13	10YRm 6	2 LIGHT BROWNISH GRAY	PL	FR	SIL	1.42	5.9	
BNT1	13-23	10YRm 4/	2 DARK GRAYISH BROWN	COL	VF	С	1.49	6.4	
BNT2	23-43	10YRm 3/	2 VERY DARK GRAYISH BROWN	WCCOL	VF	HC	1.13	7.6	
CCASA	43-120	10YRm 3/	1 VERY DARK GRAY	MA	F	HC		7.7	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AH AE BNT1 BNT2 CCASA	0-10 10-13 13-23 23-43 43-120	G G P P	F G P P	G F	F F F F				F (Topsoil) F (Topsoil) P (Subsoil) P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

10 cm 10-15 c OBVIOUS THIN LOW 0.040 LOW MODERATE	en
MODERATE HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL	: YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE SOLONETZIC B HORIZON HAS AN UNDESIREABLE STRUCTURE AND THE LOWER SUBSOIL IS SALINE AND SODIC.

01/93

SOIL SERIES:

PEACE RIVER (PRV)

LANDFORM:

BLANKET 1-9%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

TEMPORARY PONDING

(SOLONETZIC)

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL USUAL SOIL MOISTURE:

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

ICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure C	onsistence	Texture	O.C. pH EC	Sat% SAR
	0-10	10YRm	3/2	VERY DARK GRAYISH BROWN	GR	FR	SICL	6.5	
	10-18	10YRm	7/2	LIGHT GRAY	PL	FR	SIL	5.8	
	18-25	10YRm	4/2	DARK GRAYISH BROWN	SBK	F	SIC	5.4	
Ţ	25-38	10YRm	3/2	VERY DARK GRAYISH BROWN	WCCOL	VF	SIC	5.6	
	38-48	10YRm	4/1	DARK GRAY	SBK	F	HC	6.9	
	48-95	10YRm	4/1	DARK GRAY	MA	F	HC	7.6	
	95-120	10YRm	4/1	DARK GRAY	MA	F	SIC	7.6	

L QUALITY RATINGS:

zon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Ove	rall Rating
	0-10	G	F		G				F	(Topsoil)
	10-18	G	G		F				F	(Topsoil)
	18-25	F	P		P				P	(Subsoil)
	25-38	P	P		F				P	(Subsoil)
	38-48	F	P		G				P	(Subsoil)
	48-95	F	P		F				P	(Subsoil)
	95-120	F	P		F				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm
10-20 cm
NOT OBVIOUS
NONE
LOW
0.050
MODERATE
HIGH
HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

ES: THESE SOILS ARE DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES WHILE THE LOWER SUBSOIL MAY BE SALINE AND SODIC. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) OVERLIES AN AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THESE THREE HORIZONS. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES:

PEORIA

(PER)

LANDFORM:

VENEER

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION: ELUVIATED BLACK

CHERNOZEMIC

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL/

GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-20	10YR	3/2	VERY DARK GRAYISH BROWN	WFGR	VFR	SL	3.3	6.2	0.	41.	0.
BM	25-50	10YR	5/4	YELLOWISH BROWN	SGR	VFR	SL		5.7	0.3	31.	2.3
2BC	80-100	10YR	4/2	DARK GRAYISH BROWN	MFSBK	F	CL		6.6	0.5	52.	3.9
2CK	100-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	CL-C		7.3	1.	53.	3.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-20	G	G	G	F	G	G	G	F (Topsoil)
BM	25-50	G	G		F	G	G	G	F (Subsoil)
2BC	80-100	F	F		G	G	G	G	F (Subsoil)
2CK	100-120	F	P		G	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

20 cm	
15-25	cm
OBVIOUS	
NONE	
LOW	
0.036	
LOW	
MODERATE	2
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON A VENEER OF LOAM TO SILT LOAM TEXTURED MATERIAL OVER CLAY TEXTURED DEPOSITS.

INTERPRETATION GUIDELINES

SCA 18

9/01/93

SOIL SERIES:

RYCROFT

(RYF)

LANDFORM:

BLANKET 1-9%

SOIL ZONE:

SOIL CLASSIFICATION: SOLONETZIC BLACK

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

TEMPORARY PONDING

CHERNOZEMIC

SURFACE STONINESS:

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
.P	0-25	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR	L	4.	5.8	1.3		
TNJK	25-60	10YR	4/2	DARK GRAYISH BROWN	COL	F-VF	С		7.5	4.8		3.5
SK	60-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	C		7.9	3.4		3.9

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
P	0-25	G	G	G	F	G			F (Topsoil)
TNJK	25-60	Р .	P		G	F		G	P (Subsoil)
SK	60-120	F	P		F	F		G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: LOW
RISK ON 5-9% SLOPE: MODERATE
RISK ON 9-15% SLOPE: HIGH

15 cm 10-25 cm NONE

0.040

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

DEVELOPED ON CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC OTES: TENDENCIES WHILE THE LOWER SUBSOIL MAY BE SALINE AND SODIC. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

09/01/93

SOIL SERIES:

SADDLE

(SAD)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

2-9%

PARENT MATERIAL: MODERATELY FINE TILL

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC SURFACE STONINESS: MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR		VERY DARK GRAYISH BROWN	MMGR	FR	SIL-L		5.3	1.3	46.	0.1
BT	20-35	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL		5.	0.3	55.	0.4
CK	60-100	2.5Y	4/4	OLIVE BROWN	MA	F	CL		4.9	0.4	62.	0.5

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	G	G		P	G	G	G	P (Topsoil)
BT	20-35	F	F		P	G	G	G	P (Subsoil)
CK	60-100	F	F		P	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	MODERATE
RISK ON 5-9% SLOPE:	HIGH
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZONS) OCCUR OVER AN AE HORIZON. IN CULTIVATED AREAS, THESE HORIZONS ARE MIXED AND FORM THE AP LAYER.

01/93

SOIL SERIES:

SEXSMITH

(SXH)

LANDFORM:

BLANKET

SOIL ZONE:

DARK GRAY & BLACK

CHERNOZEMIC

TYPICAL SLOPES:

6-15%

SOIL CLASSIFICATION: ELUVIATED BLACK

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS:

MODERATELY

PARENT MATERIAL:

MODERATELY FINE TILL

PICAL SOIL PROFILE:

izon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
	0-20	10YR	4/2	DARK GRAYISH BROWN	MFGR	FR	L					
	20-25	10YR	5/3	BROWN	MMPL	FR	SIL					
	25-70	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL					
	70-100	10YR	4/3	BROWN	MA	F	L					

IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	рН	EC	Sat% ·	SAR	Overall Rating
	0-20 20-25 25-70 70-100	G G F F	G G F G						G (Topsoil) F (Topsoil) F (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm
THICKNESS RANGE:	15-25 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.026
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

ES: DEVELOPED ON CLAY LOAM TEXTURED TILL. TOPSOIL IS EASILY DISTINGUISHED FROM SUBSOIL BY THE PRESENCE OF AN AE HORIZON.

NO

09/01/93

SOIL SERIES:

SNIPE-AA (aaSNP) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL

VERY FINE GLACIOLACUSTRINE SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AEG	0-15	10YR	5/2	GRAYISH BROWN	MMPL	FR	FSL-SIL	0.9	5.4	0.2	48.	1.1
BTG	15-60	10YR	3/3	DARK BROWN	MMSBK	F	С		5.2	0.2	49.	0.3
CKG	80-130	10YR	3/3	DARK BROWN	MA	F	С		7.4	0.6	69.	1.1

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
AEG	0-15	G	G	P	P	G	G	G	P (Topsoil)
BTG	15-60	F	P		P	G	G	G	P (Subsoil)
CKG	80-130	F	P		G	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	15 cm	
THICKNESS RANGE:		
COLOR CHANGE TO SUBSOIL:	OBVIOUS	
STRIPPING LIMITATIONS:	WETNESS	
WIND EROSION RISK:		
WATER EROSION K=:	-	
RISK ON <5% SLOPE:	_	

		SEASONALLY HIGH W.T.:		ALL
	cm	HARD BEDROCK:		NO
5		NON-SODIC SOFTROCK:		NO
		SODIC SOFTROCK:		NO
		GRAVEL:		NO
		STONY LAYER:		NO
		FACE INSTABILITY:		YES
		SOLONETZIC B HORIZON:		NO
		SALINE OR SODIC LOWER	SUBSOIL:	NO

IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HOME SCA IS 17. SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS OCCASIONALLY ABSENT AND THESE SOILS MAY HAVE AND AE HORIZON INSTEAD.

09/01/93

SOIL SERIES:

SNIPE-AAPT (aaptSN) LANDFORM:

LEVEL

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

0-2% WATERTABLE/PONDING

(PEATY)

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

SOIL CLASSIFICATION:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
ом .	0-20		/				0					
AEG	20-35	10YR	5/2	GRAYISH BROWN	MMPL	FR	FSL-SIL	0.9	5.4	0.2	48.	1.1
BTG	35-80	10YR	3/3	DARK BROWN	MMSBK	F	C		5.2	0.2	49.	0.3
CKG	80-130	10YR	3/3	DARK BROWN	MA	F	C		7.4	0.6	69.	1.1

SOIL QUALITY RATINGS:

Morizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating	
OM	0-20								(Peat)	
ÆG	20-35	G	G	P	P	G	G	G	P (Topsoil)	
STG	35-80	F	P		P	G	G	G	P (Subsoil)	
:KG	80-130	F	Р		G	G	F	G	P (Subsoil)	

cm

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	35 cm
THICKNESS RANGE:	30-65
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	_

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

OTES: HOME SCA IS 17. VARIANT OF SNIPE HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS USUALLY LITTLE OR NO TOPSOIL (AH OR AHE HORIZON) UNDERLYING THE PEAT. INSTEAD, THERE IS A GRAYISH BROWN, PLATY AEG HORIZON ABOUT 15 CM THICK.

09/01/93

SOIL SERIES: SOIL ZONE: SPIRIT RIVER (SRV) DARK GRAY & BLACK

SOIL CLASSIFICATION: ORTHIC BLACK CHERNOZEMIC
PARENT MATERIAL: MEDIUM FLUVIAL

LANDFORM:

TYPICAL SLOPES:

BLANKET 0-2%

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure C	onsistence	Texture	o.c.	рН	EC	Sat% SAR
AH BTJ	0-15 15-60	10YRm 3/1 10YRm 3/3	VERY DARK GRAY DARK BROWN	WFSBK SBK	FR F	SICL		6.6 5.6		
BM	60-85	10YRm 4/2	DARK GRAYISH BROWN	SBK	F	SIC		5.7		
С	85-120	10YRm 4/3	DARK BROWN	MA	F	SIC		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
AH BTJ BM C	0-15 15-60 60-85 85-120	G F F	F P P		G F F F				F (Topsoil) P (Subsoil) P (Subsoil) P (Subsoil)

cm

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 c
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.032
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TO SILTY CLAY TEXTURED DEPOSITS.

9/01/93

SOIL SERIES: (TAG) TANGENT LANDFORM: BLANKET SOIL ZONE: DARK GRAY & BLACK TYPICAL SLOPES: 1-15% SOIL CLASSIFICATION: DARK GRAY LUVISOL USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MEDIUM GLACIOFLUVIAL SURFACE STONINESS: NON

YPICAL SOIL PROFILE:

orizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
HE	0-10	10YRm	4/2	DARK GRAYISH BROWN	WFGR	FR	SIL	6.35	5.6		
Ξ	10-15	10YRm	7/4	VERY PALE BROWN	WFPL	FR	SIL	0.65	6.		
3	15-25	10YRm	6/4	LIGHT YELLOWISH BROWN	WFSBK	F	SIL	0.58	6.4		
r	25-37	2.5Ym	5/4	LIGHT OLIVE BROWN	SMSBK	F	SIL-L	0.56	6.7		
C	37-45	2.5Ym	4/4	OLIVE BROWN	WFSBK	F	SIL-L	0.56	7.5		
CA	45-120	10YRm	5/4	YELLOWISH BROWN	WFSBK	FR	SIL-L	0.67	8.		

OIL QUALITY RATINGS:

or --

rizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	0ve	rall Rating
E	0-10	G	G	G	F				F	(Topsoil)
	10-15	G	G	P	F				P	(Topsoil)
	15-25	F	G		F				F	(Topsoil)
	25-37	F	G		G				F	(Subsoil)
	37-45	F	G		G				F	(Subsoil)
A	45-120	G	G		F				G	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.055	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

OTES: THESE SOILS ARE DEVELOPED ON SILT LOAM TEXTURED MATERIAL. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZONS) MAY BE THIN AND OVERLIE AN AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THESE SURFACE HORIZONS.

09/01/93

SOIL SERIES:

VALLEYVIEW (VVW)

LANDFORM:

UNDULATING

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

TEMPORARY PONDING

SOIL CLASSIFICATION: DARK GRAY SOLODIZED SOLONETZ

SURFACE STONINESS:

2-9%

PARENT MATERIAL:

FINE SOFTROCK

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name		Consistence		-	EC	Sat%	
AP	0-13		2/2	VERY DARK BROWN	MFGR	FR	L	6.3			
BNT	21-60	10YR	3/2	VERY DARK GRAYISH BROWN	COL	VF	C	5.1	0.3	64.	7.2
CSK	70-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	SICL	7.6	6.7	74.	6.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP	0-13	G	G	G	F	G	F	G	F (Topsoil)
BNT	21-60	P	P		P	G	F	F	P (Subsoil)
CSK	70-120	F	F		F	P	F	F	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 cm NOT OBVIOUS NONE LOW 0.043 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: SPR HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: YES GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: DEVELOPED ON CLAY LOAM TO CLAY TEXTURED BEDROCK. THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE AND THE LOWER SUBSOIL IS SALINE AND SODIC. SEPARATION OF TOPSOIL FROM SUBSOIL BY COLOR IS DIFFICULT.

ALL

NO

NO

NO

NO

NO

NO

YES

01/93

SOIL SERIES:

MANHAM

(WHM) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL MEDIUM GLACIOFLUVIAL

SURFACE STONINESS:

PICAL SOIL PROFILE:

rizon	Depth	Color	Code	Color Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
	0-10	10YR	2/1	В	LACK				11.				
;	10-25	10YR	4/1	DAR	K GRAY	MMPL	FR	SIL	0.5				
,	25-60	10YR	5/1		BRAY	MMSBK	F	SICL		7.5	0.3	46.	0.3
.G	60-120	10YR	6/1	LIGHT	GRAY-GRAY	STRAT	F	SICL		7.9	0.4	42.	0.3

IL QUALITY RATINGS:

izon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
	0-10								
	10-25	G	G	P					P (Topsoil)
	25-60	F	F		G	G	G	G	F (Subsoil)
.G	60-120	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL:

STRIPPING LIMITATIONS:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

WIND EROSION RISK:

WATER EROSION K=:

THICKNESS RANGE:

15	cm	
10-	20	cm
NOT	OBV	IOUS
WETI	VESS	

GRAVEL: STONY LAYER:

HARD BEDROCK:

SODIC SOFTROCK:

FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

PES: DEVELOPED ON SILTY CLAY LOAM TEXTURED MATERIAL. SOILS ARE WET ALL YEAR THEREFORE VERTICALL FACES ARE UNSTABLE.

IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

09/01/93

SOIL SERIES:

WANHAM-PT (ptWHM)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

DARK GRAY & BLACK

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL

(PEATY)

SURFACE STONINESS:

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	pН	EC	Sat%	SAR
OM	0-20		/				0	11.				
AEG	20-35	10YR	4/1	DARK GRAY	MMPL	FR	SIL	0.5				
BTG	35-70	10YR	5/1	GRAY	MMSBK	F	SICL		7.5	0.3	46.	0.3
CCAG	70-120	10YR	6/1	LIGHT GRAY-GRAY	STRAT	F	SICL		7.9	0.4	42.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating		
ом	0-20								(Peat)		
AEG	20-35	G	G	P					P (Topsoil)		
BTG	35-70	F	F		G	G	G	G	F (Subsoil)		
CCAG	70-120	F	F		F	G	G	G	F (Subsoil)		

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	35 cm
THICKNESS RANGE:	30-65 cm (PEAT &
	AEG HORIZON)
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS

STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF WANHAM THAT HAS A PEATY SURFACE 15 TO 50 CM THICK. THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON) UNDERLYING THE PEAT. INSTEAD, THERE IS A PEATY AEH HORIZON ABOUT 15 CM THICK.

1/93

zor

20

SOIL SERIES: WHITELAW (WHW) LANDFORM: BLANKET DARK GRAY & BLACK TYPICAL SLOPES: 1-15% SOIL ZONE: SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC MODERATELY FINE TILL SURFACE STONINESS: MODERATELY PARENT MATERIAL:

CAL SOIL PROFILE:


n	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SA	3
	0-5	10YRm	2/2	VERY DARK BROWN					6.			
	5-8	10YRm	4/1	DARK GRAY	WFGR	L	SIL	8.84	5.8			
	8-20	10YRm	6/3	PALE BROWN	PL	FR	SIL	0.67	5.6			
	20-40	10YRm	4/3	BROWN	SBK	F	CL	0.55	4.6			
	40-65	10YRm	3/3	DARK BROWN	SBK	F	SICL-CL	0.68	4.3			
	65-77	10YRm	4/2	DARK GRAYISH BROWN	SBK	F	CL	0.59	4.4			
	77-120	10YRm	4/2	DARK GRAYISH BROWN	STRAT	F	CL	0.71	4.6			

QUALITY RATINGS:

on	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
	0-5 5-8 8-20	F G	G G	G P	F F				F (Topsoil) P (Topsoil)
	20-40	F	F		P				P (Subsoil)
	40-65	F	F		U				U (Subsoil)
	65-77	F	F		U				U (Subsoil)
	77-120	F	F		P				P (Subsoil)

COPSOIL INTERPRETATIONS:		SUBSOIL (TO 1.5 M) INTERPRETATION	NS:
TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	5-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN	SODIC SOFTROCK:	NO
VIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.055	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO

S: WHITELAW SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE A LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF ALL THE SURFACE HORIZONS.



2.19 Soils of Soil Correlation Area #19

General Description of the Area

The area is confined to the Birch Mountains, Buffalo Head Hills and the Cristina Upland.

Ecoregion/Climate

- High Boreal Mixedwood Ecoregion of northern Alberta.
- Agroclimate is 4H and 5H (severe to very severe heat limitation).
- Growing season P-PE= approximately 0 mm.
- Temperatures are slightly colder and precipitation is slightly higher than the Mid Boreal Mixedwood ecoregion, and as a result, snow cover persists a little longer.

Soil and Landscapes

- Soils are generally Luvisolic while Organic Crysolics are also present.
- Landforms are composed of undulating to hummocky moraine (till), often over bedrock.
 Colluvium material over bedrock often occurs on steep slopes at the base of prominent uplands.

Soil Reclamation Issues

- The risk of soil erosion by water is high on slopes that are steep or long.
- The risk of soil erosion by wind is low.
- Surface disturbance of Organic Cryosols, causing a loss of insulating cover, will result in flooding as permafrost melts.



9/01/93

SOIL SERIES:

MIKKWA

(MKW) LANDFORM: BLANKET, LEVEL,

SOIL ZONE:

GRAY

TYPICAL SLOPES:

DEPRESSIONAL 0-1%

SOIL CLASSIFICATION: MESIC ORGANIC CRYOSOL

ORGANIC SPHAGNUM PEAT

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SURFACE STONINESS:

NON

YPICAL SOIL PROFILE:

PARENT MATERIAL:

orizon	Depth	Color	Code	Color Name	Structure Co	onsistence	Texture	o.c.	рН	EC	Sat% SA	AR
F1	0-20	10YR	6/4	LIGHT YELLOWISH BROWN			0		3.6	0.2		
F2	20-40	10YR	5/4	YELLWISH BROWN			0		3.8	0.1		
М	40-60	7.5YR	3/0	VERY DARK GRAY			0		4.3	0.1		

OIL QUALITY RATINGS:

orizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
F1	0-20								
F2	20-40								
M	40-60								

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:		NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	-	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

OTES: OCCURING ON FROZEN, SPHAGNUM PEAT, COMPACTION OF THE INSULATING SURFACE PEAT WILL CAUSE THE PERMAFROST TO MELT.



2.20 Soil Correlation Area #20

General Description of the Area

 Occurs east, from Lesser Slave Lake to the Saskatchewan border, and north to the North West Territories, excluding the upland regions.

Ecoregion/Climate


- Mid Boreal Mixedwood ecoregion of the Northern Alberta Plains.
- Agroclimate 3H and 4H (moderate to severe heat limitation).
- Precipitation is similar to the Low Boreal Mixedwood ecoregion, but temperatures are slightly colder and therefore snow cover persists slightly longer in the spring.
- Growing season P-PE= -150 to -200 mm.

Soil and Landscapes

- Mineral landscapes are composed largely of moraine in the southern areas and glaciolacustrine deposits towards the north. Organic terrain occupies extensive poorly drained areas.
- Luvisolic and Brunisolic soils are important on mineral terrain while poorly drained areas have Organic and Gleysolic soils.
- Profile development is generally 70 cm deep.

Soil Reclamation Issues

- The risk of soil erosion by water is generally low unless slopes are steep.
- The risk of soil erosion by wind is low except on sandy soils.



09/01/93

SOIL SERIES:

ALGAR

(ALG)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION:

REGO GLEYSOL (PEATY)

40 cm

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

MOM

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	На	EC	Sat%	SAR
ОМ	0-40	10YR	2/1	BLACK			0		7.1	0.8	190.	0.2
CKG1	40-80	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	C		7.5	0.7	45.	0.2
CKG2	80-130	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.8	0.4	55.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
OM CKG1 CKG2	0-40 40-80 80-130	G G	P P		F F	G G	G G	G G	(Peat) P (Subsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: 15-50 cm COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WETNESS WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

DEVELOPED ON CLAY TEXTURED MATERIAL. SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. THESE SOILS HAVE 15 TO 50 CM OF SURFACE PEAT. ALGAR SOILS HAVE NO MINERAL TOPSOIL OR B HORIZON.

09/01/93

SOIL SERIES:

ALGAR-XT (xtALG) LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO GLEYSOL (PEATY)

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

0-2%

TYPICAL SOIL PROFILE:

Horizon	Depth			Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
0M	0-40	10YR	2/1	BLACK			0		7.1	0.8	190.	0.2
CKG	40-80	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	С		7.5	0.7	45.	0.2
2CKG	80-130	10YR	5/1	GRAY	MA	F	CL					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
0M CKG 2CKG	0-40 40-80 80-130	G G	P F		F	G	G	G .	(Peat) P (Subsoil) F (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	40 cm	
THICKNESS RANGE:	15-50	cm
COLOR CHANGE TO SUBSOIL:		
STRIPPING LIMITATIONS:	WETNESS	
WIND EROSION RISK:		
WATER EROSION K=:	-	
RISK ON <5% SLOPE:	-	
RISK ON 5-9% SLOPE:	-	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ALGAR HAVING MODERATELY FINE TEXTURED TILL WITHIN 1 M OF THE SURFACE.

BITUMOUNT

INTERPRETATION GUIDELINES

SCA 20

09/01/93

SOIL SERIES:

BITUMOUNT

(BMT) LANDFORM: LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: REGO GLEYSOL (PEATY)

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

VERY COARSE GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	pН	EC	Sat% SAR
DM	0-15	10YR	2/2	VERY DARK BROWN		-	0				
CG1	15-59	10YR	5/2	GRAYISH BROWN	WFSBK	L	LS		4.9	0.1	
CG2	59-120	10YR	5/2	GRAYISH BROWN	WFSBK	L	LS		5.	0.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overa	ll Rating
DM	0-15								(Peat)
CG1	15-59	F	P		F	G			P (Subsoil)
CG2	59-120	F	P		F	G			Р (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

15 cm PEAT 15-50 cm PEAT

THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

WETNESS

SODIC SOFTROCK: **GRAVEL:** STONY LAYER:

HARD BEDROCK:

FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

SEASONALLY HIGH W.T.:

NON-SODIC SOFTROCK:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO NO NO NO YES NO

ALL

NO

NO

NO

NOTES:

DEVELOPED ON LOAMY SAND TEXTURED MATERIAL. THESE SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. THE SURFACE IS COVERED BY A

PEATY LAYER 15 TO 50 CM THICK. BITUMOUNT SOILS HAVE NO MINERAL TOPSOIL OR B HORIZON.

09/01/93

SOIL SERIES: DOVER (DOV) LANDFORM: LEVEL SOIL ZONE: GRAY TYPICAL SLOPES: 1-2% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MOIST PARENT MATERIAL: FINE GLACIOLACUSTRINE SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure C	onsistence	Texture	o.c.	рН	EC Sa	t% SAR
AE	0-10	10YR 5/2	GRAYISH BROWN	WMPL	FR	L		6.		
BT	20-40	7.5YR 4/4	BROWN-DARK BROWN	SMSBK	F	С		4.7		
BC	50-75	7.5YR 4/4	BROWN-DARK BROWN	MA	F	С		4.7		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-10	G	G		G				G (Upper L)
BT	20-40	G	P		F				P (Subsoil)
BC	50-75	G	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	5-15 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	VERY THIN	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED, WATER-LAID DEPOSITS. TOPSOIL IS ABSENT. INSTEAD, THESE SOILS HAVE A THIN LF HORIZON OVERLYING AN AE HORIZON.

INTERPRETATION GUIDELINES

SCA 20

09/01/93

SOIL SERIES:

DOVER-XT

(xtDOV)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-2%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MOIST

PARENT MATERIAL: FINE GLACIOLACUSTRINE/TILL SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (Consistence	Texture	o.c.	рH	EC Sat% SA	R
 АЕ	0-8	10YR	6/2	LIGHT BROWNISH GRAY	MMPL	FR	SL		6.		
BT	15-40	7.5YR	5/4	BROWN	SMSBK	F	C		4.8		
BC .	40-75	5YR	5/3	REDDISH BROWN	MA	F	C		5.		
2BC	75-90	10YR	4/2	DARK GRAYISH BROWN	MA	F	C		7.5	0.3	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
AE	0-8	G	G		 G				G (Upper L)
BT	15-40	G	P		F				P (Subsoil)
вс	40-75	G	P		F				P (Subsoil)
2BC	75-90	G	P		F	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	10 cm 5-15 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	VERY THIN
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF DOVER HAVING TILL WITHIN 1 M.

09/01/93

SOIL SERIES:

ELLS RIVER

(ELS) LANDFORM:

LEVEL 0-1%

SOIL ZONE:

GRAY

SOIL CLASSIFICATION: REGO GLEYSOL (PEATY)

TYPICAL SLOPES:

PARENT MATERIAL:

FINE TILL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name		Consistence		~	Sat% SAR
OF CG	0-25 25-120	10YR 10YR	2/2	VERY DARK BROWN BROWN-DARK BROWN	MA	- F	_		

SOIL QUALITY RATINGS:

OF 0-25	Horizon	Depth	Consistence	Texture	0.C.	рН 	EC	Sat%	SAR	Overall Rating
CG 25-120 G F	OF	0-25 25-120	G	F						(Peat) F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	25 cm PEAT 15-50 cm PEAT WETNESS - - - -	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	ALL NO NO NO NO NO YES NO NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY LOAM TEXTURED TILL. THESE SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES UNSTABLE. THE SURFACE IS COVERED BY A PEATY LAYER 15 TO 50 CM THICK. THESE SOILS HAVE NO MINERAL TOPSOIL OR B HORIZON.

09/01/93

SOIL SERIES: FIREBAG
SOIL ZONE: GRAY

ELUVIATED DYSTRIC BRUNISOL

VERY COARSE GLACIOFLUVIAL

TYP ISOL USU

TYPICAL SLOPES: 6-30%
USUAL SOIL MOISTURE: DROUGHTY

TERRACED

SURFACE STONINESS: NON

LANDFORM:

TYPICAL SOIL PROFILE:

SOIL CLASSIFICATION:

PARENT MATERIAL:

Horizon	Depth	Color	Code	Color Name	Structure (Consistence	Texture	O.C.	рН	EC	Sat% SAR
LF	0-4		/						5.2	0.7	
AE	4-9	10YR	6/2	LIGHT BROWNISH GRAY	WFPL	VFR	SL		5.1	0.1	
BM	9-44	10YR	5/4	YELLOWISH BROWN	WMPL	FR	L		5.	0.2	
BC	44-79	10YR	5/2	GRAYISH BROWN	SGR	FR	LS		5.7	0.2	
С	79-204	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	SL		5.4	0.1	

(FIR)

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
LF	0-4								
AE	4-9	G	G		G	G			G (Upper L)
BM	9-44	G	G		F	G			F (Subsoil)
BC	44-79	G	P		G	G			P (Subsoil)
С	79-204	G	G		G	G			G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm 5-15 cm OBVIOUS VERY THIN LOW 0.040 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SANDY LOAM TO LOAMY SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE AN LF HORIZON OVERLYING AN AE HORIZON.

09/01/93

SOIL SERIES:

FIREBAG-GL

(glFIR)

LANDFORM:

TERRACED

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION:

GLEYED ELUVIATED DYSTRIC

USUAL SOIL MOISTURE:

TEMPORARY PONDING

BRUNISOL

SURFACE STONINESS:

NON

PARENT MATERIAL:

VERY COARSE GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

LF 0-4 / 5.2 0.7 AEGJ 4-9 10YR 6/2 LIGHT BROWNISH GRAY WFPL VFR SL 5.1 0.1 BMGJ 9-44 10YR 5/4 YELLOWISH BROWN WMPL FR L 5. 0.2 BCGJ 44-79 10YR 5/2 GRAYISH BROWN SGR FR LS 5.7 0.2	Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
BMGJ 9-44 10YR 5/4 YELLOWISH BROWN WMPL FR L 5. 0.2 BCGJ 44-79 10YR 5/2 GRAYISH BROWN SGR FR LS 5.7 0.2				/								
	BCGJ CGJ	44-79 79-204	10YR 10YR	5/2 6/2	GRAYISH BROWN LIGHT BROWNISH GRAY	SGR MA	FR F	LS SL		5.7	0.2	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
LF	0-4								
AEGJ	4-9	G ,	G		G	G			G (Upper L)
BMGJ	9-44	G	G		F	G			F (Subsoil)
BCGJ	44-79	G	P		G	G			P (Subsoil)
CGJ	79-204	G	G		G	G			G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10	cm	
5-15	5	cm
OBVI	OUS	
VERY	TH	IN
LOW		
0.04	10	
LOW		
MODE	CRAT	E
HIGH	I	

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF FIREBAG THAT IS IMPERFECTLY DRAINED AND EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS GENERALLY OCCUR IN LOWER LANDSCAPE POSITIONS.

09/01/93

SOIL SERIES:

FIREBAG-ST

(stFIR)

LANDFORM:

TERRACED

SOIL ZONE:

GRAY

TYPICAL SLOPES:

6-30%

SOIL CLASSIFICATION: ELUVIATED DYSTRIC BRUNISOL PARENT MATERIAL:

STONY, VERY COARSE

SURFACE STONINESS:

USUAL SOIL MOISTURE: DROUGHTY EXCEEDINGLY

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
LF	0-4		/						5.2	0.7	
AE	4-9	10YR	6/2	LIGHT BROWNISH GRAY	WFPL	VFR	STSL		5.1	0.1	
BM	9-44	10YR	5/4	YELLOWISH BROWN	WMPL	FR	STL		5.1	0.2	
BC	44-79	10YR	5/2	GRAYISH BROWN	SGR	FR	STLS		5.7	0.2	
С	79-204	10YR	6/2	LIGHT BROWNISH GRAY	MA	F	STSL		5.4	0.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LF	0-4								
AE	4-9	G	P		G	G			P (Upper L)
BM	9-44	G	P		G	G			P (Subsoil)
BC	44-79	G	P		G	G			P (Subsoil)
С	79-204	G	P		G	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 5-15 cm OBVIOUS

VERY THIN, STONY LOW

0.040 LOW

MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF FIREBAG THAT IS STONY.

YES

09/01/93

SOIL SERIES:

FORT

(FRT)

LANDFORM:

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL
MEDIUM GLACIOFLUVIAL/ VERY

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

COARSE GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
LF	0-3	10YR	2/1	BLACK					5.9	0.7		
AE	3-18	10YR	5/3	BROWN	WFPL	VFR	SL		6.7	0.1		
BT	18-53	10YR	4/4	DARK YELLOWISH BROWN	MFSBK	F	SCL		8.1	2.1	34.	0.3
BC	53-103	10YR	6/3	PALE BROWN	SGR	L	S		8.8	0.4		
С	103-150	10YR	6/3	PALE BROWN	SGR	L	S		8.3	0.3		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LF	0-3								
AE	3-18	G	G		F	G			F (Upper L)
BT	18-53	G	F		P	G	G	G	P (Subsoil)
BC	53-103	F	P		P	G			P (Subsoil)
С	103-150	F	P		P	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20	cm
OBVIOUS	
NONE	
LOW	
0.059	
LOW	
MODERATI	Ξ
HIGH	

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO

IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON A VENEER OF SANDY LOAM MATERIAL OVER SAND. EXPOSED FACES
ARE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS ABSENT. INSTEAD, THESE SOILS HAVE AN
LF HORIZON OVERLYING AN AE HORIZON.

INTERPRETATION GUIDELINES

SCA 20

09/01/93

SOIL SERIES:

HORSE RIVER

FINE TILL

(HRR)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE:

6-9% MOIST

SOIL CLASSIFICATION: PARENT MATERIAL:

ORTHIC GRAY LUVISOL

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LF	0-8	10YR	3/2	VERY DARK GRAYISH BROWN					6.1	0.4	
AE	8-17	10YR	6/3	PALE BROWN	WFPL	FR	SIL		6.1	0.1	
AB	17-36	10YR	6/3	PALE BROWN	SFSBK	FR	SIL		6.2	0.1	
BT	36-88	10YR	4/4	DARK YELLOWISH BROWN	SFSBK	VF	C		6.3	0.1	
BC	88-133	10YR	4/3	BROWN-DARK BROWN	SFSBK	VF	C		7.7	0.1	
CK	133-200	10YR	4/4	DARK YELLOWISH BROWN	WFSBK	VF	С		7.8	0.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
LF	0-8								
AE	8-17	G	G		G	G			G (Upper L)
AB	17-36	G	G		G	G			G (Upper L)
BT	36-88	F	P		G	G			P (Subsoil)
BC	88-133	F	P		F	G			P (Subsoil)
CK	133-200	F	P		F	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm

15-35 cm NOT OBVIOUS NONE LOW 0.059 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: DEVELOPED ON CLAY TEXTURED TILL. TOPSOIL (AH OR AHE HORIZON) IS ABSENT. INSTEAD, THESE SOILS HAVE AN LF HORIZON OVERLYING AN AE HORIZON. THE AB HORIZON IS OF GOOD QUALITY AND SHOULD BE INCLUDED IN THE UPPER LIFT.

09/01/93

SOIL SERIES:

JOSEPHINE-AA

(aaJOP)

LANDFORM:

LEVEL 0-2%

SOIL ZONE: SOIL CLASSIFICATION: GRAY

TYPICAL SLOPES: HUMIC LUVIC GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

FINE SOFTROCK

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
LH	0-3	10YRm	3/3	DARK BROWN								
AH	3-10	10YRm	2/2	VERY DARK BROWN	WFGR	FR	SICL	9.1	5.6			
AEG	10-13	10YRm	5/3	BROWN	WFPL	FR	SIC	3.18	5.3			
ABG	13-23	10YRm	4/3	BROWN-DARK BROWN	WFSBK	FR	C-HC	1.36	5.2			
BTG	23-53	10YRm	4/2	DARK GRAYISH BROWN	SBK	F	HC	1.1	4.6			
BCG	53-68	5Ym	5/1	GRAY	WFSBK	F	HC	0.86	4.5			
CG	68-120	5Ym	4/1	DARK GRAY	MA	F	HC	0.66	4.6			

SOIL QUALITY RATINGS:

LH 0-3 AH 3-10 G F G AEG 10-13 G P G ABG 13-23 G P G	7. (19
AH 3-10 G F G AEG 10-13 G P G	Y) (Y)
	F (Upper L)
ABG 13-23 G P G	P (Upper L)
	P (Subsoil)
BTG 23-53 G P F	P (Subsoil)
BCG 53-68 G P F	P (Subsoil)
CG 68-120 G P F	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10
THICKNESS RANGE:	5-
COLOR CHANGE TO SUBSOIL:	OB
STRIPPING LIMITATIONS:	WE
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

0 cm		
-15	CM	
BVIOUS		
ETNESS	VERY	THTN

OBVIOUS WETNESS,	VERY	THIN	
-			
-			
-			
-			

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	YES
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME IS SCA 18. DEVELOPED ON CLAY TEXTURED MATERIAL. THESE SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. THE AEG AND ABG HORIZONS ARE OF POOR QUALITY DUE TO CLAYEY TEXTURE AND SHOULD NOT BE

INCLUDED IN THE UPPER LIFT.

09/01/93

SOIL SERIES:

JOSLYN

(JSN)

LANDFORM:

BLANKET 1-5%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: GRAY SOLODIZED SOLONETZ FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AE	0-15	7.5YR	7/2	PINKISH GRAY	WMPL	FR	FSL		5.6		
BNT	15-30	7.5YR	5/4	BROWN	SCSBK	VF	С		4.7		
CSK	50-75	7.5YR	4/4	BROWN-DARK BROWN	MA	F	SICL		7.1		
2CK	75-100	10YR	4/3	BROWN-DARK BROWN	MA	F	SICL		8.3	1.2	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Over	all Rating
AE	0-15	G	G		G				G	(Upper L)
BNT	15-30	F	P		F				P	(Subsoil)
CSK	50-75	G	F		F				F	(Subsoil)
2CK	75-100	G	F		P	G			P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	
THICKNESS RANGE:	10-20	CI
COLOR CHANGE TO SUBSOIL:	OBVIOUS	
STRIPPING LIMITATIONS:	NONE	
WIND EROSION RISK:	LOW	
WATER EROSION K=:	-	
RISK ON <5% SLOPE:	-	
RISK ON 5-9% SLOPE:	-	
RISK ON 9-15% SLOPE:	_	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

DEVELOPED ON CLAY TO SILTY CLAY TEXTURED MATERIAL. THE BNT HORIZON HAS AN UNDESIREABLE STRUCTURE AND THE LOWER SUBSOIL IS SALINE AND SODIC. TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE AN AE HORIZON.

09/01/93

SOIL SERIES:

JOSLYN-GLZS

(glzsJS) LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-5% TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED GRAY SOLOD FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Co	onsistence	e Texture	o.c.	pН	EC	Sat% SAR
AEGJ	0-10	10YR	5/2	GRAYISH BROWN	SMPL	FR	SIL		5.5		
BNTGJ	25-40	7.5YR	5/2	BROWN	SCSBK	VF	С		6.6		
CKGJ1	50-75	10YR	5/3	BROWN	MA	F	С		8.1	0.8	
CKGJ2	80-100	10YR	5/3	BROWN	MA	F	C		8.3	0.9	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
AEGJ	0-10	G	G		G				G (Upper L)
BNTGJ	25-40	F	P		G				P (Subsoil)
CKGJ1	50-75	G	P		P	G			P (Subsoil)
			_		-				
CKGJ2	80-100	G	P		P	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

VARIANT OF JOSLYN THAT IS IMPERFECTLY DRAINED, EXHIBITING GLEYING AND MOTTLING FEATURES IN THE SUBSOIL. THESE SOILS OCCUR IN LOWER LANDSCAPE NOTES: POSITIONS.

INTERPRETATION GUIDELINES

SCA 20

09/01/93

SOIL SERIES:

KINOSIS

(KNS)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-9%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL PARENT MATERIAL: MEDIUM TILL

USUAL SOIL MOISTURE: MESIC SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	-	Color		Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat% SAR
вт	0-7	10YR		YELLOWISH BROWN	MMSBK	FR-F	L		5.2	0.2	0.4
BC	7-20	10YR	5/3	BROWN	MA	FR-F	L		6.2	0.2	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
BT BC	0-7 7-20	G G	G G		G G	G G		G G	F (Subsoil) G (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.059
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAM TEXTURED TILL. TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS USUALLY HAVE AN LH HORIZON OVERLYING AN AE HORIZON.

09/01/93

SOIL SERIES:

KINOSIS-GL (glKNS)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-9%

PARENT MATERIAL:

SOIL CLASSIFICATION: GLEYED GRAY LUVISOL MEDIUM TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TEMPORARY PONDING

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR
 20-65
 10YR
 5/4
 YELLOWISH BROWN
 MMSBK

 65-130
 10YR
 5/3
 BROWN
 MA
 FR-F FR-F 5.2 0.2 6.2 0.2 BTGJ L L BCG.T 0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	На	EC	Sat%	SAR	Overall Rating
BTGJ BCGJ	20-65 65-130	G G	G G		G G	G G		G G	G (Subsoil) G (Subsoil)

TOPSOIL INTERPRETATIONS:

15 cm TYPICAL THICKNESS: THICKNESS RANGE: 10-20 cm COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: NONE WIND EROSION RISK: LOW WATER EROSION K =: 0.059 RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE: MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF KINOSIS THAT IS IMPERFECTLY DRAINED. EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCURS IN LOWER LANDSCAPE

POSITIONS.

09/01/93

SOIL SERIES:

LILLIAN

(LLN)

LANDFORM:

BLANKET 0-2%

SOIL ZONE:

GRAY

SOIL CLASSIFICATION: GLEYSOLIC STATIC CRYSOSOL

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

WATERTABLE / PONDING

PARENT MATERIAL:

FINE LACUSTRINE

SURFACE STONINESS:

NON

TYPICAL	SOIL	PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Co	onsistence I	exture	o.c.	рН	EC	Sat% SAR
OF CG	0-10 10-120	10YR	/ 4/3	BROWN-DARK BROWN	WFSBK	- F	O SICL		4.2	0.1	

SOIL QUALITY RATINGS:

Horizon	-	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
OF	0-10								
CG	10-120	G	F		F	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm
THICKNESS RANGE:	cm
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SILTY CLAY LOAM TEXTURED MATERIAL WITH PERMAFROST. COMPACTION OF THE INSULATING PEAT ON THE SURFACE WILL CAUSE THE PERMAFROST TO MELT. EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES: LIVOCK (LVK) LANDFORM: VENEER GRAY TYPICAL SLOPES: 0-30% SOIL ZONE: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: SOIL CLASSIFICATION: MESIC MEDIUM GLACIOFLUVIAL/TILL SURFACE STONINESS: PARENT MATERIAL: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Code		Color Code Color Name		Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AE	20-30	10YR	5/2	GRAYISH BROWN	SGR	VFR	SL							
BT	30-45	10YR	5/4	YELLOWISH BROWN	WFSBK	FR	SL							
2BT	25-60	2.5Y	4/4	OLIVE BROWN	WMSBK	F	SCL		5.7	0.2				
2BC	60-85	10YR	4/4	DARK YELLOWISH BROWN	MA	FR-F	SCL		5.8	0.2				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AE BT	20-30 30-45	G G	G G						(Upper L) (Subsoil)
2BT	25-60	G	F		G	G			F (Subsoil)
2BC	60-85	G	F		G	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

THICKNESS RANGE: 10-20 cm HARD BEDROCK: COLOR CHANGE TO SUBSOIL: OBVIOUS NON-SODIC SOFTROCK: STRIPPING LIMITATIONS: TOPOGRAPHY SODIC SOFTROCK: WIND EROSION RISK: LOW GRAVEL: WATER EROSION K=: 0.059 STONY LAYER: RISK ON <5% SLOPE: LOW FACE INSTABILITY: RISK ON 5-9% SLOPE: MODERATE SOLONETZIC B HORIZON: RISK ON 9-15% SLOPE: HIGH SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO NO NO YES NO NO YES
---	---------------------------

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON MEDIUM TEXTURED MATERIAL OVER MODERATELY FINE TO FINE TEXTURED TILL. SANDY TEXTURED VENEER MAY CAUSE EXPOSED FACES TO BE UNSTABLE.

09/01/93

SOIL SERIES: LIVOCK-XC (xcLVK) LANDFORM: VENEER SOIL ZONE: GRAY TYPICAL SLOPES: 0-30% SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC SURFACE STONINESS: PARENT MATERIAL: MEDIUM GLACIOFLUVIAL/ NON

GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-8		/								
AE	8-18	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	FSL				
BM	18-58	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	SL		6.2	0.1	
BC	58-78	10YR	5/4	YELLOWISH BROWN	SGR	L	SL				
2C	78-120	10YR	4/2	DARK GRAYISH BROWN	MA	F	С		7.1	0.3	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-8								
AE	8-18	F	G						F (Upper L)
BM	18-58	F	G		G	G	F		F (Subsoil)
BC	58-78	F	G						F (Subsoil)
2C	78-120	G	P		F	G	F		P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	TOPOGRAPHY	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.059	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	YES

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: VARIANT OF LIVOCK WITH VERY FINE TEXTURED, GLACIOLACUSTRINE MATERIAL WITHIN 1 M.

09/01/93

SOIL SERIES:

MCLELLAND

(MLD) LANDFORM:

BLANKET, LEVEL, DEPRESSIONAL

SOTI ZONE:

GRAY

TYPICAL SLOPES:

0-1%

SOIL CLASSIFICATION: TYPIC MESISOL PARENT MATERIAL:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

ORGANIC FEN PEAT

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

0-120 10YR 3/1 VERY DARK GRAY

SOIL QUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

NO

0-120

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:

THICKNESS RANGE:

cm

STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

COLOR CHANGE TO SUBSOIL:

RISK ON 5-9% SLOPE:

WETNESS

RISK ON 9-15% SLOPE:

SEASONALLY HIGH W.T.:

HARD BEDROCK: NON-SODIC SOFTROCK:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO SODIC SOFTROCK: NO **GRAVEL:** NO

STONY LAYER: NO FACE INSTABILITY: YES

SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: DEVELOPED ON DEEP FEN PEAT DEPOSITS. EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

MCLELLAND-XC

(xcMLD) LANDFORM:

VENEER, LEVEL,

SOIL ZONE:

GRAY

TYPICAL SLOPES:

DEPRESSIONAL

SOIL CLASSIFICATION: TERRIC MESISOL

ORGANIC FEN

USUAL SOIL MOISTURE:

0-1%
WATERTABLE/PONDING

PARENT MATERIAL: ORG

PEAT/GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (Consisten	ce Texture	o.c.	рН	EC	Sat% SAR
OM1 OM2 CG	0-30 30-70 70-100	10YR	/ / 5/1	GRAY	MA	- - F	O O CL-SICL		6.1 6.1 6.2	0.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	pН	EC	Sat%	SAR	Overall Rating
OM1 OM2	0-30 30-70								
CG	70-100	G	F		G	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm
THICKNESS RANGE:	cm
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF MCLELLAND HAVING CLAY LOAM TO SILTY CLAY LOAM TEXTURED, GLCIOLACUSTRINE MATERIAL WITHIN 1 M.

09/01/93

SOIL SERIES: MCMURRAY (MMY) LANDFORM: TERRACED GRAY SOIL ZONE: TYPICAL SLOPES: 0-5% CUMULIC REGOSOL SOIL CLASSIFICATION: USUAL SOIL MOISTURE: MESIC PARENT MATERIAL: MEDIUM FLUVIAL SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure C	onsistence	Texture	o.c.	рН	EC	Sat% SAR
F	0-5	7.5YR 3/4	DARK BROWN					6.7	0.3	
C1	5-15	10YR 4/2	DARK GRAYISH BROWN	WFGR	FR	SIL		5.7	0.3	
C2	15-36	10YR 4/2	DARK GRAYISH BROWN	VFSBK	FR	SIL				
C3	36-85	10YR 5/3	BROWN	SGR	L	SL		6.5	0.2	
C4	85-155	10YR 4/2	DARK GRAYISH BROWN	SGR	FR	SL		6.6	0.2	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
F	0-5								
C1	5-15	G	G		G	G			G (Subsoil)
C2	15-36	G	G						G (Subsoil)
C3	36-85	F	G		G	G			F (Subsoil)
C4	85-155	G	G		G	G			G (Subsoil)

TOPSOIL INTERPRETATIONS:

0 cm	SEASONALLY HIGH W.T.:	NO
cm	HARD BEDROCK:	NO
	NON-SODIC SOFTROCK:	NO
NO TOPSOIL	SODIC SOFTROCK:	NO
LOW	GRAVEL:	NO
0.040	STONY LAYER:	NO
LOW	FACE INSTABILITY:	YES
MODERATE	SOLONETZIC B HORIZON:	NO
HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
	IMPORTANT TEXTURE CHANGE:	NO
	cm NO TOPSOIL LOW 0.040 LOW MODERATE	CM HARD BEDROCK: NON-SODIC SOFTROCK: NO TOPSOIL SODIC SOFTROCK: LOW GRAVEL: 0.040 STONY LAYER: LOW FACE INSTABILITY: MODERATE SOLONETZIC B HORIZON: HIGH SALINE OR SODIC LOWER SUBSOIL:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SILT LOAM TO LOAM TEXTURED DEPOSITS ASSOCIATED WITH STREAMS AND TERRACES. THIS SOIL HAS NO TOPSOIL. EXPOSED FACES ARE UNSTABLE WHEN VERTICALLY DITCHED.

INTERPRETATION GUIDELINES

SCA 20

09/01/93

SOIL SERIES:

MCMURRAY-GL

(glMMY)

LANDFORM:

TERRACED

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-5%

SOIL CLASSIFICATION: GLEYED CUMULIC REGOSOL

USUAL SOIL MOISTURE:

TEMPORARY PONDING

PARENT MATERIAL:

MEDIUM FLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code Colo		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
F CGJ AHGJB BGJB	0-5 5-40 40-55 55-95	7.5YR 10YR 2.5Y 10YR	3/2 4/2 2/0 3/2	DARK BROWN DARK GRAYISH BROWN BLACK VERY DARK GRAYISH BROWN	WFSBK MFGR SFGR	F FR F	SIL SIL SIC		4.4 7.5	0.2 0.2 0.33 0.2	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
F	0-5								
CGJ	5-40	G	G		F	G			F (Subsoil)
AHGJB	40-55	G	G		F	G			F (Subsoil)
BGJB	55-95	G	F		F	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: THICKNESS RANGE:

0	cm
	cm
	TOPSOIL
LOW	-
0.0	040
T.OM	I

MODERATE

HTHG

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES:

VARIANT OF MCMURRAY THAT IS IMPERFECTLY DRAINED, EXHIBITS GLEYING AND MOTTLING FEATURES IN THE SUBSOIL AND USUALLY OCCURS IN LOWER LANDSCAPE POSITIONS.

NO

09/01/93

SOIL SERIES:

MEANDER

(MER)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESTC

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Co	ode	Col	or Name		Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
LH	0-5	10YRm 2	2/1		BLACK					38.94	6.7		
AE	5-15	10YRd 7	7/2	LI	GHT GRAY		SFPL	FR	SIL	1.17	5.2		
AB	15-22	7.5YR 5	5/4		BROWN		WFSBK	SLH	SICL	0.66	5.3		
BT	22-57	10YRm 3	3/3	DA	RK BROWN		WMCOL	F	C	0.76	5.		
BC	57-64	10YRm 3	3/2	VERY DARK	GRAYISH	BROWN	WFSBK	FR	SICL		7.2		
CK	64-94	10YRm 3	3/2	VERY DARK	GRAYISH	BROWN	MA	FR	SICL		7.5	3.4	
CSK	94-120	10YRm 3	3/2	VERY DARK	GRAYISH	BROWN	MA	FR	SICL		7.4	5.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	pН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-15	G	G		G				G (Upper L)
AB	15-22	G	F		G				F (Upper L)
BT	22-57	G	P		F				P (Subsoil)
BC	57-64	G	F		F				F (Subsoil)
CK	64-94	G	F		F	F			F (Subsoil)
CSK	94-120	G	F		F	P			P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS: 15 cm SEASONALLY HIGH W.T.: TYPICAL THICKNESS: THICKNESS RANGE: 10-20 cm HARD BEDROCK: COLOR CHANGE TO SUBSOIL: OBVIOUS NON-SODIC SOFTROCK:

NO STRIPPING LIMITATIONS: SODIC SOFTROCK: NONE NO WIND EROSION RISK: LOW GRAVEL: NO WATER EROSION K=: 0.059 STONY LAYER: NO RISK ON <5% SLOPE: LOW FACE INSTABILITY: NO RISK ON 5-9% SLOPE: MODERATE SOLONETZIC B HORIZON: NO RISK ON 9-15% SLOPE: HIGH SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

DEVELOPED ON SILTY CLAY LOAM TEXTURED TILL. TOPSOIL (AH OR AHE HORIZON)

IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE AN LH HORIZON OVERLYING

AN AE HORIZON. THE AB HORIZON IS OF FAIR QUALITY AND SHOULD BE INCLUDED IN THE UPPER LIFT.

09/01/93

SOIL SERIES:

MIKKWA-AA

(aaMKW)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-1% WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: MESIC ORGANIC CRYOSOL ORGANIC SPHAGNUM PEAT USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Cor	nsistence	Texture	o.c.	рН	EC	Sat% SAR
OF1	0-20	10YR	6/4	LIGHT YELLOWISH BROWN		-	0		3.6	0.2	
OF2	20-40	10YR	5/4	YELLOWISH BROWN		-	0		3.8	0.1	
OM	40-60	7.5YR	3/0	VERY DARK GRAY		-	0		4.3	0.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
OF1 OF2 OM	0-20 20-40 40-60								

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm	SEASONALLY HIGH W.T.:	ALL
THICKNESS RANGE:	cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:		NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	SODIC SOFTROCK:	NO
WIND EROSION RISK:		GRAVEL:	NO
WATER EROSION K=:	_	STONY LAYER:	NO
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 19. OCCURRING ON FROZEN, SPHAGNUM PEAT, COMPACTION OF THE INSULATING SURFACE PEAT WILL CAUSE THE PERMAFROST TO MEET.

09/01/93

SOIL SERIES: MILDRED (MIL) LANDFORM: BLANKET SOIL ZONE: GRAY TYPICAL SLOPES: 2-30% SOIL CLASSIFICATION: ELUVIATED DYSTRIC BRUNISOL USUAL SOIL MOISTURE: DROUGHTY PARENT MATERIAL: VERY COARSE GLACIOFLUVIAL SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	epth Color Code		Color Code Color Name		Structure Consistence Texture		o.c.	рН	EC	Sat% SAR
LF	0-5		/						4.7	0.2	
AE	5-11	10YR	5/3	BROWN	SGR	L	S		5.	0.1	
BM	11-55	10YR	6/8	BROWNISH YELLOW	SGR	L	S		5.7	0.1	
BC	55-110	10YR	6/4	LIGHT YELLOWISH BROWN	SGR	L	S		6.	0.1	
С	110-150	10YR	7/4	VERY PALE BROWN	SGR	L	S		6.4	0.1	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LF	0-5								
AE	5-11	F	P		F	G			P (Upper L)
BM	11-55	F	P		G	G			P (Subsoil)
BC	55-110	F	P		G	G			P (Subsoil)
С	110-150	F	P		G	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	10 cm 5-15 cm OBVIOUS VERY THIN, TOPOGRAPHY	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK:	NO NO NO
WIND EROSION RISK:	HIGH	GRAVEL:	NO
WATER EROSION K=:	0.040	STONY LAYER:	NO
RISK ON <5% SLOPE:	LOW	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE.

TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS

HAVE AN LF HORIZON OVERLYING AN AE HORIZON.

HORIZON INSTEAD.

09/01/93

SOIL SERIES:

RUTH LAKE

(RUT)

LANDFORM.

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: PARENT MATERIAL:

ELUVIATED EUTRIC BRUNISOL VERY COARSE

USUAL SOIL MOISTURE:

SURFACE STONINESS:

DROUGHTY SLIGHTLY

GLACIOFLUVIAL/GRAVEL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
вм	0-30	5YR	4/4	REDDISH BROWN	MMSBK	FR	SL		5.1		
BC	30-60	7.5YR	4/4	BROWN-DARK BROWN	MA	FR	SL		6.9		
2CK	60-70	7.5YR	4/4	BROWN-DARK BROWN	MA	FR	GRSL		7.7	0.4	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
BM	0-30	G	G		G				G (Upper L)
BC	30-60	G	G		G				G (Subsoil)
2CK	60-70	G	P		F	G			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: MO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: YES

NOTES: DEVELOPED ON A VENEER OF SANDY LOAM TEXTURED MATERIAL OVER GRAVEL.

EXPOSED FACES ARE UNSTABLE. TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THESE

SOILS USUALLY HAVE AN LF HORIZON OVERLYING AN AE OR BM HORIZON.

20 cm

10-30

OBVIOUS

LOW


LOW

HIGH

0.040

MODERATE

TOPOGRAPHY



2.21 Soil Correlation Area #21

General Description of the Area

- Gray Soil Zone of the north-east, central Alberta Mixedwood Ecoregion.
- Occurs in the vicinity of Calling Lake, east of Boyle, east of Muriel Lake, and east of Lac
 la Biche.

Ecoregion/Climate


- The ecoregions include the Low Boreal Mixedwood in the south, and the Mid Boreal Mixedwood to the north.
- Agroclimate is 4H (severe heat limitation).
- Growing season P-PE= -200 to -100 mm.
- Precipitation is similar to the Dark Gray-Gray Soil Zone of SCA 12. Summer temperatures
 are also similar although winter temperatures are slightly colder.

Soil and Landscapes

- Soils are generally Luvisolic, while poorly drained soils are Organic and Gleysolic.
- Undulating to hummocky moraines dominate the landscape while Organic terrain occupies many depressional areas.
- Profile development is generally 70 cm deep with 15 cm of topsoil.

Soil Reclamation Issues

- The risk of soil erosion by water is generally low, although hummocky topography has a high potential.
- The risk of soil erosion by wind is moderate to low. However, the potential for erosion of an area with sandy parent material, north of Cold Lake, is high.



09/01/93

SOIL SERIES:

AMBER VALLEY (ARV)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO GLEYSOL

MODERATELY FINE TILL

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon Dept	h Color	Color Code Color Name		Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR
AH 0- CKG 8-		2/2 4/2	VERY DARK BROWN DARK GRAYISH BROWN	MA MA	F F			7.5 7.9			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
АН	0-8	P	F	G	G	G	P	G	P (Topsoil)
CKG	8-100	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TIPICAL THICKNESS:	
THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	

5	cm	
1-9	(cm
NOT	OBVI	OUS
WETI	NESS,	VERY

THIN

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK:	ALL NO NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	ЙO

NOTES: DEVELOPED ON CLAY LOAM TEXTURED TILL. THESE SOILS ARE WET ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE.

09/01/93

SOIL SERIES:

AMISK

(AMK)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES: SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY COARSE FLUVIAL EOLIAN

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure Consistence Texture			o.c.	рН	EC	Sat%	SAR
AP	0-15	10YR	4/2	DARK GRAYISH BROWN	SGR	L	S		6.2	0.2	29.	0.2
BM	15-60	2.5Y	4/4	OLIVE BROWN	SGR	L	S		6.7	0.1	24.	0.2
BC	60-120	10YR	5/3	BROWN	SGR	L	S		6.8	0.2	24.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-15	F	P		F	G	F	G	P (Topsoil)
BM	15-60	F	P		G	G	F	G	P (Subsoil)
BC	60-120	F.	P		G	G	F	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 10-20 OBVIOUS NONE HIGH 0.026

LOW LOW MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON LOAMY SAND TO SAND TEXTURED MATERIAL. THE LOOSE

CONSISTENCE CAUSES VERTICAL FACES TO BE UNSTABLE.

09/01/93

SOIL SERIES: SOIL ZONE:

ATHABASCA

(ABCS)

LANDFORM:

BLANKET

GRAY

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

TYPICAL SLOPES:

2-30% MESIC

PARENT MATERIAL:

MODERATELY FINE TILL

SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure C	Structure Consistence Texture O			рН	EC	Sat%	SAR
LH	0-7	10YR	2/1	BLACK								
AE .	7-32	10YR	5/3	BROWN	MMPL	FR	SL		6.3	0.5	34.	0.3
BT	32-72	10YR	5/4	YELLOWISH BROWN	MMSBK	F	CL		5.3	0.1	41.	0.8
BC	72-107	10YR	5/4	YELLOWISH BROWN	MFSBK	F	CL		6.1	0.2	32.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	На	EC	Sat%	SAR	Overall Rating
LH	0-7								
AE	7-32	G	G		F	G	G	G	F (Topsoil)
BT	32-72	F	F		P	G	G	G	P (Subsoil)
BC	72-107	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:

WIND EROSION RISK:

WATER EROSION K=:

THICKNESS RANGE:

20 cm 15-25 cm COLOR CHANGE TO SUBSOIL: OBVIOUS STRIPPING LIMITATIONS: NONE MODERATE 0.063 MODERATE MODERATE

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS A THIN LH HORIZON OVERLYING A PLATY, LIGHT GRAY AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS AND IS VARIABLE IN COLOR.

09/01/93

SOIL SERIES:

ATHABASCA-ST (stABC)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES: 2-30%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: MESIC

PARENT MATERIAL:

STONY, MODERATELY FINE

SURFACE STONINESS: EXCEEDINGLY

TILL

TYPICAL SOIL PROFILE:

Horizon Depth Color Co	ode Color Name	Structure Consistence Texture				.C. pH		Sat%	SAR
AE 3-30 10YR 5	5/3 BROWN 4/4 DARK YELLOWISH BROWN	MMPL MMSBK	FR F	STFSL STCL	0.6	7.2 6.5	0.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	На	EC	Sat%	SAR	Overall Rating
AE BT	3-30 30-120	G F	P P	P	G G	G G	F G	G G	P (Topsoil) P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	20 cm	SEASONALLY HIGH W.T.:	NO
THICKNESS RANGE:	15-25 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	STONY	SODIC SOFTROCK:	NO
WIND EROSION RISK:	MODERATE	GRAVEL:	NO
WATER EROSION K=:	0.063	STONY LAYER:	YES
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	MODERATE	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF ATHABASCA THAT IS STONIER THAN NORMAL.

INTERPRETATION GUIDELINES

SCA 21

09/01/93

BIRKLAND (BLA) LANDFORM: SOIL SERIES: BLANKET, DEPRESSIONAL TYPICAL SLOPES: SOIL ZONE: GRAY 0-1% SOIL CLASSIFICATION: TERRIC FIBRISOL USUAL SOIL MOISTURE: WATERTABLE / PONDING PARENT MATERIAL: ORGANIC SPHAGNUM PEAT SURFACE STONINESS: TYPICAL SOIL PROFILE: ______ Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR OF1 0-69 / 0 48.83 3.4 69-130 / 0 44.95 3.8 SOIL OUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

TOPSOIL INTERPRETATIONS:

0-69 69-130

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	0 cm
STRIPPING LIMITATIONS: WIND EROSION RISK:	WETNESS
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	NO

DEVELOPED ON 50 TO 130 CM OF SPHAGNUM PEAT OVER MINERAL DEPOSITS. THE NOTES:

HIGH WATERTABLE WILL CAUSE EXPOSED FACES TO BE UNSTABLE.

09/01/93

SOIL SERIES:

BONNIE-AA

(aaBNN)

LANDFORM:

BLANKET, LEVEL, DEPRESSIONAL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

0-1%

PARENT MATERIAL:

SOIL CLASSIFICATION:

TYPIC HUMISOL
ORGANIC FEN PEAT

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure Consistence Texture	0.C.	рн ЕС	Sat% SAR
OF	0-10	7.5 YR 5/4	BROWN	0	35.9	7.7	
OM	10-20	5 YR 3/4	DARK REDDISH BROWN	0	37.96	7.8	
OH1	20-71	7.5 YR 3/2	DARK BROWN	0	34.5	7.8	
OH2	71-127	5 YRW 3/2	DARK REDDISH BROWN	0	37.86	7.9	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OF	0-10								
OM	10-20								
OH1	20-71								
OH2	71-127								

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm
THICKNESS RANGE:	cm
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 12. THESE SOILS ARE CHARACTERIZED BY HUMIC ORGANIC FEN PEAT GREATER THAN 1 METRE THICK.

09/01/93

SOIL SERIES:

FAWCETT GRAY

(FWT)

LANDFORM:

BLANKET

SOIL ZONE:

TYPICAL SLOPES:

2-15%

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL

MODERATELY FINE FLUVIAL OR SURFACE STONINESS:

USUAL SOIL MOISTURE: MESIC NON

LACUSTRINE

TYPICAL SOIL PROFILE:

Horizon Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AP 0-1: BT 15-5: BC 55-1:	10YR 4/4	VERY DARK GREYISH BROWN DARK YELLOWISH BROWN YELLOWISH BROWN	MFGR MMSBK WFSBK	FR F	SICL SIL				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
AP BT	0-15 15-55	G F	F G						F (Topsoil) F (Subsoil)
BC	55-110	F	G						F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	15-20 cm
COLOR CHANGE TO SUBSOIL:	OBVIOUS
STRIPPING LIMITATIONS:	NONE
WIND EROSION RISK:	LOW
WATER EROSION K=:	0.053
RISK ON <5% SLOPE:	LOW
RISK ON 5-9% SLOPE:	MODERATE
RISK ON 9-15% SLOPE:	HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NC
HARD BEDROCK:	NC
NON-SODIC SOFTROCK:	NC
SODIC SOFTROCK:	NC
GRAVEL:	NC
STONY LAYER:	NC
FACE INSTABILITY:	NC
SOLONETZIC B HORIZON:	NC
SALINE OR SODIC LOWER SUBSOIL:	NC
IMPORTANT TEXTURE CHANGE:	NC

NOTES:

FAWCETT SOILS ARE DEVELOPED ON SILT LOAM TEXTURED MATERIAL. IN FORESTED AREAS, THE TOPSOIL (AH OF AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE AN LH HORIZON OVERLYING AN AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THESE SURFACE HORIZONS AND COLOR IS OUITE VARIABLE. SEPARATION OF THE TOPSOIL FROM SUBSOIL BY COLOR IS SOMETIMES DIFFICULT.

09/01/93

SOIL SERIES: GOODRIDGE (GOG) LANDFORM: BLANKET GRAY TYPICAL SLOPES: 1-9% SOIL ZONE: SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL USUAL SOIL MOISTURE: MESIC SURFACE STONINESS: VERY PARENT MATERIAL: MODERATELY COARSE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color		Color Name	Structure	Consistence	Texture	o.c.	Hq	EC	Sat%	SAR
AE	0-15	10YR		BROWN	MMPL	FR	SL	0.6	6.7	0.3	24.	0.
BT	15-68	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL-SCL		5.5	0.2	36.	0.
CK	90-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	CL-SCL		7.8	0.4	45.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-15	G	G	P	G	G	F	G	P (Topsoil)
BT	15-68	F	F		F	G	G	G	F (Subsoil)
CK	90-120	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

15 cm	SEASONALLY HIGH W.T.:	NO
10-20 cm	HARD BEDROCK:	NO
OBVIOUS	NON-SODIC SOFTROCK:	NO
STONY	SODIC SOFTROCK:	NO
MODERATE	GRAVEL:	NO
0.059	STONY LAYER:	YES
LOW	FACE INSTABILITY:	YES
MODERATE	SOLONETZIC B HORIZON:	NO
HIGH	SALINE OR SODIC LOWER SUBSOIL:	NO
	IMPORTANT TEXTURE CHANGE:	NO
	10-20 cm OBVIOUS STONY MODERATE 0.059 LOW MODERATE	10-20 cm HARD BEDROCK: OBVIOUS NON-SODIC SOFTROCK: STONY SODIC SOFTROCK: MODERATE GRAVEL: 0.059 STONY LAYER: LOW FACE INSTABILITY: MODERATE SOLONETZIC B HORIZON: HIGH SALINE OR SODIC LOWER SUBSOIL:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: DEVELOPED ON SANDY CLAY LOAM TEXTURED TILL HAVING SOME SANDS, SILTS AND LAYERS OF STONE MIXED IN. EXPOSED FACES ARE OFTEN UNSTABLE.

09/01/93

SOIL SERIES:

GOODRIDGE-GR

(grGOG)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-9%

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

GRAVELLY, MODERATELY

SURFACE STONINESS:

VERY

COARSE TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AE	0-15	10YR	5/3	BROWN	MMPL	FR	GRSL	0.6	6.7	0.3	24.	0.
BT	15-68	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	GRCL-SCL		5.5	0.2	36.	0.
CK	90-120	2.5Y	5/4	LIGHT OLIVE BROWN	MA	F	GRCL-SCL		7.8	0.4	45.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.0.	рН	EC	Sat%	SAR	Overall Rating
AE	0-15	G	P	P	G	G	F	G	P (Topsoil)
BT	15-68	· F	F		F	G	G	G	F (Subsoil)
CK	90-120	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm 10-20 cm OBVIOUS STONY, GRAVELLY MODERATE 0.059 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	YES
STONY LAYER:	YES
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF GOODRIDGE HAVING LAYERS OF GRAVELLY MATERIAL.

09/01/93

SOIL SERIES:

GRANDIN

(GDI)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-30%

PARENT MATERIAL:

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL FINE TILL

USUAL SOIL MOISTURE: MOIST SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
AP AE BT	0-8 8-20 20-65	10YR 10YR 10YR	3/2 5/3 4/4	VERY DARK GREYISH BROWN BROWN DARK YELLOWISH BROWN	MFGR MMPL MMSBK	FR VFR F	CL SIL CL		6.1	0.4		0.3
CK	65-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL		7.7	0.5	52.	0.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-8	G	F						F (Topsoil)
AE	8-20	G	G		F	G	G	G	F (Topsoil)
BT	20-65	F	F		G	G	G	G	F (Subsoil)
CK	65-130	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20 cm	
NOT OBVIOUS	
NONE	
MODERATE	
0.059	
LOW	
MODERATE	

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: GRANDIN SOILS ARE DEVELOPED ON CLAY LOAM TO CLAY TEXTURED TILL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS AN LH HORIZON OVERLYING AN AE HORIZON.

09/01/93

SOIL SERIES:

GROSMONT

(GMT)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-9% MESIC

PARENT MATERIAL:

SOIL CLASSIFICATION: DARK GRAY LUVISOL MODERATELY FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon Depth Color Code		Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR	
0-8	10YRm	2/1	BLACK					6.1		
8-16	10YRm	2/2	VERY DARK BROWN	WFGR	FR	SIL	4.	5.8		
16-21	10YRm	3/3	DARK BROWN	MFPL	FR	SIL	0.89	5.4		
21-33	10YRm	3/3	DARK BROWN	WFSBK	FR	CL	0.67	5.		
33-61	10YRm	3/2	VERY DARK GRAYISH BROWN	MMSBK	F	C	1.01	4.6		
61-79	10YRm	2/2	VERY DARK BROWN	MA	F	CL		4.6		
79-120	10YRm	3/2	VERY DARK BROWN	MA	F	CL-C				
	0-8 8-16 16-21 21-33 33-61 61-79	0-8 10YRm 8-16 10YRm 16-21 10YRm 21-33 10YRm 33-61 10YRm 61-79 10YRm	0-8 10YRm 2/1 8-16 10YRm 2/2 16-21 10YRm 3/3 21-33 10YRm 3/3 33-61 10YRm 3/2 61-79 10YRm 2/2	0-8 10YRm 2/1 BLACK 8-16 10YRm 2/2 VERY DARK BROWN 16-21 10YRm 3/3 DARK BROWN 21-33 10YRm 3/3 DARK BROWN 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN 61-79 10YRm 2/2 VERY DARK BROWN	0-8 10YRm 2/1 BLACK 8-16 10YRm 2/2 VERY DARK BROWN WFGR 16-21 10YRm 3/3 DARK BROWN MFPL 21-33 10YRm 3/3 DARK BROWN WFSBK 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN MMSBK 61-79 10YRm 2/2 VERY DARK BROWN MA	0-8 10YRm 2/1 BLACK 8-16 10YRm 2/2 VERY DARK BROWN WFGR FR 16-21 10YRm 3/3 DARK BROWN MFPL FR 21-33 10YRm 3/3 DARK BROWN WFSBK FR 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN MMSBK F 61-79 10YRm 2/2 VERY DARK BROWN MA	0-8 10YRm 2/1 BLACK 8-16 10YRm 2/2 VERY DARK BROWN WFGR FR SIL 16-21 10YRm 3/3 DARK BROWN MFPL FR SIL 21-33 10YRm 3/3 DARK BROWN WFSBK FR CL 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN MMSBK F C 61-79 10YRm 2/2 VERY DARK BROWN MA F CL	0-8 10YRm 2/1 BLACK 8-16 10YRm 2/2 VERY DARK BROWN WFGR FR SIL 4. 16-21 10YRm 3/3 DARK BROWN MFPL FR SIL 0.89 21-33 10YRm 3/3 DARK BROWN WFSBK FR CL 0.67 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN MMSBK F C 1.01 61-79 10YRm 2/2 VERY DARK BROWN MA F CL	0-8 10YRm 2/1 BLACK 6.1 8-16 10YRm 2/2 VERY DARK BROWN WFGR FR SIL 4. 5.8 16-21 10YRm 3/3 DARK BROWN MFPL FR SIL 0.89 5.4 21-33 10YRm 3/3 DARK BROWN WFSBK FR CL 0.67 5. 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN MMSBK F C 1.01 4.6 61-79 10YRm 2/2 VERY DARK BROWN MA F CL 4.6	0-8 10YRm 2/1 BLACK 6.1 8-16 10YRm 2/2 VERY DARK BROWN WFGR FR SIL 4. 5.8 16-21 10YRm 3/3 DARK BROWN MFPL FR SIL 0.89 5.4 21-33 10YRm 3/3 DARK BROWN WFSBK FR CL 0.67 5. 33-61 10YRm 3/2 VERY DARK GRAYISH BROWN MMSBK F C 1.01 4.6 61-79 10YRm 2/2 VERY DARK BROWN MA F CL 4.6

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-8								
AH	8-16	G	G	G	F				F (Topsoil)
AE	16-21	G	G	P	P				P (Topsoil)
AB	21-33	G	F		P				P (Subsoil)
BT	33-61	F	P		P				P (Subsoil)
BC	61-79	F	F		P				P (Subsoil)
С	79-120	F	P						P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

15 cm 15-20 cm NOT OBVIOUS NONE LOW

0.053 LOW MODERAT'E HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: THESE SOILS ARE DEVELOPED ON CLAY LOAM TEXTURED TILL. IN FORESTED AREAS, TOPSOIL CAN BE VERY THIN OVER AN AE HORIZON. IN CULTIVATED AREAS, TOPSOIL IS A MIXTURE OF THE SURFACE HORIZONS.

09/01/93

SOIL SERIES:

LIZA

(LIZ)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-2% DROUGHTY

PARENT MATERIAL:

SOIL CLASSIFICATION:

ELUVIATED DYSTRIC BRUNISOL VERY COARSE FLUVIAL OR

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

EOLIAN

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.ç.	рН	EC	Sat% S	SAR
LH	0-5	10YRm	2/1	BLACK								
AEJ	5-13	10YRm	5/4	YELLOWISH BROWN	SGR	L	S	0.15	6.			
BM	13-38	10YRm	5/6	YELLOWISH BROWN	SGR	L	S	0.19	6.1			
BC	38-56	10YRm	5/4	YELLOWISH BROWN	SGR	L	S		5.9			
C1	56-81	10YRm	5/6	YELLOWISH BROWN	SGR	L	S		6.9			
C2	81-107	10YRm	5/4	YELLOWISH BROWN	SGR	L	S		6.2			
2C	107-120	2.5Ym	5/4	LIGHT OLIVE BROWN	SGR	L	LS		6.5			

SOIL QUALITY RATINGS:

LH 0-5 AEJ 5-13 F BM 13-38 F			На	EC	Sat%	SAR	Overall Rating
BM 13-38 F							
	P	P	F				P (Topsoil)
	P		F				P (Subsoil)
BC 38-56 F	P		F				P (Subsoil)
C1 56-81 F	P		G				P (Subsoil)
C2 81-107 F	, P		F				P (Subsoil)
2C 107-120 F	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	3
COLOR CHANGE TO SUBS	OTI.
STRIPPING LIMITATION	
	io: \
WIND EROSION RISK:	1
WATER EROSION K=:	(
RISK ON <5% SLOPE:	I
RISK ON 5-9% SLOPE	E: I
RISK ON 9-15% SLOP	E: I

10 cm
5-15 cm
NOT OBVIOUS
VERY THIN
HIGH
0.020
LOW
LOW
MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON SAND TEXTURED MATERIAL. THE LOOSE CONSISTENCE CAUSES EXPOSED FACES TO BE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS ABSENT. INSTEAD, THESE SOILS HAVE AN LH HORIZON OVERLYING AN AE HORIZON.

09/01/93

SOIL SERIES: SOIL ZONE:

MALOY GRAY

(MLY)

LANDFORM:

BLANKET, LEVEL,

TYPICAL SLOPES:

DEPRESSIONAL 0-1%

SOIL CLASSIFICATION: TYPIC HUMIC MESISOL

USUAL SOIL MOISTURE:

PARENT MATERIAL:

ORGANIC FEN PEAT

WATERTABLE / PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture	o.c.	рН	EC	Sat	% SAR
OM1 OM2	0-50 50-110		5/4 5/4	YELLOWISH BROWN YELLOWISH BROWN	0				981. 641.	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OM1 OM2	0-50 50-110								

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0 cm
THICKNESS RANGE:	cm
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	_
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DERIVED OF THICK FEN PEAT MATERIAL. EXPOSED FACES ARE UNSTABLE BECAUSE OF THE HIGH WATERTABLE.

09/01/93

SOIL SERIES:

MOOSE HILLS

(MHL)

VENEER

SOIL ZONE:

GRAY

TYPICAL SLOPES:

LANDFORM:

SOIL CLASSIFICATION:

ORTHIC GRAY LUVISOL

GLACIOFLUVIAL/TILL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

VERY COARSE

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	olor Code Color Name			Consistence	Texture	o.c.	рН 	EC	Sat%	SAR
AP AE	0-10 10-30	10YR 10YR	3/2 5/3	VERY DARK GRAYISH BROWN BROWN	WFGR WFPL	FR VFR	SL	8.2	6.2	1.	74. 26.	
2BT 2CK	30-75 75-130	10YR 2.5Y	4/4	DARK YELLOWISH BROWN OLIVE BROWN	MMSBK MA	F	CL-C		5.1	0.1	42. 59.	0.5

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-10	G	G	G	F	G	F	G	F (Topsoil)
AE	10-30	G	G	P	F	G	F	G	P (Topsoil)
2BT	30-75	F	F		P	G	G	G	P (Subsoil)
2CK	75-130	F	P		G	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO NO NO NO YES NO NO
---	---

NOTES: MOOSE HILLS SOILS ARE DEVELOPED ON CLAY LOAM TO CLAY TEXTURED TILL. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE A LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THESE SURFACE HORIZONS.

09/01/93

SOIL SERIES:

NEWBROOK

(NWB)

LANDFORM:

LEVEL. 1-2%

MOM

SOIL ZONE: SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL

GRAY

TYPICAL SLOPES:

WATERTABLE/PONDING

PARENT MATERIAL:

MEDIUM TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat%	SAR
AEG	0-30	10YR	5/2	GRAYISH BROWN	MMPL	VFR	FSL	1.1	6.4	0.9	35.	0.4
BTG	30-60	10YR	4/2	DARK GRAYISH BROWN	MMSBK	F	CL-SCL	0.4	6.1	0.5	37.	0.5
BCG	60-90	10YR	5/2	GRAYISH BROWN	MA	F	SCL		7.	0.3	35.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AEG	0-30	G	G	F	F	G	G	G	F (Topsoil)
BTG	30-60	F	F		F	G	G	G	F (Subsoil)
BCG	60-90	F	F		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: NOT OBVIOUS STRIPPING LIMITATIONS: WETNESS WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 20-30

NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:

HARD BEDROCK:

SEASONALLY HIGH W.T.:

IMPORTANT TEXTURE CHANGE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO MO NO NO YES NO NO

AT.T.

NO

NOTES: SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL (AHE OR AHE HORIZON) IS USUALLY ABSENT. INSTEAD, THESE SOILS HAVE AN AEG HORIZON.

09/01/93

SOIL SERIES:

NEWBROOK-PT

(ptNWB)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-2% WATERTABLE / PONDING

SOIL CLASSIFICATION:

ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM TILL

(PEATY)

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat%	SAR
OM AEG	0-20 20-50	10YR 10YR	3/3 5/2	DARK BROWN GRAYISH BROWN	MMPL	VFR	O FSL		6.4	0.9	35.	
BTG BCG	50-80 80-120	10YR 10YR	4/2 5/2	DARK GRAYISH BROWN GRAYISH BROWN	MMSBK MA	F F	SCL		6.1 7.	0.5	37. 35.	0.5

SOIL OUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
OM	0-20								(Peat)
AEG	20-50	G	G		F	G	G	G	F (Topsoil)
BTG	50-80	F	F		F	G	G	G	F (Subsoil)
BCG	80-120	F	F		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	50 cm (PEAT & AEG HORIZON)	SEA HAR
THICKNESS RANGE:	30-70 cm	NON
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	SOD

STRIPPING LIMITATIONS: WETNESS WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

VARIANT OF NEWBROOK HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON) UNDERLYING THE PEAT. INSTEAD, THERE IS A GRAYISH NOTES: BROWN, PLATY AEG HORIZON ABOUT 25 CM THICK.

09/01/93

SOIL SERIES:

OWL RIVER

(OWR)

LANDFORM:

BLANKET, UNDULATING

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-5%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

MESIC

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

MOM

GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence		0.C.	рН	EC	Sat%	
AP	0-28	10YR	4/2	DARK GRAYISH BROWN	WFGR	FR	FSL	3.2	6.1	0.5	57.	0.3
AEGJ	28-35	10YR	6/2	LIGHT BROWNISH GRAY	MMPL	FR	FSL	0.4	5.6	0.3	34.	0.3
BTGJ	35-80	10YR	4/2	DARK GRAYISH BROWN	WMSBK	F	SL-SCL		7.	0.3	42.	0.4
BC	80-120	10YR	5/3	BROWN	MA	FR	SL-SCL		6.9	0.1	34.	0.4

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-28	G	G	G	F	G	G	G	F (Topsoil)
AEGJ	28-35	G	G	P	F	G	G	G	P (Topsoil)
BTGJ	35-80	F	F		G	G	G	G	F (Subsoil)
BC	80-120	G	F		G	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

25 cm 20-30 CM OBVIOUS NONE LOW 0.063 MODERATE MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

MO SEASONALLY HIGH W.T.: HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: THESE SOILS ARE DEVELOPED ON SANDY LOAM TO SANDY CLAY LOAM TEXTURED MATERIAL. THE SANDY LOAM TEXTURED MATERIAL IS UNSTABLE ON EXPOSED FACES. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THERE IS AN LH AND AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THE SURFACE HORIZONS.

09/01/93

SOIL SERIES:

OWL RIVER-XT (xtOWR)

LANDFORM:

VENEER, UNDULATING

SOIL ZONE:

GRAY

TYPICAL SLOPES: USUAL SOIL MOISTURE: MESIC

2-5%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

PARENT MATERIAL:

MODERATELY FINE

SURFACE STONINESS:

NON

GLACIOLACUSTRINE/TILL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AE	0-40	10YR	5/3	BROWN	MMPL	VFR	FSL	0.8	7.		25.
2BT 2BC	40-80 80-100	10YR 10YR	4/4 5/4	DARK YELLOWISH BROWN YELLOWISH BROWN	MMSBK WFSBK	F F	L-CL		6.7	0.2	33. 40.
2CK	100-130	10YR	5/3	BROWN	MA	F	L-CL		7.6	0.4	40.

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AE	0-40	G	G	P	G	G	F		P (Topsoil)
2BT	40-80	F	F		G	G	G		F (Subsoil)
2BC	80-100	F	F		G	G	G		F (Subsoil)
2CK	100-130	F	F		F	G	G	G	F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

25	cm	
20-3	0	CM
OBVI	OUS	
NONE	3	
LOW		
0.06	3	
MODE	RATE	;
MODE	ידי ע פי	1

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	YES

NOTES: VARIANT OF OWL RIVER HAVING LOAM TO CLAY LOAM TEXTURED TILL WITHIN 1 M.

09/01/93

SOIL SERIES:

PINEHURST

(PIN)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION:

ELUVIATED EUTRIC BRUNISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL:

VERY GRAVELLY, VERY COARSE SURFACE STONINESS:

SLIGHTLY

GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure (Consistence			рН	EC	Sat%	SAR
AH	0-8	10YR	3/3	DARK BROWN	SGR	VFR	GRL	7.8	6.9	1.2	158.	0.3
AE	8-25	10YR	5/3	BROWN	SGR	L	GRFS	0.6	7.7	0.6	44.	0.4
BM	25-50	10YR	3/3	DARK BROWN	SGR	L	GRCS		7.3	0.6	18.	0.3
CK	50-120	10YR	4/4	DARK YELLOWISH BROWN	SGR	L	GRCS		7.2	0.5	20.	0.2

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AH	0-8	G	P	G	G	G	U	G	U (Topsoil)
AE	8-25	F	P	P	F	G	G	G	P (Topsoil)
BM	25-50	F	P		G	G	P	G	P (Subsoil)
CK	50-120	F	P		G	G	P	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

10 cm 5-15 cm OBVIOUS VERY THIN LOW 0.040 LOW MODERATE

HIGH

SEASONALLY HIGH W.T.: NO HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: YES STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES:

PINEHURST SOILS ARE DEVELOPED ON GRAVELLY SAND TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE. IN FORESTED AREAS, TOPSOIL IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE A THIN LH HORIZON OVERLYING A LIGHT COLORED AE HORIZON.

09/01/93

SOIL SERIES:

ST.LINA (SLN) LANDFORM:

BLANKET, LEVEL,

SOIL ZONE:

GRAY

TYPICAL SLOPES:

DEPRESSIONAL

SOIL CLASSIFICATION: TERRIC HUMIC MESISOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

0-1%

PARENT MATERIAL: ORGANIC FEN PEAT

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence Texture	O.C.	рН	EC	Sat% SA	R
OF	0-25		/		. 0					
OM1	25-51	5YRw	2/2	DARK REDDISH BROWN	0	40.02	6.3			
OM2	51-97	7.5YR	3/2	DARK BROWN	0	45.43	5.8			
OH	97-120	5YRw	2/2	DARK REDDISH BROWN	0	42.69	5.7			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OF	0-25								
OM1 OM2	25-51 51-97								
ОН	97-120								

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	0 cm
COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK: WATER EROSION K=:	
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RIBR ON 5 130 ELOTE.	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: EXPOSED FACES ARE UNSTABLE BECAUSE OF THE HIGH WATERTABLE.

09/01/93

SOIL SERIES:

STEBBING (SBN) LANDFORM:

BLANKET, LEVEL,

SOIL ZONE:

GRAY

TYPICAL SLOPES:

DEPRESSIONAL

SOIL CLASSIFICATION: TYPIC FIBRISOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL: ORGANIC SPHAGNUM PEAT

SURFACE STONINESS:

NON

0-1%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure Consistence	Texture	O.C.	рн	EC	Sat% SAR
OF1 OF2 OF3	0-33 33-142 142-157	5YRw	5/4 3/4 3/3	REDDISH BROWN DARK REDDISH BROWN DARK REDDISH BROWN		0 0 0	38.72 44.77 45.79			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OF1 OF2 OF3	0-33 33-142 142-157								

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	0	cm
THICKNESS RANGE:		cm
COLOR CHANGE TO SUBSOIL:		
STRIPPING LIMITATIONS:	WETI	NESS
WIND EROSION RISK:		
WATER EROSION K=:	-	
RISK ON <5% SLOPE:	-	
RISK ON 5-9% SLOPE:	-	
RISK ON 9-15% SLOPE:	-	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: EXPOSED FACES ARE UNSTABLE BECAUSE OF THE HIGH WATERTABLE.

09/01/93

SOIL SERIES:

TUCKER

(TCK) LANDFORM:

BLANKET, LEVEL,

SOIL ZONE:

GRAY

SOIL CLASSIFICATION: TERRIC MESIC FIBRISOL

TYPICAL SLOPES:

DEPRESSIONAL

PARENT MATERIAL:

ORGANIC SPHAGNUM PEAT

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon Depth Color Code

Color Name

Structure Consistence Texture O.C. pH EC Sat% SAR

0-41 5YRw 3/3 DARK REDDISH BROWN OF

41-66 2.5Yw 2/2 VERY DUSKY RED

0 39.15 4.4 0 34.73 7.1

SOIL OUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating

NO

NO

NO

NO

OF 0-41

41-66 OM

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:

COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS:

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE:

RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

cm

WETNESS

SEASONALLY HIGH W.T.:

HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK:

IMPORTANT TEXTURE CHANGE:

NO GRAVEL: NO STONY LAYER: FACE INSTABILITY: YES SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: EXPOSED FACES ARE UNSTABLE BECAUSE OF THE HIGH WATERTABLE.

09/01/93

SOIL SERIES:

WINSTON

(WST)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY

TYPICAL SLOPES:

2-30%

SOIL CLASSIFICATION: DARK GRAY LUVISOL

USUAL SOIL MOISTURE:

MOIST

PARENT MATERIAL:

FINE TILL

SURFACE STONINESS:

SLIGHTLY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Color Code Color Name		Structure	Consistence	Texture	O.C.	рН	EC	Sat% S	SAR
AP	0-18	10YR	3/2	VERY DARK GRAYISH BROWN	MFGR	FR-F	CL	4.5	6.8	0.3	42.	0.2
BT	18-70	10YR	4/4	DARK YELLOWISH BROWN	MMSBK	F	CL-C		6.8	0.3	42.	0.2
CK	70-130	2.5Y	4/4	OLIVE BROWN	MA	F	CL-C		7.8	0.3	45.	0.3

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AP	0-18	P	F	G	G	G	G	G	P (Topsoil)
BT	18-70	F	P		G	G	G	G	P (Subsoil)
CK	70-130	F	P		F	G	G	G	P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE:	
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	
WIND EROSION RISK:	
WATER EROSION K=:	
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE:	
RISK ON 9-15% SLOPE:	


20 cm 15-20 NOT OBVIOUS

NONE LOW 0.050 LOW MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
TMPORTANT TEXTURE CHANGE:	MO

DEVELOPED ON CLAY LOAM TO CLAY TEXTURED TILL. SEPARATION OF TOPSOIL NOTES: FROM SUBSOIL BY COLOR IS DIFFICULT UNLESS AN AE HORIZON IS PRESENT.



2.22 Soil Correlation Area #22

General Description of the Area

- Gray and Dark Gray Soil Zone of the North Peace area.
- Occurs north from Manning to High Level, then east to Fox Lake.

Ecoregion/Climate

- Low Boreal Mixedwood ecoregion.
- Agroclimate 3H (moderate heat limitations)
- Growing season P-PE= -200 to -250 mm.
- Precipitation is similar to the Mid Boreal Mixedwood and Aspen Parkland ecoregions but is lower than both the Lower Boreal-Cordilleran and Mid Boreal Mixedwood ecoregions.
- Summer temperatures are warmer than all other Boreal ecoregions. During the winter, only the Mid Boreal Mixedwood is colder.

Soil and Landscapes

- Mainly Dark Gray and Gray Luvisolic with some Solonetzic soils. Gleysolic and Organic soils occupy the poorly drained areas.
- Undulating to level glaciolacustrine deposits are the dominant landforms with some moraine material. Organic terrain occurs in many poorly drained, depressional locations.
- Profile development is generally 55 cm deep with 10 to 15 cm of topsoil.

Soil Reclamation Issues

- The risk of soil erosion by water is generally low, with a moderate to high risk along the Peace River Valley.
- The risk of soil erosion by wind is low.



09/01/93

SOIL SERIES:

BOYER

TITE.

(BYR)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

1-2%
TEMPORARY PONDING

SOIL CLASSIFICATION:

GRAY SOLODIZED SOLONETZ

USUAL SOIL MOISTURE:

TEMPORARI PON

PARENT MATERIAL:

FINE GLACIOLACUSTRINE OR

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
0-5	10YRm	4/2	DARK GRAYISH BROWN					7.		
5-17	10YRm	7/3	VERY PALE BROWN	SFPL	F	SIL	0.6	5.2		
17-25	5YRm	3/3	DARK REDDISH BROWN	MMSBK	VF	С	0.9	4.9		
25-40	5YRm	3/3	DARK REDDISH BROWN	MMCOL	VF	С	1.32	6.2		
40-52	7.5YR	4/2	DARK BROWN	SFSBK	VF	C		7.4		
52-82	5YRm	4/3	REDDISH BROWN	MA	F	С		7.8	7.7	
82-120	10YRm	3/3	DARK BROWN	STRAT	F	С		7.8	7.	
	0-5 5-17 17-25 25-40 40-52 52-82	0-5 10YRm 5-17 10YRm 17-25 5YRm 25-40 5YRm 40-52 7.5YR 52-82 5YRm	0-5 10YRm 4/2 5-17 10YRm 7/3 17-25 5YRm 3/3 25-40 5YRm 3/3 40-52 7.5YR 4/2 52-82 5YRm 4/3	0-5 10YRm 4/2 DARK GRAYISH BROWN 5-17 10YRm 7/3 VERY PALE BROWN 17-25 5YRm 3/3 DARK REDDISH BROWN 25-40 5YRm 3/3 DARK REDDISH BROWN 40-52 7.5YR 4/2 DARK BROWN 52-82 5YRm 4/3 REDDISH BROWN	0-5 10YRm 4/2 DARK GRAYISH BROWN 5-17 10YRm 7/3 VERY PALE BROWN SFPL 17-25 5YRm 3/3 DARK REDDISH BROWN MMSBK 25-40 5YRm 3/3 DARK REDDISH BROWN MMCOL 40-52 7.5YR 4/2 DARK BROWN SFSBK 52-82 5YRm 4/3 REDDISH BROWN MA	0-5 10YRm 4/2 DARK GRAYISH BROWN 5-17 10YRm 7/3 VERY PALE BROWN SFPL F 17-25 5YRm 3/3 DARK REDDISH BROWN MMSBK VF 25-40 5YRm 3/3 DARK REDDISH BROWN MMCOL VF 40-52 7.5YR 4/2 DARK BROWN SFSBK VF 52-82 5YRm 4/3 REDDISH BROWN MA F	0-5 10YRm 4/2 DARK GRAYISH BROWN 5-17 10YRm 7/3 VERY PALE BROWN SFPL F SIL 17-25 5YRm 3/3 DARK REDDISH BROWN MMSBK VF C 25-40 5YRm 3/3 DARK REDDISH BROWN MMCOL VF C 40-52 7.5YR 4/2 DARK BROWN SFSBK VF C 52-82 5YRm 4/3 REDDISH BROWN MA F C	0-5 10YRm 4/2 DARK GRAYISH BROWN 5-17 10YRm 7/3 VERY PALE BROWN SFPL F SIL 0.6 17-25 5YRm 3/3 DARK REDDISH BROWN MMSBK VF C 0.9 25-40 5YRm 3/3 DARK REDDISH BROWN MMCOL VF C 1.32 40-52 7.5YR 4/2 DARK BROWN SFSBK VF C 52-82 5YRm 4/3 REDDISH BROWN MA F C	0-5 10YRm 4/2 DARK GRAYISH BROWN 7. 5-17 10YRm 7/3 VERY PALE BROWN SFPL F SIL 0.6 5.2 17-25 5YRm 3/3 DARK REDDISH BROWN MMSBK VF C 0.9 4.9 25-40 5YRm 3/3 DARK REDDISH BROWN MMCOL VF C 1.32 6.2 40-52 7.5YR 4/2 DARK BROWN SFSBK VF C 7.4 52-82 5YRm 4/3 REDDISH BROWN MA F C 7.8	0-5 10YRm 4/2 DARK GRAYISH BROWN 7. 5-17 10YRm 7/3 VERY PALE BROWN SFPL F SIL 0.6 5.2 17-25 5YRm 3/3 DARK REDDISH BROWN MMSBK VF C 0.9 4.9 25-40 5YRm 3/3 DARK REDDISH BROWN MMCOL VF C 1.32 6.2 40-52 7.5YR 4/2 DARK BROWN SFSBK VF C 7.4 52-82 5YRm 4/3 REDDISH BROWN MA F C 7.8 7.7

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-17	P	G	P	P				P (Topsoil)
AB	17-25	P	P		P				P (Subsoil)
BNT	25-40	P	P		F				P (Subsoil)
BC	40-52	P	P		G				P (Subsoil)
CSK1	52-82	F	P		F	P			P (Subsoil)
CSK2	82-120	F	P		F	P			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10 cm 8-15 cm OBVIOUS VERY THIN LOW 0.066 MODERATE HIGH HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SPR SEASONALLY HIGH W.T.: HARD BEDROCK: NO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: NO SOLONETZIC B HORIZON: YES SALINE OR SODIC LOWER SUBSOIL: YES IMPORTANT TEXTURE CHANGE: NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. TOPSOIL (AH OR AHE HORIZON) IS
VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE A THIN LH HORIZON OVERLYING
A PLAE BROWN, PLATY AE HORIZON. THE BNT HAS AN UNDESIRABLE STRUCTURE AND
THE LOWER SUBSOIL IS SALINE AND SODIC.

09/01/93

SOIL SERIES:

CADOTTE

SOIL CLASSIFICATION: SOLONETZIC GRAY LUVISOL

(CTE)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

at% SAR

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-5								
AE	5-18	P	G	P	P				P (Topsoil)
AB	18-28	F	P		P				P (Subsoil)
BTNJ	28-51	P	P		P				P (Subsoil)
BCK	51-69	F	P		G				P (Subsoil)
CCAS	69-120	F	F		F				F (Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm	SEASONALLY HIGH W.T.:	SPR
THICKNESS RANGE:	10-20 cm	HARD BEDROCK:	NO
COLOR CHANGE TO SUBSOIL:	OBVIOUS	NON-SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	NONE	SODIC SOFTROCK:	NO
WIND EROSION RISK:	LOW	GRAVEL:	NO
WATER EROSION K=:	0.066	STONY LAYER:	NO
RISK ON <5% SLOPE:	MODERATE	FACE INSTABILITY:	NO
RISK ON 5-9% SLOPE:	HIGH	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	HIGH	SALINE OR SODIC LOWER SUBSOIL:	YES
		IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES WHILE THE LOWER SUBSOIL MAY BE SALINE AND SODIC.

09/01/93

SOIL SERIES:

CHILD LAKE

LANDFORM:

LEVEL

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

WATERTABLE/PONDING

SOIL CLASSIFICATION:
PARENT MATERIAL:

ORTHIC LUVIC GLEYSOL FINE GLACIOLACUSTRINE

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

0-2%

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Code Color Name		Consistence	Texture	o.c.	рН	EC	Sat% SAR
OM	0-5	10YRm	2/2	VERY DARK BROWN			0		5.5		
AEG	5-20	5GYm	7/1	LIGHT GREENISH GRAY	SFPL	FR	SICL	0.62	6.5		
BTG	20-50	5GYm	6/1	GREENISH GRAY	WFGR	S	SIC-C	0.54	7.2		
BCG	50-80	5GYm	4/1	DARK GREENISH GRAY	MA	S	SICL		7.4		
CKG	80-120	2.5Ym	4/0	DARK GRAY	MA	s	SICL		7.4		

(CHL)

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OM AEG BTG BCG CKG	0-5 5-20 20-50 50-80 80-120								(Topsoil) (Subsoil) (Subsoil) (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS:	15 cm
THICKNESS RANGE:	10-20 cm
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	
RISK ON 5-9% SLOPE.	_

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO
THE CHILD TENTE CHECK	

NOTES: SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS GENERALLY ABSENT. INSTEAD, THESE SOILS HAVE A PLATY AEG HORIZON.

09/01/93

SOIL SERIES:

CHILD LAKE-PT

(ptCHL) LANDFORM: LEVEL

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

0-2%

SOIL CLASSIFICATION: ORTHIC LUVIC GLEYSOL

USUAL SOIL MOISTURE: WATERTABLE/PONDING

(PEATY)

SURFACE STONINESS:

NON

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SA	R
OM AEG BTG BCG CKG	0-15 15-30 35-65 65-95 95-120	10YRm 5GYm 5GYm 5GYm 2.5Ym	7/1 6/1 4/1	VERY DARK BROWN LIGHT GREENISH GRAY GREENISH GRAY DARK GREENISH GRAY DARK GRAY	SFPL WFGR MA MA	FR S S	O SICL SICL SICL	0.62	5.5 6.5 7.2 7.4 7.4			

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
OM	0-15								
AEG	15-30								(Topsoil)
BTG	35-65								(Subsoil)
BCG	65-95								(Subsoil)
CKG	95-120								(Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS:	30 cm (PEAT & AEH	SEASONALLY HIGH W.T.:	ALL
	HORIZON)	HARD BEDROCK:	NO
THICKNESS RANGE:	30-65 cm	NON-SODIC SOFTROCK:	NO
COLOR CHANGE TO SUBSOIL:	NOT OBVIOUS	SODIC SOFTROCK:	NO
STRIPPING LIMITATIONS:	WETNESS	GRAVEL:	NO
WIND EROSION RISK:		STONY LAYER:	NO
WATER EROSION K=:	-	FACE INSTABILITY:	YES
RISK ON <5% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 5-9% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL:	NO
RISK ON 9-15% SLOPE:	-	IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF CHILD LAKE HAVING 15 TO 50 CM OF SURFACE PEAT. THERE IS LITTLE OR NO TOPSOIL (AH OR AHE HORIZON) UNDERLYING THE PEAT. INSTEAD, THERE IS A GRAYISH, PLATY AEG HORIZON ABOUT 15 CM THICK.

INTERPRETATION GUIDELINES

SCA 22

09/01/93

SOIL SERIES:

GRIFFIN-AA (aaGIF) LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

(CARBONATED)

SURFACE STONINESS:

NON

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Co	lor Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AHK CKG1 CKG2 CSK	0-20 20-40 40-50 50-120	10YRm 10YRm 10YRm 10YRm	5/1 5/1	VERY DAR	GRAYISH GRAY GRAY GRAY	BROWN	GR MA MA MA	FR F F	CL CL CL	6.85 1.8	7.5 8. 7.9 7.7	2.8	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
АНК	0-20	G	F	G	G				F (Topsoil)
CKG1	20-40	F	F		F				F (Subsoil)
CKG2	40-50	F	F		F				F (Subsoil)
CSK	50-120	F	F		F	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

HOME SCA IS 18. SOILS ARE WET ALL YEAR CAUSING EXPOSED FACES TO BE UNSTABLE. THEY ARE USUALL NON-SALINE. NOTES:

20 cm 10-20 cm NOT OBVIOUS WETNESS

09/01/93

SOIL SERIES:

HELEN-AA

(aaHEN) LANDFORM:

LEVEL

SOIL ZONE:

GRAY AND DARK GRAY

VERY FINE GLACIOLACUSTRINE

TYPICAL SLOPES:

0-2% WATERTABLE/PONDING

SOIL CLASSIFICATION: REGO HUMIC GLEYSOL

USUAL SOIL MOISTURE:

(SALINE)

SURFACE STONINESS:

TYPICAL SOIL PROFILE:

PARENT MATERIAL:

Horizon Depth	th Color Code Color Name		Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
CSAG 15-30 CSKG1 30-50	10YRm 2/1 2.5Ym 4/2 2.5Ym 4/2 5Ym 4/1	BLACK DARK GRAYISH BROWN DARK GRAYISH BROWN DARK GRAY	MMGR MA MA MA	FR S S	SIC SIC SIC	7.53		15. 15.	

SOIL QUALITY RATINGS:

G F U F U	U (Topsoil) U (Subsoil)
F U	U (Subsoil) U (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL:	15 cm 10-20 OBVIOUS
STRIPPING LIMITATIONS:	WETNESS
WIND EROSION RISK: WATER EROSION K=:	_
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:	_
KISK ON 9-136 SHOPE:	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NOTES: HOME SCA IS 18. DEVELOPED ON SILTY CLAY TEXTURED. GLACIOLACUSTRINE MATERIAL. SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE.

cm

09/01/93

SOIL SERIES:

HIGH LEVEL (HLL)

LANDFORM:

BLANKET

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

1-2%

SOIL CLASSIFICATION: ORTHIC GRAY LUVISOL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MESIC NON

PARENT MATERIAL:

MEDIUM GLACIOFLUVIAL

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-3	10YRm	2/1	BLACK				42.04	5.9		
AE	3-15	10YRm	6/4	LIGHT YELLOWISH BROWN	MFPL	L	SIL	0.87	5.3		
BT	15-43	10YRm	5/6	YELLOWISH BROWN	SCGR	FR	SIL	0.45	5.5		
BC	43-55	10YRm	5/6	YELLOWISH BROWN	MFGR	FR	SIL		6.5		
CCASA	55-62	10YRm	6/3	PALE BROWN	MA	FR	SIL		7.6	3.2	
CK	62-120	10YRm	6/3	PALE BROWN	STRAT	FR	SIL		8.	1.7	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
AE	3-15	F	G	P	P				P (Topsoil)
BT	15-43	G	G		F				F (Subsoil)
BC	43-55	G	G		G				G (Subsoil)
CCASA	55-62	G	G		F	F			F (Subsoil)
CK	62-120	G	G		F	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

10	cm	
8-15	5	cm
TOM	OBV	TOUS
NON	Ξ	

8-12	CIII
TOM	OBVIOUS
NONE	
LOW	
0.05	9
MODE	RATE
HIGH	
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	NO
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: THESE SOILS ARE DEVELOPED ON SILT LOAM TEXTURED, GLACIOFLUVIAL

MATERIAL. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, THERE IS AN LH AND AE HORIZON.

SOIL CLASSIFICATION: ORTHIC GLEYSOL

SCA 22

09/01/93

SOIL SERIES:

KEG

(KEG)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

0-2% USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Co	de	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-5	10YRm 3	/2	VERY DARK GRAYISH BROWN				4.5	7.2		
BG	5-25	2.5Ym 3.	/ 0	VERY DARK GRAY	SMSBK	VF	HC	1.5	7.		
CG	25-120	10YRm 2	/2	VERY DARK BROWN	MA	VF	HC		7.4		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Ove	rall Rating
LH	0-5									
BG	5-25	P	P		G				P	(Subsoil)
CG	25-120	Р.	P		G				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYP	ICAL T	HICKNESS:		0	CM		
THI	CKNESS	RANGE:		0-5		cm	
COL	OR CHAI	NGE TO SUBSOIT	L:				
STR	IPPING	LIMITATIONS:		WET	WESS,	VERY	THIN
WIN	D EROS	ON RISK:					
WAT	ER EROS	SION K=:		-			
R	ISK ON	<5% SLOPE:		-			
R	ISK ON	5-9% SLOPE:		-			
R	ISK ON	9-15% SLOPE:					

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL IS VERY THIN OR ABSENT.

ALL

NO

NO

09/01/93

SOIL SERIES:

KEG-PT

SOIL CLASSIFICATION: ORTHIC GLEYSOL (PEATY)

(ptKEG)

LANDFORM:

LEVEL

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

TYPICAL SOIL PROFILE:

Horizon Depth Color Code Color Name Structure Consistence Texture O.C. pH EC Sat% SAR

OM 0-20 /

20-40 2.5Ym 3/0 VERY DARK BROWN SMSBK VF HC 1.5 7. 40-120 10YRm 2/2 VERY DARK BROWN MA VF HC 7.4

SEASONALLY HIGH W.T.:

SOIL OUALITY RATINGS:

Horizon Depth Consistence Texture O.C. pH EC Sat% SAR Overall Rating
OM 0-20 (Peat)

BG 20-40 P P G G P (Subsoil)
CG 40-120 P P G G P (Subsoil)

TOPSOIL INTERPRETATIONS:

RISK ON 9-15% SLOPE:

TYPICAL THICKNESS: 20 cm PEAT THICKNESS RANGE: 15-50 cm

THICKNESS KANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS: WETNESS, VERY THIN
WIND ERCSION RISK:

WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: -

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

HARD BEDROCK: NO
NON-SODIC SOFTROCK: NO
SODIC SOFTROCK: NO
GRAVEL: NO
STONY LAYER: NO
FACE INSTABILITY: YES
SOLOMETRIC B HORIZON: NO

SOLONETZIC B HORIZON: SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:

NOTES: VARIANT OF KEG WITH 15 TO 50 CM OF SURFACE PEAT. TOPSOIL IS VERY THIN OR ABSENT.

09/01/93

SOIL SERIES:

LAWRENCE

LANDFORM:

BLANKET

SOIL ZONE:

GRAY AND DARK GRAY

GRAY SOLODIZED SOLONETZ

TYPICAL SLOPES:

TEMPORARY PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION:

FINE TILL

USUAL SOIL MOISTURE: SURFACE STONINESS:

MODERATELY

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AHE	0-5	5YRm	3/2	DARK REDDISH BROWN	WFPL	FR	SIL	3.69	6.7	9.5	
AE	5-15	7.5YR	6/2	PINKISH GRAY	SMPL	FR	SIL	1.15	5.5	7.5	
BNT1	15-27	5YRm	3/4	DARK REDDISH BROWN	SCCOL	VF	С	0.97	5.5		
BNT2	27-37	5YRm	3/3	DARK REDDISH BROWN	SCABK	VF	С	1.21	6.9		
BCN	37-44	5YRm	4/4	REDDISH BROWN	MFSBK	VF	С		7.4		
CSAK	44-54	5YRm	5/2	REDDISH GRAY	MA	VF	С		8.		
CSK	54-120	5YRm	5/2	REDDISH GRAY	MA	VF	С		7.6		

(LRC)

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
AHE	0-5	G	G	G	G	U			U (Topsoil)
AE	5-15	G	G	F	F	P			P (Topsoil)
BNT1	15-27	P	P		F				P (Subsoil)
BNT2	27-37	P	P		G				P (Subsoil)
BCN	37-44	P	P		G				P (Subsoil)
CSAK	44-54	P	P		F				P (Subsoil)
CSK	54-120	P	P		F				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

15 cm	
10-20	cm
OBVIOUS	
NONE	
LOW	
0.066	
MODERATI	Ξ
HIGH	

HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	YES
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON CLAY TEXTURED TILL MIXED WITH SHALE. THE BNT HAS AN UNDESIREABLE STRUCTURE WHILE THE LOWER SUBSOIL IS MODERATELY SALINE AND SODIC. SOILS ARE LOCATED IN A GROUNDWATER DISCHARGE AREA THEREFORE LOCAL CONDITIONS MAY CAUSE EXPOSED FACES TO BE UNSTABLE.

09/01/93

SOIL SERIES:

LINTON LAKE (LKE)

LANDFORM.

BLANKET

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

1-5%

SOIL CLASSIFICATION:

OTHIC GRAY LUVISOL

USUAL SOIL MOISTURE:

DROUGHTY

PARENT MATERIAL: MODERATELY COARSE GLACIOFLUVIAL

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color (Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
AE1	0-10	10YRm	5/3	BROWN	WFPL	L	SIL	0.51	6.7		
AE2	10-15	10YRm	6/2	LIGHT BROWNISH GRAY	WFPL	L	L	0.5	7.1		
BT	15-45	10YRm	4/4	DARK YELLOWISH BROWN	MFSBK	F	L	0.39	6.9		
BC	45-60	10YRm	6/3	PALE BROWN	MMGR	FR	L		7.2		
CCA	60-100	10YRm	8/2	WHITE	MA	FR	SIL		8.	0.3	
CK	100-120	10YRm	6/3	PALE BROWN	MA	FR	SL		8.	1.8	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	O.C.	рН	EC	Sat%	SAR	Overall Rating
AE1	0-10	F	G	P	G				P (Topsoil)
AE2	10-15	F	G	P	G				P (Topsoil)
BT	15-45	F	G		G				F (Subsoil)
BC	45-60	G	G		G				G (Subsoil)
CCA	60-100	G	G		F	G			F (Subsoil)
CK	100-120	G	G		F	G			F (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: 15 c
THICKNESS RANGE: 10-2(
COLOR CHANGE TO SUBSOIL: OBVIC
STRIPPING LIMITATIONS: NONE
WIND EROSION RISK: LOW
WATER EROSION K=: 0.05:
RISK ON <5% SLOPE: MODEI
RISK ON 5-9% SLOPE: HIGH
RISK ON 9-15% SLOPE: HIGH

15 cm 10-20 cm OBVIOUS NONE LOW 0.053 MODERATE HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: NO HARD BEDROCK: MO NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: THESE SOILS ARE DEVELOPED ON LOAM TO SANDY LOAM TEXTURED DEPOSITS. IN FORESTED AREAS, THERE IS LITTLE OR NO TOPSOIL. INSTEAD, HORIZONS INCLUDE THE LH, AE OR BM, AND ANOTHER AE HORIZON. SANDY TEXTURED LAYERS WITH LOOSE CONSISTENCE HAVE UNSTABLE EXPOSED FACES.

09/01/93

SOIL SERIES:

PARMA

(PMA)

LANDFORM:

LEVEL, DEPRESSIONAL

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

0-2%

PARENT MATERIAL:

SOIL CLASSIFICATION: SOLONETZIC LUVIC GLEYSOL VERY FINE GLACIOLACUSTRINE USUAL SOIL MOISTURE:

WATERTABLE/PONDING

SURFACE STONINESS: NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code		Color Name	Structure (Consistence	Texture	0.C.	рН	EC	Sat% SAR
LH	0-3	10YRm	4/2	DARK GRAYISH BROWN					5.3		
AHE	3-10	10YRd	4/2	DARK GRAYISH BROWN	MMSBK	F	SIC	4.43	5.		
BTNJG1	10-25	10YRm	3/3	DARK BROWN	MCCOL	EH	HC	1.68	4.7		
BTNJG2	25-55	10YRm	3/2	VERY DARK GRAYISH BROWN	WCCOL	EH	HC	1.06	4.6		
BCG	55-75	10YRm	3/1	VERY DARK GRAY	MMABK	F	HC		6.		
CSKG	75-120	10YRm	3/2	VERY DARK GRAYISH BROWN	MA	F	HC		8.	9.8	

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
LH	0-3								
AHE	3-10	P	P	G	P				P (Topsoil)
BTNJG1	10-25	P	P		P				P (Subsoil)
BTNJG2	25-55	P	P		P				P (Subsoil)
BCG	55-75	F	P		F				P (Subsoil)
CSKG	75-120	F	P		F	P			P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	10 cm
THICKNESS RANGE:	5-15
COLOR CHANGE TO SUBSOI	L: NOT OBVI
STRIPPING LIMITATIONS:	: WETNESS
WIND EROSION RISK:	
WATER EROSION K=:	-
RISK ON <5% SLOPE:	-
RISK ON 5-9% SLOPE:	-
RISK ON 9-15% SLOPE:	-

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.: HARD BEDROCK:	ALL NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: DEVELOPED ON HEAVY CLAY TEXTURED DEPOSITS. SOILS ARE WET ALL YEAR THEREFORE EXPOSED FACES ARE UNSTABLE. THE B HORIZON HAS SOLONETZIC TENDENCIES WHILE THE LOWER SUBSOIL MAY BE SALINE AND SODIC.

cmcm OBVIOUS

INTERPRETATION GUIDELINES

SCA 22

09/01/93

SOIL SERIES:

PEACE RIVER-AA (aaPRV)

LANDFORM:

BLANKET 1-9%

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

TEMPORARY PONDING

SOIL CLASSIFICATION: GLEYED DARK GRAY LUVISOL

(SOLONETZIC)

USUAL SOIL MOISTURE: SURFACE STONINESS:

PARENT MATERIAL:

VERY FINE GLACIOLACUSTRINE

TYPICAL SOIL PROFILE:

Horizon	Depth	Color Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
АН	0-10	10YRm 3/2	VERY DARK GRAYISH BROWN	GR	FR	SICL		6.5		
AE	10-18	10YRm 7/2	LIGHT GRAY	PL	FR	SIL		5.8		
AB	18-25	10YRm 4/2	DARK GRAYISH BROWN	SBK	F	SIC		5.4		
BTNJ	25-38	10YRm 3/2	VERY DARK GRAYISH BROWN	WCCOL	VF	SIC		5.6		
BC	38-48	10YRm 4/1	DARK GRAY	SBK	F	HC		6.9		
CK	48-95	10YRm 4/1	DARK GRAY	MA	F	HC		7.6		
CSK	95-120	10YRm 4/1	DARK GRAY	MA	F	SIC		7.6		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	0ve	rall Rating
AH	0-10	G	F		G				F	(Topsoil)
AE	10-18	G	G		F				F	(Topsoil)
AB	18-25	F	P		P				P	(Subsoil)
BTNJ	25-38	P	P		F				P	(Subsoil)
BC	38-48	F	P		G				P	(Subsoil)
CK	48-95	F	P		F				P	(Subsoil)
CSK	95-120	F	P		F				P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:
THICKNESS RANGE:
COLOR CHANGE TO SUBSOIL:
STRIPPING LIMITATIONS:
WIND EROSION RISK:
WATER EROSION K=:
RISK ON <5% SLOPE:
RISK ON 5-9% SLOPE:
RISK ON 9-15% SLOPE:

.5	cm	
0 - 2	20	cm
TO	OBV	TOUS
IONI	Ξ	
WOL		
	- 0	

0.050
MODERATE
HIGH
HIGH

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	SPR
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SÖFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	NO
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	YES
IMPORTANT TEXTURE CHANGE:	NO

NOTES: HOME SCA IS 18. THESE SOILS ARE DEVELOPED ON SILTY CLAY TEXTURED MATERIAL. THE B HORIZON HAS SOLONETZIC TENDENCIES WHILE THE LOWER SUBSOIL MAY BE SALINE AND SODIC. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) OVERLIES AN AE HORIZON. IN CULTIVATED AREAS, THE AP HORIZON IS A MIXTURE OF THESE THREE HORIZONS. THESE SOILS ARE IMPERFECTLY DRAINED AND EXHIBIT GLEYING AND MOTTLING FEATURES IN THE SUBSOIL.

09/01/93

SOIL SERIES: SOIL ZONE: PRAIRIE POINT (PPT)

SOIL CLASSIFICATION:
PARENT MATERIAL:

GRAY AND DARK GRAY
DARK GRAY LUVISOL
MODERATELY COARSE
GLACIOFLUVIAL

LANDFORM:

TYPICAL SLOPES:

BLANKET 1-5%

USUAL SOIL MOISTURE:

DROUGHTY

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	O.C.	рН	EC	Sat% SAR
AH	0-12	10YRm	2/1	BLACK	MFGR	VFR	FSL	4.84	6.5		
AHE	12-17	10YRm	4/2	DARK GRAYISH BROWN	MFPL	VFR	FSL	3.1	7.		
AE	17-32	10YRm	6/3	PALE BROWN	WFPL	L	SL	0.49	5.8		
BT	32-52	10YRm	5/4	YELLOWISH BROWN	MFSBK	F	SL	0.43	6.5		
BC	52-70	10YRm	5/4	YELLOWISH BROWN	SGR	L	SL		6.8		
CCA	70-98	10YRm	8/3	VERY PALE BROWN	SGR	L	SL		7.5		
CK	98-120	10YRm	4/2	DARK GRAYISH BROWN	SGR	L	LS		7.5		

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рн	EC	Sat%	SAR	Overall Rating
AH	0-12	G	G	G	G				G (Topsoil)
AHE	12-17	G	G	G	G				G (Topsoil)
AE	17-32	F	G	P	F				P (Topsoil)
BT	32-52	F	G		G				F (Subsoil)
BC	52-70	F	G		G				F (Subsoil)
CCA	70-98	F	G		G				F (Subsoil)
CK	98-120	F	P		G				P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	25
THICKNESS RANGE:	20
COLOR CHANGE TO SUBSOIL:	NO
STRIPPING LIMITATIONS:	NO
WIND EROSION RISK:	LO
WATER EROSION K=:	0.
RISK ON <5% SLOPE:	LO
RISK ON 5-9% SLOPE:	MO
RISK ON 9-15% SLOPE:	HI

25 cm	
20-30 cm	
NOT OBVIOUS	
NONE	
LOW	
0.040	
LOW	
MODERATE	
HIGH	

SUBSOIL (TO 1.5 M) INTERPRETATIONS: SEASONALLY HIGH W.T.:

SEASONALLY HIGH W.T.:		NO
HARD BEDROCK:		NO
NON-SODIC SOFTROCK:		NO
SODIC SOFTROCK:		NO
GRAVEL:		NO
STONY LAYER:		NO
FACE INSTABILITY:		YES
SOLONETZIC B HORIZON:		NO
SALINE OR SODIC LOWER S	UBSOIL:	NO
IMPORTANT TEXTURE CHANG	E:	NO

NOTES: PRAIRIE POINT SOILS ARE DEVELOPED ON SANDY LOAM TEXTURED MATERIAL. EXPOSED FACES ARE UNSTABLE. IN FORESTED AREAS, TOPSOIL (AH OR AHE HORIZON) OCCURS OVER AN AE HORIZON. IN CULTIVATED AREAS, THESE HORIZONS ARE MIXED TOGETHER FORMING THE AP HORIZON.

09/01/93

SOIL SERIES:

SAVAGE

(SVG)

LANDFORM:

LEVEL 0-28

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

SOIL CLASSIFICATION: REGO GLEYSOL

USUAL SOIL MOISTURE:

WATERTABLE/PONDING

PARENT MATERIAL:

FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	0.C.	рН	EC	Sat% SAR
CG1	0-32	5Ym	4/1	DARK GRAY	MA	S	С				
CG2	32-72	5Ym	4/1	DARK GRAY	STRAT	S	C				
CG3	72-90	5Ym	6/3	PALE OLIVE	STRAT	S	C				
CG4	90-120	5Ym	4/1	DARK GRAY	MA	S	С				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	Нд	EC	Sat%	SAR	Overall Rating
CG1	0-32	Р	P					P	(Subsoil)
CG2	32-72	P	P					P	(Subsoil)
CG3	72-80	P	P					P	(Subsoil)
CG4	90-120	P	P					P	(Subsoil)

TOPSOIL INTERPRETATIONS:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: BUSY ON 5% SLOPE:	0 cm (PEAT) 0-5 cm	SEASONALLY HIGH W.T.: HARD BEDROCK: NON-SODIC SOFTROCK: SODIC SOFTROCK: GRAVEL: STONY LAYER: FACE INSTABILITY: SOLONETIC B. HORIZON:	ALL NO NO NO NO NO YES
RISK ON <5% SLOPE:	-	FACE INSTABILITY:	YES
RISK ON 5-9% SLOPE:	-	SOLONETZIC B HORIZON:	NO
RISK ON 9-15% SLOPE:	-	SALINE OR SODIC LOWER SUBSOIL: IMPORTANT TEXTURE CHANGE:	NO

NOTES: FINE TEXTURED SOILS ARE CULTIVATED ALL YEAR AND THEREFORE EXPOSED FACES ARE UNSTABLE. TOPSOIL IS VERY THIN OR ABSENT.

09/01/93

SOIL SERIES:

SAVAGE-PT

(ptSVG)

LANDFORM:

LEVEL 0-2%

SOIL ZONE:

GRAY AND DARK GRAY

TYPICAL SLOPES:

USUAL SOIL MOISTURE: WATERTABLE/PONDING

PARENT MATERIAL:

SOIL CLASSIFICATION: REGO GLEYSOL (PEATY) FINE GLACIOLACUSTRINE

SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	pН	EC	Sat%	SAR
ОН	0-15	10YRm	2/2	VERY DARK BROWN			0					
CG1	15-47	5Ym	4/1	DARK GRAY	MA	S	С					
CG2	47-87	5Ym	4/1	DARK GRAY	STRAT	S	С					
CG3	87-105	5Ym	6/3	PALE OLIVE	STRAT	S	С					
CG4	105-120	5Ym	4/1	DARK GRAY	MA	S	С					

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	0.C.	Нд	EC	Sat%	SAR	Overall Rating
ОН	0-15								(Peat)
CG1	15-47	P	P					P	(Subsoil)
CG2	47-87	P	P					P	(Subsoil)
CG3	87-105	P	P					P	(Subsoil)
CG4	105-120	P	P					P	(Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS:	15 cm (PEAT)
THICKNESS RANGE:	15-50 cm
COLOR CHANGE TO SUBSOIL:	
STRIPPING LIMITATIONS:	WETNESS, VERY THIN

WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

SEASONALLY HIGH W.T.:	ALL
HARD BEDROCK:	NO
NON-SODIC SOFTROCK:	NO
SODIC SOFTROCK:	NO
GRAVEL:	NO
STONY LAYER:	NO
FACE INSTABILITY:	YES
SOLONETZIC B HORIZON:	NO
SALINE OR SODIC LOWER SUBSOIL:	NO
IMPORTANT TEXTURE CHANGE:	NO

NOTES: VARIANT OF SAVAGE HAVING 15 TO 50 CM OF SURFACE PEAT. TOPSOIL IS VERY THIN OR ABSENT.

09/01/93

SOIL SERIES: SOIL ZONE:

SURETTE LAKE (SKE)

LANDFORM:

DUNED

GRAY AND DARK GRAY

TYPICAL SLOPES:

2-9% DROUGHTY

SOIL CLASSIFICATION: ELUVIATED EUTRIC BRUNISOL PARENT MATERIAL:

VERY COARSE EOLIAN

USUAL SOIL MOISTURE: SURFACE STONINESS:

NON

TYPICAL SOIL PROFILE:

Horizon	Depth	Color	Code	Color Name	Structure	Consistence	Texture	o.c.	рН	EC	Sat% SAR
LH	0-3	10YRm	2/2	VERY DARK BROWN					5.9		
BM	3-23	7.5YR	4/4	BROWN	SGR	L	S	0.19	6.3		
C1	23-38	7.5YR	6/4	LIGHT BROWN	SGR	L	LFS		6.3		
C2	38-73	10YRm	6/6	BROWNISH YELLOW	SGR	L	S		6.7		
C3	73-154	2.5Ym	6/4	LIGHT YELLOWISH BROWN	SGR	L	S		6.3		
CK	154-200	2.5Ym	6/4	LIGHT YELLOWISH BROWN	SGR	L	S				

SOIL QUALITY RATINGS:

Horizon	Depth	Consistence	Texture	o.c.	рН	EC	Sat%	SAR	Overall Rating
LH	0-3								
BM	3-23	F	P		F				P (Topsoil)
C1	23-38	F	P		F				P (Subsoil)
C2	38-73	F	P		G				P (Subsoil)
C3	73-154	F	P		F				P (Subsoil)
CK	154-200	F	P						P (Subsoil)

TOPSOIL INTERPRETATIONS:

TYPICAL THICKNESS: THICKNESS RANGE: COLOR CHANGE TO SUBSOIL: STRIPPING LIMITATIONS: WIND EROSION RISK: WATER EROSION K=: RISK ON <5% SLOPE: RISK ON 5-9% SLOPE: RISK ON 9-15% SLOPE:


15 cm 10-20 cm OBVIOUS NONE MODERATE 0.020 LOW MODERATE

MODERATE

SUBSOIL (TO 1.5 M) INTERPRETATIONS:

NO SEASONALLY HIGH W.T.: NO HARD BEDROCK: NON-SODIC SOFTROCK: NO SODIC SOFTROCK: NO GRAVEL: NO STONY LAYER: NO FACE INSTABILITY: YES SOLONETZIC B HORIZON: NO SALINE OR SODIC LOWER SUBSOIL: NO IMPORTANT TEXTURE CHANGE: NO

NOTES: DEVELOPED ON SAND TEXTURED WIND DEPOSITS, EXPOSED FACES ARE UNSTABLE. TOPSOIL (AH OR AHE HORIZON) IS VERY THIN OR ABSENT. INSTEAD, THESE SOILS HAVE A THIN LH HORIZON OVERLYING AN AE OR BM HORIZON.



2.23 Soil Correlation Area #23

General Description of the Area

 Occupies the Cameron Hills Uplands, the Caribou Mountains Upland, and the McIvor Upland in the northeast portion of the Birch Mountains Uplands.

Ecoregion/Climate

- Boreal Subarctic ecoregion of northern Alberta.
- Agroclimate 6H to 7H.
- Growing season P-PE= less than 150 mm.
- Temperatures are colder than the High Boreal Mixedwood ecoregion and the permafrost does not thaw. Temperatures during an Arctic high are warmer at higher elevations.
- · Chinooks do not occur.


Soil and Landscapes

The landscape is composed of shallow, Organic Cryosols over moraine and bedrock.

Soil Reclamation Issues

• Permafrost melt occurs when insulating layers are removed.

NOTE: There are no soil series established in this SCA.



2.24 Soil Correlation Area #24

General Description of the Area

- · Canadian Shield Kazan Upland.
- Occurs in the northeast corner of Alberta around Lake Athabasca.


Ecoregion/Climate

- High Boreal Mixedwood Ecoregion.
- Agroclimate = 6H (very severe heat limitations).
- Growing season P-PE = approximately 0 mm.

Soil and Landscapes

 Landscapes to the north of Lake Athabasca are composed of rolling bedrock with discontinuous veneer and blanket of moraines. To the south, the Harrison River Plain is composed of undulating glaciofluvial deposits.

NOTE: There are no soil series established in this SCA.



RECLAMATION RESEARCH REPORTS

 RRTAC 79-2: Proceedings: Workshop on Native Shrubs in Reclamation. P.F. Ziemkiewicz, C.A. Dermott and H.P. Sims (Editors). 104 pp. No longer available.

The Workshop was organized as the first step in developing a Native Shrub reclamation research program. The Workshop provided a forum for the exchange of information and experiences on three topics: propagation; outplanting; and, species selection.

2. RRTAC 80-1: Test Plot Establishment: Native Grasses for Reclamation. R.S. Sadasivaiah and J. Weijer. 19 pp. No longer available.

The report details the species used at three test plots in Alberta's Eastern Slopes. Site preparation, experimental design, and planting method are also described.

3. RRTAC 80-2: Alberta's Reclamation Research Program - 1979. Reclamation Research Technical Advisory Committee. 22 pp. No longer available.

This report describes the expenditure of \$1,190,006 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

4. RRTAC 80-3: The Role of Organic Compounds in Salinization of Plains Coal Mining Sites. N.S.C. Cameron et al. 46 pp. No longer available.

This is a literature review of the chemistry of sodic mine spoil and the changes expected to occur in groundwater.

RRTAC 80-4: Proceedings: Workshop on Reconstruction of Forest Soils in Reclamation.
 P.F. Ziemkiewicz, S.K. Takyi and H.F. Regier (Editors). 160 pp. \$10.00

Experts in the field of forestry and forest soils report on research relevant to forest soil reconstruction and discuss the most effective means of restoring forestry capability of mined lands.

6. RRTAC 80-5: Manual of Plant Species Suitability for Reclamation in Alberta. L.E. Watson, R.W. Parker and D.F. Polster. 2 vols, 541 pp. No longer available; replaced by RRTAC 89-4.

Forty-three grass, fourteen forb, and thirty-four shrub and tree species are assessed in terms of their suitability for use in reclamation. Range maps, growth habit, propagation, tolerance, and availability information are provided.

7. RRTAC 81-1: The Alberta Government's Reclamation Research Program - 1980. Reclamation Research Technical Advisory Committee. 25 pp. No longer available.

This report describes the expenditure of \$1,455,680 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

8. RRTAC 81-2: 1980 Survey of Reclamation Activities in Alberta. D.G. Walker and R.L. Rothwell. 76 pp. \$10.00

This survey is an update of a report prepared in 1976 on reclamation activities in Alberta, and includes research and operational reclamation, locations, personnel, etc.

9. RRTAC 81-3: Proceedings: Workshop on Coal Ash and Reclamation. P.F. Ziemkiewicz, R. Stein, R. Leitch and G. Lutwick (Editors). 253 pp. \$10.00

Presents nine technical papers on the chemical, physical, and engineering properties of Alberta fly and bottom ashes, revegetation of ash disposal sites, and use of ash as a soil amendment. Workshop discussions and summaries are also included.

 RRTAC 82-1: Land Surface Reclamation: An International Bibliography. H.P. Sims and C.B. Powter. 2 vols, 292 pp. \$10.00

Literature to 1980 pertinent to reclamation in Alberta is listed in Vol. 1 and is also on the University of Alberta computing system (in a SPIRES database called RECLAIM). Vol. 2 comprises the keyword index and computer access manual.

11. RRTAC 82-2: A Bibliography of Baseline Studies in Alberta: Soils, Geology, Hydrology and Groundwater. C.B. Powter and H.P. Sims. 97 pp. \$5.00

This bibliography provides baseline information for persons involved in reclamation research or in the preparation of environmental impact assessments. Materials, up to date as of December 1981, are available in the Alberta Environment Library.

12. RRTAC 82-3: The Alberta Government's Reclamation Research Program - 1981. Reclamation Research Technical Advisory Committee. 22 pp. No longer available.

This report describes the expenditure of \$1,499,525 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

13. RRTAC 83-1: Soil Reconstruction Design for Reclamation of Oil Sand Tailings. Monenco Consultants Ltd. 185 pp. No longer available

Volumes of peat and clay required to amend oil sand tailings were estimated based on existing literature. Separate soil prescriptions were made for spruce, jack pine, and herbaceous cover types. The estimates form the basis of field trials (See RRTAC 92-4).

14. RRTAC 83-2: The Alberta Government's Reclamation Research Program - 1982. Reclamation Research Technical Advisory Committee. 25 pp. No longer available.

This report describes the expenditure of \$1,536,142 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

15. RRTAC 83-3: Evaluation of Pipeline Reclamation Practices on Agricultural Lands in Alberta. Hardy Associates (1978) Ltd. 205 pp. No longer available.

Available information on pipeline reclamation practices was reviewed. A field survey was then conducted to determine the effects of pipe size, age, soil type, construction method, etc. on resulting crop production.

16. RRTAC 83-4: Proceedings: Effects of Coal Mining on Eastern Slopes Hydrology. P.F. Ziemkiewicz (Editor). 123 pp. \$10.00

Technical papers are presented dealing with the impacts of mining on mountain watersheds, their flow characteristics, and resulting water quality. Mitigative measures and priorities were also discussed.

17. RRTAC 83-5: Woody Plant Establishment and Management for Oil Sands Mine Reclamation. Techman Engineering Ltd. 124 pp. No longer available.

This is a review and analysis of information on planting stock quality, rearing techniques, site preparation, planting, and procedures necessary to ensure survival of trees and shrubs in oil sand reclamation.

RRTAC 84-1: Land Surface Reclamation: A Review of the International Literature. H.P. Sims,
 C.B. Powter and J.A. Campbell. 2 vols, 1549 pp. \$20.00

Nearly all topics of interest to reclamationists including mining methods, soil amendments, revegetation, propagation and toxic materials are reviewed in light of the international literature.

19. RRTAC 84-2: Propagation Study: Use of Trees and Shrubs for Oil Sand Reclamation. Techman Engineering Ltd. 58 pp. \$10.00

This report evaluates and summarizes all available published and unpublished information on large-scale propagation methods for shrubs and trees to be used in oil sand reclamation.

20. RRTAC 84-3: Reclamation Research Annual Report - 1983. P.F. Ziemkiewicz. 42 pp. \$5.00

This report describes the expenditure of \$1,529,483 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

21. RRTAC 84-4: Soil Microbiology in Land Reclamation. D. Parkinson, R.M. Danielson, C. Griffiths, S. Visser and J.C. Zak. 2 vols, 676 pp. \$10.00

This is a collection of five reports dealing with re-establishment of fungal decomposers and mycorrhizal symbionts in various amended spoil types.

22. RRTAC 85-1: Proceedings: Revegetation Methods for Alberta's Mountains and Foothills. P.F. Ziemkiewicz (Editor). 416 pp. \$10.00.

Results of long-term experiments and field experience on species selection, fertilization, reforestation, topsoiling, shrub propagation and establishment are presented.

23. RRTAC 85-2: Reclamation Research Annual Report - 1984. P.F. Ziemkiewicz. 29 pp. No longer available.

This report describes the expenditure of \$1,320,516 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

24. RRTAC 86-1: A Critical Analysis of Settling Pond Design and Alternative Technologies. A. Somani. 372 pp. \$10.00

The report examines the critical issue of settling pond design, and sizing and alternative technologies. The study was co-funded with The Coal Association of Canada.

25. RRTAC 86-2: Characterization and Variability of Soil Reconstructed after Surface Mining in Central Alberta. T.M. Macyk. 146 pp. No longer available.

Reconstructed soils representing different materials handling and replacement techniques were characterized, and variability in chemical and physical properties was assessed. The data obtained indicate that reconstructed soil properties are determined largely by parent material characteristics and further tempered by materials handling procedures. Mining tends to create a relatively homogeneous soil landscape in contrast to the mixture of diverse soils found before mining.

 RRTAC 86-3: Generalized Procedures for Assessing Post-Mining Groundwater Supply Potential in the Plains of Alberta - Plains Hydrology and Reclamation Project. M.R. Trudell and S.R. Moran. 30 pp. \$5.00

In the Plains region of Alberta, the surface mining of coal generally occurs in rural, agricultural areas in which domestic water supply requirements are met almost entirely by groundwater. Consequently, an important aspect of the capability of reclaimed lands to satisfy the needs of a residential component is the post-mining availability of groundwater. This report proposes a sequence of steps or procedures to identify and characterize potential post-mining aquifers.

27. RRTAC 86-4: Geology of the Battle River Site: Plains Hydrology and Reclamation Project.
A. Maslowski-Schutze, R. Li, M. Fenton and S.R. Moran. 86 pp. \$10.00

This report summarizes the geological setting of the Battle River study site. It is designed to provide a general understanding of geological conditions adequate to establish a framework for hydrogeological and general reclamation studies. The report is not intended to be a detailed synthesis such as would be required for mine planning purposes.

28. RRTAC 86-5: Chemical and Mineralogical Properties of Overburden: Plains Hydrology and Reclamation Project. A. Maslowski-Schutze. 71 pp. \$10.00

This report describes the physical and mineralogical properties of overburden materials in an effort to identify individual beds within the bedrock overburden that might be significantly different in terms of reclamation potential.

29. RRTAC 86-6: Post-Mining Groundwater Supply at the Battle River Site: Plains Hydrology and Reclamation Project. M.R. Trudell, G.J. Sterenberg and S.R. Moran. 49 pp. \$5.00

The report deals with the availability of water supply in or beneath cast overburden to support post-mining land use, including both quantity and quality considerations. The study area is in the Battle River Mining area in east-central Alberta.

30. RRTAC 86-7: Post-Mining Groundwater Supply at the Highvale Site: Plains Hydrology and Reclamation Project. M.R. Trudell. 25 pp. \$5.00

This report evaluates the availability of water supply in or beneath cast overburden to support post-mining land use, including both quantity and quality considerations. The study area is the Highvale mining area in west-central Alberta.

31. RRTAC 86-8: Reclamation Research Annual Report - 1985. P.F. Ziemkiewicz. 54 pp. \$5.00

This report describes the expenditure of \$1,168,436 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

32. RRTAC 86-9: Wildlife Habitat Requirements and Reclamation Techniques for the Mountains and Foothills of Alberta. J.E. Green, R.E. Salter and D.G. Walker. 285 pp. No longer available.

This report presents a review of relevant North American literature on wildlife habitats in mountain and foothills biomes, reclamation techniques, potential problems in wildlife habitat reclamation, and potential habitat assessment methodologies. Four biomes (Alpine, Subalpine, Montane, and Boreal Uplands) and 10 key wildlife species (snowshoe hare, beaver, muskrat, elk, moose, caribou, mountain goat, bighorn sheep, spruce grouse, and white-tailed ptarmigan) are discussed. The study was co-funded with The Coal Association of Canada.

33. RRTAC 87-1: Disposal of Drilling Wastes. L.A. Leskiw, E. Reinl-Dwyer, T.L. Dabrowski, B.J. Rutherford and H. Hamilton. 210 pp. No longer available.

Current drilling waste disposal practices are reviewed and criteria in Alberta guidelines are assessed. The report also identifies research needs and indicates mitigation measures. A manual provides a decision-making flowchart to assist in selecting methods of environmentally safe waste disposal.

34. RRTAC 87-2: Minesoil and Landscape Reclamation of the Coal Mines in Alberta's Mountains and Foothills. A.W. Fedkenheuer, L.J. Knapik and D.G. Walker. 174 pp. No longer available.

This report reviews current reclamation practices with regard to site and soil reconstruction and re-establishment of biological productivity. It also identifies research needs in the Mountain-Foothills area. The study was cofunded with The Coal Association of Canada.

35. RRTAC 87-3: Gel and Saline Drilling Wastes in Alberta: Workshop Proceedings. D.A. Lloyd (Compiler). 218 pp. No longer available.

Technical papers were presented which describe: mud systems used and their purpose; industrial constraints; government regulations, procedures and concerns; environmental considerations in waste disposal; and toxic constituents of drilling wastes. Answers to a questionnaire distributed to participants are included in an appendix.

36. RRTAC 87-4: Reclamation Research Annual Report - 1986. 50 pp. No longer available.

This report describes the expenditure of \$1,186,000 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas and describes the projects funded under each program.

37. RRTAC 87-5: Review of the Scientific Basis of Water Quality Criteria for the East Slope Foothills of Alberta. Beak Associates Consulting Ltd. 46 pp. \$10.00

The report reviews existing Alberta guidelines to assess the quality of water drained from coal mine sites in the East Slope Foothills of Alberta. World literature was reviewed within the context of the East Slopes environment and current mining operations. The ability of coal mine operators to meet the various guidelines is discussed. The study was co-funded with The Coal Association of Canada.

38. RRTAC 87-6: Assessing Design Flows and Sediment Discharge on the Eastern Slopes. Hydrocon Engineering (Continental) Ltd. and Monenco Consultants Ltd. 97 pp. \$10.00

The report provides an evaluation of current methodologies used to determine sediment yields due to rainfall events in well-defined areas. Models are available in Alberta to evaluate water and sediment discharge in a post-mining situation. SEDIMOT II (Sedimentology Disturbed Modelling Techniques) is a single storm model that was developed specifically for the design of sediment control structures in watersheds disturbed by surface mining and is well suited to Alberta conditions. The study was co-funded with The Coal Association of Canada.

39. RRTAC 87-7: The Use of Bottom Ash as an Amendment to Sodic Spoil. S. Fullerton. 83 pp. No longer available.

The report details the use of bottom ash as an amendment to sodic coal mine spoil. Several rates and methods of application of bottom ash to sodic spoil were tested to determine which was the best at reducing the effects of excess sodium and promoting crop growth. Field trials were set up near the Vesta mine in East Central Alberta using ash readily available from a nearby coal-fired thermal generating station. The research indicated that bottom ash incorporated to a depth of 30 cm using a subsoiler provided the best results.

40. RRTAC 87-8: Waste Dump Design for Erosion Control. R.G. Chopiuk and S.E. Thornton. 45 pp. \$5.00

This report describes a study to evaluate the potential influence of erosion from reclaimed waste dumps on downslope environments such as streams and rivers. Sites were selected from coal mines in Alberta's mountains and foothills, and included resloped dumps of different configurations and ages, and having different vegetation covers. The study concluded that the average annual amount of surface erosion is minimal. As expected, erosion was greatest on slopes which were newly regraded. Slopes with dense grass cover showed no signs of erosion. Generally, the amount of erosion decreased with time, as a result of initial loss of fine particles, the formation of a weathered surface, and increased vegetative cover.

41. RRTAC 87-9: Hydrogeology and Groundwater Chemistry of the Battle River Mining Area.
M.R. Trudell, R.L. Faught and S.R. Moran. 97 pp. No longer available.

This report describes the premining geologic conditions in the Battle River coal mining area including the geology as well as the groundwater flow patterns, and the groundwater quality of a sequence of several water-bearing formations extending from the surface to a depth of about 100 metres.

42. RRTAC 87-10: Soil Survey of the Plains Hydrology and Reclamation Project - Battle River Project Area. T.M. Macyk and A.H. MacLean. 62 pp. plus 8 maps. \$10.00

The report evaluates the capability of post-mining landscapes and assesses the changes in capability as a result of mining, in the Battle River mining area. Detailed soils information is provided in the report for lands adjacent to areas already mined as well as for lands that are destined to be mined. Characterization of the reconstructed soils in the reclaimed areas is also provided. Data were collected from 1979 to 1985. Eight maps supplement the report.

43. RRTAC 87-11: Geology of the Highvale Study Site: Plains Hydrology and Reclamation Project.

A. Maslowski-Schutze. 78 pp. \$10.00

The report is one of a series that describes the geology, soils and groundwater conditions at the Highvale Coal Mine study site. The purpose of the study was to establish a summary of site geology to a level of detail necessary to provide a framework for studies of hydrogeology and reclamation.

44. RRTAC 87-12: Premining Groundwater Conditions at the Highvale Site. M.R. Trudell and R. Faught. 83 pp. No longer available.

This report presents a detailed discussion of the premining flow patterns, hydraulic properties, and isotopic and hydrochemical characteristics of five layers within the Paskapoo Geological Formation, the underlying sandstone beds of the Upper Horseshoe Canyon Formation, and the surficial glacial drift.

45. RRTAC 87-13: An Agricultural Capability Rating System for Reconstructed Soils. T.M. Macyk. 27 pp. \$5.00

This report provides the rationale and a system for assessing the agricultural capability of reconstructed soils. Data on the properties of the soils used in this report are provided in RRTAC 86-2.

46. RRTAC 88-1: A Proposed Evaluation System for Wildlife Habitat Reclamation in the Mountains and Foothills Biomes of Alberta: Proposed Methodology and Assessment Handbook. T.R. Eccles, R.E. Salter and J.E. Green. 101 pp. plus appendix. \$10.00

The report focuses on the development of guidelines and procedures for the assessment of reclaimed wildlife habitat in the Mountains and Foothills regions of Alberta. The technical section provides background documentation including a discussion of reclamation planning, a listing of reclamation habitats and associated key wildlife species, conditions required for development, recommended revegetation species, suitable reclamation techniques, a description of the recommended assessment techniques and a glossary of basic terminology. The assessment handbook section contains basic information necessary for evaluating wildlife habitat reclamation, including assessment scoresheets for 15 different reclamation habitats, standard methodologies for measuring habitat variables used as assessment criteria, and minimum requirements for certification. This handbook is intended as a field manual that could potentially be used by site operators and reclamation officers. The study was co-funded with The Coal Association of Canada.

 RRTAC 88-2: Plains Hydrology and Reclamation Project: Spoil Groundwater Chemistry and its Impacts on Surface Water. M.R. Trudell (Compiler). 135 pp. No longer available.

Two reports comprise this volume. The first "Chemistry of Groundwater in Mine Spoil, Central Alberta," describes the chemical make-up of spoil groundwater at four mines in the Plains of Alberta. It explains the nature and magnitude of changes in groundwater chemistry following mining and reclamation. The second report, "Impacts of Surface Mining on Chemical Quality of Streams in the Battle River Mining Area," describes the chemical quality of water in streams in the Battle River mining area, and the potential impact of groundwater discharge from surface mines on these streams.

48. RRTAC 88-3: Revegetation of Oil Sands Tailings: Growth Improvement of Silver-berry and Buffalo-berry by Inoculation with Mycorrhizal Fungi and N2-Fixing Bacteria. S. Visser and R.M. Danielson. 98 pp. \$10.00

The report provides results of a study: (1) To determine the mycorrhizal affinities of various actinorrhizal shrubs in the Fort McMurray, Alberta region; (2) To establish a basis for justifying symbiont inoculation of buffalo-berry and silver-berry; (3) To develop a growing regime for the greenhouse production of mycorrhizal, nodulated silver-berry and buffalo-berry; and, (4) To conduct a field trial on reconstructed soil on the Syncrude Canada Limited oil sands site to critically evaluate the growth performance of inoculated silver-berry and buffalo-berry as compared with their un-inoculated counterparts.

 RRTAC 88-4: Plains Hydrology and Reclamation Project: Investigation of the Settlement Behaviour of Mine Backfill. D.R. Pauls (compiler). 135 pp. \$10.00

This three part volume covers the laboratory assessment of the potential for subsidence in reclaimed landscapes. The first report in this volume, "Simulation of Mine Spoil Subsidence by Consolidation Tests," covers laboratory simulations of the subsidence process particularly as it is influenced by resaturation of mine spoil. The second report, "Water Sensitivity of Smectitic Overburden: Plains Region of Alberta," describes a series of laboratory tests to determine the behaviour of overburden materials when brought into contact with water. The report entitled "Classification System for Transitional Materials: Plains Region of Alberta," describes a lithological classification system developed to address the characteristics of the smectite rich, clayey transition materials that make up the overburden in the Plains of Alberta.

 RRTAC 88-5: Ectomycorrhizae of Jack Pine and Green Alder: Assessment of the Need for Inoculation, Development of Inoculation Techniques and Outplanting Trials on Oil Sand Tailings. R.M. Danielson and S. Visser. 177 pp. No longer available.

The overall objective of this research was to characterize the mycorrhizal status of Jack Pine and Green Alder which are prime candidates as reclamation species for oil sand tailings and to determine the potential benefits of mycorrhizae on plant performance. This entailed determining the symbiont status of container-grown nursery stock and the quantity and quality of inoculum in reconstructed soils, developing inoculation techniques and finally, performance testing in an actual reclamation setting.

51. RRTAC 88-6: Reclamation Research Annual Report - 1987. Reclamation Research Technical Advisory Committee. 67 pp. No longer available.

This annual report describes the expenditure of \$500,000.00 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

 RRTAC 88-7: Baseline Growth Performance Levels and Assessment Procedure for Commercial Tree Species in Alberta's Mountains and Foothills. W.R. Dempster and Associates Ltd. 66 pp. \$5.00

Data on juvenile height development of lodgepole pine and white spruce from cut-over or burned sites in the Eastern Slopes of Alberta were used to define reasonable expectations of early growth performance as a basis for evaluating the success of reforestation following coal mining. Equations were developed predicting total seedling height and current annual height increment as a function of age and elevation. Procedures are described for applying the equations, with further adjustments for drainage class and aspect, to develop local growth performance against these expectations. The study was co-funded with The Coal Association of Canada.

53. RRTAC 88-8: Alberta Forest Service Watershed Management Field and Laboratory Methods. A.M.K. Nip and R.A. Hursey. 4 Sections, various pagings. \$10.00

Disturbances such as coal mines in the Eastern Slopes of Alberta have the potential for affecting watershed quality during and following mining. The collection of hydrometric, water quality and hydrometeorologic information is a complex task. A variety of instruments and measurement methods are required to produce a record of hydrologic inputs and outputs for a watershed basin. There is a growing awareness and recognition that standardization of data acquisition methods is required to ensure data comparability, and to allow comparison of data analyses. The purpose of this manual is to assist those involved in the field of data acquisition by outlining methods, practices and instruments which are reliable and recognized by the International Organization for Standardization.

54. RRTAC 88-9: Computer Analysis of the Factors Influencing Groundwater Flow and Mass Transport in a System Disturbed by Strip Mining. F.W. Schwartz and A.S. Crowe. 78 pp. No longer available.

Work presented in this report demonstrates how a groundwater flow model can be used to study a variety of mining-related problems such as declining water levels in areas around the mine as a result of dewatering, and the development of high water tables in spoil once resaturation is complete. This report investigates the role of various hydrogeological parameters that influence the magnitude, timing, and extent of water level changes during and following mining at the regional scale. The modelling approach described here represents a major advance on existing work.

55. RRTAC 88-10: Review of Literature Related to Clay Liners for Sump Disposal of Drilling Wastes. D.R. Pauls, S.R. Moran and T. Macyk. 61 pp. No longer available.

The report reviews and analyses the effectiveness of geological containment of drilling waste in sumps. Of particular importance was the determination of changes in properties of clay materials as a result of contact with highly saline brines containing various organic chemicals.

RRTAC 88-11: Highvale Soil Reconstruction Project: Five Year Summary. D.N. Graveland,
 T.A. Oddie, A.E. Osborne and L.A. Panek. 104 pp. \$10.00

This report provides details of a five year study to determine a suitable thickness of subsoil to replace over minespoil in the Highvale plains coal mine area to ensure return of agricultural capability. The study also examined the effect of slope and aspect on agricultural capability. This study was funded and managed with industry assistance.

57. RRTAC 88-12: A Review of the International Literature on Mine Spoil Subsidence. J.D. Scott, G. Zinter, D.R. Pauls and M.B. Dusseault. 36 pp. \$10.00

The report reviews available engineering literature relative to subsidence of reclaimed mine spoil. The report covers methods for site investigation, field monitoring programs and lab programs, mechanisms of settlement, and remedial measures.

58. RRTAC 89-1: Reclamation Research Annual Report - 1988. 74 pp. \$5.00

This annual report describes the expenditure of \$280,000.00 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

RRTAC 89-2: Proceedings of the Conference: Reclamation, A Global Perspective. D.G. Walker,
 C.B. Powter and M.W. Pole (Compilers). 2 Vols., 854 pp. No longer available.

Over 250 delegates from all over the world attended this conference held in Calgary in August, 1989. The proceedings contains over 85 peer-reviewed papers under the following headings: A Global Perspective; Northern and High Altitude Reclamation; Fish & Wildlife and Rangeland Reclamation; Water; Herbaceous Revegetation; Woody Plant Revegetation and Succession; Industrial and Urban Sites; Problems and Solutions; Sodic and Saline Materials; Soils and Overburden; Acid Generating Materials; and, Mine Tailings.

60. RRTAC 89-3: Efficiency of Activated Charcoal for Inactivation of Bromacil and Tebuthiuron Residues in Soil. M.P. Sharma. 38 pp. ISBN 0-7732-0878-X. \$5.00

Bromacil and Tebuthiuron were commonly used soil sterilants on well sites, battery sites and other industrial sites in Alberta where total vegetation control was desired. Activated charcoal was found to be effective in binding the sterilants in greenhouse trials. The influence of factors such as herbicide:charcoal concentration ratio, soil texture, organic matter content, soil moisture, and the time interval between charcoal incorporation and plant establishment were evaluated in the greenhouse.

61. RRTAC 89-4: Manual of Plant Species Suitability for Reclamation in Alberta - 2nd Edition. Hardy BBT Limited. 436 pp. ISBN 0-7732-0882-8. \$10.00.

This is an updated version of RRTAC Report 80-5 which describes the characteristics of 43 grass, 14 forb and 34 shrub and tree species which make them suitable for reclamation in Alberta. The report has been updated in several important ways: a line drawing of each species has been added; the range maps for each species have been redrawn based on an ecosystem classification of the province; new information (to 1990) has been added, particularly in the sections on reclamation use; and the material has been reorganized to facilitate information retrieval. Of greatest interest is the performance chart that precedes each species and the combined performance charts for the grass, forb, and shrub/tree groups. These allow the reader to pick out at a glance species that may suit their particular needs. The report was produced with the assistance of a grant from the Recreation, Parks and Wildlife Foundation.

62. RRTAC 89-5: Battle River Soil Reconstruction Project Five Year Summary. L.A. Leskiw. 188 pp. No longer available.

This report summarizes the results of a five year study to investigate methods required to return capability to land surface mined for coal in the Battle River area of central Alberta. Studies were conducted on: the amounts of subsoil required, the potential of gypsum and bottom ash to amend adverse soil properties, and the effects of slope angle and aspect. Forage and cereal crop growth was evaluated, as were changes in soil chemistry, density and moisture holding characteristics.

63. RRTAC 89-6: Detailed Sampling, Characterization and Greenhouse Pot Trials Relative to Drilling Wastes in Alberta. T.M. Macyk, F.I. Nikiforuk, S.A. Abboud and Z.W. Widtman. 228 pp. No longer available.

This report summarizes a three-year study of the chemistry of freshwater gel, KCl, NaCl, DAP, and invert drilling wastes, both solids and liquids, from three regions in Alberta: Cold Lake, Eastern Slopes, and Peace River/Grande Prairie. A greenhouse study also examined the effects of adding various amounts of waste to soil on grass growth and soil chemistry. Methods for sampling drilling wastes are recommended.

64. RRTAC 89-7: A User's Guide for the Prediction of Post-Mining Groundwater Chemistry from Overburden Characteristics. M.R. Trudell and D.C. Cheel. 55 pp. \$5.00

This report provides the detailed procedure and methodology that is required to produce a prediction of post-mining groundwater chemistry for plains coal mines, based on the soluble salt characteristics of overburden materials. The fundamental component of the prediction procedure is the geochemical model PHREEQE, developed by the U.S. Geological Survey, which is in the public domain and has been adapted for use on personal computers.

65. RRTAC 90-1: Reclamation Research Annual Report - 1989. 62 pp. No longer available.

This annual report describes the expenditure of \$480,000.00 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program.

66. RRTAC 90-2: Initial Selection for Salt Tolerance in Rocky Mountain Accessions of Slender Wheatgrass and Alpine Bluegrass. R. Hermesh, J. Woosaree, B.A. Darroch, S.N. Acharya and A. Smreciu. 40 pp. \$5.00

Selected lines of slender wheatgrass and alpine bluegrass collected from alpine and subalpine regions of Alberta as part of another native grass project were evaluated for their ability to emerge in a saline medium. Eleven slender wheatgrass and 72 alpine bluegrass lines had a higher percentage emergence than the Orbit Tall Wheatgrass control (a commonly available commercial grass). This means that as well as an ability to grow in high elevation areas, these lines may also be suitable for use in areas where saline soil conditions are present. Thus, their usefulness for reclamation has expanded.

67. RRTAC 90-3: Natural Plant Invasion into Reclaimed Oil Sands Mine Sites. Hardy BBT Limited. 65 pp. \$5.00

Vegetation data from reclaimed sites on the Syncrude and Suncor oil sands mines have been summarized and related to site and factors and reclamation methods. Natural invasion into sites seeded to agronomic grasses and legumes was minimal even after 15 years. Invasion was slightly greater in sites seeded to native species, but was greatest on sites that were not seeded. Invasion was mostly from agronomic species and native forbs; native shrub and tree invasion was minimal.

68. RRTAC 90-4: Physical and Hydrological Characteristics of Ponds in Reclaimed Upland Landscape Settings and their Impact on Agricultural Capability. S.R. Moran, T.M. Macyk, M.R. Trudell and M.E. Pigot, Alberta Research Council. 76 pp. \$5.00

The report details the results and conclusions from studying a pond in a reclaimed upland site in Vesta Mine. The pond formed as a result of two factors: (1) a berm which channelled meltwater into a series of subsidence depressions, forming a closed basin; and (2) low hydraulic conductivity in the lower subsoil and upper spoil as a result of compaction during placement and grading which did not allow for rapid drainage of ponded water. Ponds such as this in the reclaimed landscape can affect agricultural capability by: (1) reducing the amount of farmable land (however, the area covered by these ponds in this region is less than half of that found in unmined areas); and, (2) creating the conditions necessary for the progressive development of saline and potentially sodic soils in the area adjacent to the pond.

69. RRTAC 90-5: Review of the Effects of Storage on Topsoil Quality. Thurber Consultants Ltd., Land Resources Network Ltd., and Norwest Soil Research Ltd. 116 pp. \$10.00

The international literature was reviewed to determine the potential effects of storage on topsoil quality. Conclusions from the review indicated that storage does not appear to have any severe and longterm effects on topsoil quality. Chemical changes may be rectified with the use of fertilizers or manure. Physical changes appear to be potentially less serious than changes in soil quality associated with the stripping and respreading operations. Soil biotic populations appear to revert to pre-disturbance levels of activity within acceptable timeframes. Broad, shallow storage piles that are seeded to acceptable grass and legume species are recommended; agrochemical use should be carefully controlled to ensure soil biota are not destroyed.

70. RRTAC 90-6: Proceedings of the Industry/Government Three-Lift Soils Handling Workshop. Deloitte & Touche. 168 pp. \$10.00

This report documents the results of a two-day workshop on the issue of three-lift soils handling for pipelines. The workshop was organized and funded by RRTAC, the Canadian Petroleum Association and the Independent Petroleum Association of Canada. Day one focused on presentation of government and industry views on the criteria for three-lift, the rationale and field data in support of three- and two-lift procedures, and an examination of the various soil handling methods in use. During day two, five working groups discussed four issues: alternatives to three-lift; interim criteria and suggested revisions; research needs; definitions of terms. The results of the workshop are being used by a government/industry committee to revise soils handling criteria for pipelines.

71. RRTAC 90-7: Reclamation of Disturbed Alpine Lands: A Literature Review. Hardy BBT Limited. 209 pp. \$10.00

This review covers current information from North American sources on measures needed to reclaim alpine disturbances. The review provides information on pertinent Acts and regulations with respect to development and environmental protection of alpine areas. It also discusses: alpine environmental conditions; current disturbances to alpine areas; reclamation planning; site and surface preparation; revegetation; and, fertilization. The report also provides a list of research and information needs for alpine reclamation in Alberta.

72. RRTAC 90-8: Plains Hydrology and Reclamation Project: Summary Report. S.R. Moran, M.R. Trudell, T.M. Macyk and D.B. Cheel. 105 pp. \$10.00

This report summarizes a 10-year study on the interactions of groundwater, soils and geology as they affect successful reclamation of surface coal mines in the plains of Alberta. The report covers: Characterization of the Battle River and Wabamun study areas; Properties of reclaimed materials and landscapes; Impacts of mining and reclamation on post-mining land use; and, Implications for reclamation practice and regulation. This project has led to the publication of 18 RRTAC reports and 22 papers in conference proceedings and referred journals.

73. RRTAC 90-9: Literature Review on the Disposal of Drilling Waste Solids. Monenco Consultants Limited. 83 pp. \$5.00

This report reviews the literature on, and government and industry experience with, burial of drilling waste solids in an Alberta context. The review covers current regulations in Alberta, other provinces, various states in the US and other countries. Definitions of various types of burial are provided, as well as brief summaries of other possible disposal methods. Environmental concerns with the various options are presented as well as limited information on costs and monitoring of burial sites. The main conclusion of the work is that burial is still a viable option for some waste types but that each site and waste type must be evaluated on its own merits.

74. RRTAC 90-10: Potential Contamination of Shallow Aquifers by Surface Mining of Coal. M.R. Trudell, S.R. Moran and T.M. Macyk. 75 pp. \$5.00

This report presents the results of a field investigation of the movement of salinized groundwater from a mined and reclaimed coal mine near Forestburg into an adjacent unmined area. The movement is considered to be an unusual occurrence resulting from a combination of a hydraulic head that is higher in the mined area than in the adjacent coal aquifer, and the presence of a thin surficial sand aquifer adjacent to the mine. The high hydraulic head results from deep ponds in the reclaimed landscape that recharge the base of the spoil.

75. RRTAC 91-1: Reclamation Research Annual Report - 1990. Reclamation Research Technical Advisory Committee. 69 pp. No longer available.

This annual report describes the expenditure of \$499 612 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the four program areas, and describes the projects funded under each program. The report lists the 70 research reports published under the program.

76. RRTAC 91-2: Winter Soil Evaluation and Mapping for Regulated Pipelines. A.G. Twardy. 43 pp. ISBN 0-7732-0874-7. \$5.00

Where possible, summer soil evaluations are preferred for pipelines. However, when winter soil evaluations must be done, this report lays out the constraints and requirements for obtaining the best possible information. Specific recommendations include: restricting evaluations to the time of day with the best light conditions; use of core- or auger-equipped drill-trucks; increased frequency of site inspections and soil analyses; and, hiring a well-qualified pedologist. The province's soils are divided into four classes, based on their difficulty of evaluation in winter: slight (most soils); moderate; high; and, severe (salt-affected soils in the Brown and Dark Brown Soil Zones).

77. RRTAC 91-3: A User Guide to Pit and Quarry Reclamation in Alberta. J.E. Green, T.D. Van Egmond, C. Wylie, I. Jones, L. Knapik and L.R. Paterson. 151 pp. ISBN 0-7732-0876-3. \$10.00

Sand and gravel pits or quarries are usually reclaimed to the original land use, especially if that was better quality agricultural or forested land. However, there are times when alternative land uses are possible. This report outlines some of the alternate land uses for reclaimed sand and gravel pits or quarries, including: agriculture, forestry, wildlife habitat, fish habitat, recreation, and residential and industrial use. The report provides a general introduction to the industry and to the reclamation process, and then outlines some of the factors to consider in selecting a land use and the methods for reclamation. The report is not a detailed guide to reclamation; it is intended to help an operator determine if a land use would be suitable and to guide him or her to other sources of information.

 RRTAC 91-4: Soil Physical Properties in Reclamation. M.A. Naeth, D.J. White, D.S. Chanasyk, T.M. Macyk, C.B. Powter and D.J. Thacker. 204 pp. ISBN 0-7732-0880-1. \$10.00

This report provides information from the literature and Alberta sources on a variety of soil physical properties that can be measured on reclaimed sites. Each property is explained, measurement methods, problems, level of accuracy and common soil values are presented, and methods of dealing with the property (prevention, alleviation) are discussed. The report also contains the results of a workshop held to discuss soil physical properties and the state-of-the-art in Alberta.

79. RRTAC 92-1: Reclamation of Sterilant Affected Sites: A Review of the Issue in Alberta. M. Cotton and M.P. Sharma. 64 pp. ISBN 0-7732-0884-4. No longer available

This report assesses the extent of sterilant use on oil and gas leases in Alberta, identifies some of the concerns related to reclamation of sterilant affected sites and the common methods for reclaiming these sites, and outlines the methods for sampling and analyzing soils from sterilant affected sites. The report also provides an outline of a research program to address issues raised by government and industry staff.

80. RRTAC 92-2: Reclamation Research Annual Report - 1991. Reclamation Research Technical Advisory Committee. 55 pp. ISBN 0-7732-0888-7. No longer available.

This report describes the expenditure of \$485,065 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and research strategies of the five program areas, and describes the projects funded under each program. It also lists the 75 research reports that have been published to date.

81. RRTAC 92-3: Proceedings of the Industry/Government Pipeline Reclamation Success Measurement Workshop. R.J. Mahnic and J.A. Toogood. 62 pp. ISBN 0-7732-0886-0. \$5.00.

This report presents the results of a workshop to identify the soil and vegetation parameters that should be used to assess reclamation success on pipelines in Alberta. Six soil parameters (topsoil admixing; topsoil replacement thickness; compaction; soil loss by erosion; texture; and salinity) and six vegetation parameters (plant density; species composition; ground cover; vigour; weeds/undesirable species; and rooting characteristics) were selected as most important. Working groups discussed these parameters and presented suggested methods for assessing them in the field.

82. RRTAC 92-4: Oil Sands Soil Reconstruction Project Five Year Summary. HBT AGRA Limited. 109 pp. ISBN 0-7732-0875-5. \$10.00

This report documents a five year study of the effects of clay and peat amendments to oil sand tailings sand on survival and growth of trees and shrubs. Ten species (jack pine, white spruce, serviceberry, silverberry, buffaloberry, pin cherry, prickly/woods rose, Northwest poplar, green alder, and Bebb willow) were planted into tailings sand amended with three levels of peat and three levels of clay. The treatments were incorporated to a depth of 20 cm or 40 cm. Data are provided on plant survival and growth, root size and distribution, disease and small mammal damage, herbaceous cover, soil moisture, soil chemistry, and bulk density.

83. RRTAC 92-5: A Computer Program to Simulate Groundwater Flow and Contaminant Transport in the Vicinity of Active and Reclaimed Strip Mines: A User's Guide. A.S. Crowe and F.W. Schwartz, SIMCO Groundwater Research Ltd. 104 pp. plus appendix. ISBN 0-7732-0877-1. NOTE: This report is only available from the Alberta Research Council, Publications Centre, 250 Karl Clark Road, P.O. Box 8330, Station F, EDMONTON, Alberta T6H 5R7 as ARC Information Series 119. The cost is \$20.00 and the cheque must be made out to the Alberta Research Council.

The manual describes a computer program that was developed to study the influence of coal strip mining on groundwater flow systems and to simulate the transport of generated contaminants, both spatially and in time, in the vicinity of a mine. All three phases of a strip mine can be simulated: the pre-mining regional groundwater flow system; the mining and reclamation phase; and, the post-mining water level readjustment phase. The model is sufficiently general to enable the user to specify virtually any type of geological conditions, mining scenario, and boundary conditions.

84. RRTAC 92-6: Alberta Drilling Waste Sump Chemistry Study. Volume I: Report (Volume II: Appendices is only available through the Alberta Research Council, Publications Centre, 250 Karl Clark Road, P.O. Box 8330, Station F, EDMONTON, Alberta T6H 5R7. The cost is \$15.00 and the cheque must be made out to the Alberta Research Council.). T.M. Macyk, S.A. Abboud and F.I. Nikiforuk, Alberta Research Council. 217 pp. ISBN 0-7732-0879-8. \$10.00.

This study synthesizes the data from sampling and analysis of the solids and liquids found in 128 drilling waste sumps across Alberta. Drilling waste types sampled included: 72 freshwater gel, 19 invert, 27 KCl, 2 NaCl, and 8 others. Data and statistics are tabulated by waste type, depth of the drill hole, and ERCB administrative region for both the solids and the liquids. Using preliminary loading limits developed by the government/industry Drilling Waste Review Committee, the report presents information on the volume and depth of waste that could be land-spread, and the area required for landspreading. The oil and gas industry provided approximately \$585,000 for the sampling and analysis phase of this study.

85. RRTAC 93-1: Reclamation of Native Grasslands in Alberta: A Review of the Literature. D.S. Kerr, L.J. Morrison and K.E. Wilkinson, Environmental Management Associates. 205 pp. plus appendices. ISBN 0-7732-0881-X. \$10.00.

A review of the literature on native grassland reclamation was conducted to summarize the current state of knowledge on reclamation and restoration efforts within Alberta. The review is comprehensive, including an overview of the regulations and guidelines governing land use on native prairie; a description of the dominant grassland ecoregions in Alberta; a review of the common disturbance types, extent and biophysical effects of disturbance on native prairie within Alberta; a description of the factors which influence the degree of disturbance and reclamation; and examples of both natural and enhanced recovery of disturbed sites through the examination of selected case studies.

86. RRTAC 93-2: Reclamation Research Annual Report - 1992. Reclamation Research Technical Advisory Committee. 56 pp. ISBN 0-7732-0883-6. \$5.00.

This report describes the expenditure of \$474,705 of Alberta Heritage Savings Trust Fund monies on research under the Land Reclamation Program. The report outlines the objectives and the research strategies of the five programs, and describes the projects funded under each program. It also lists the 85 research reports that have been published to date.

87. RRTAC 93-3: Catalogue of Technologies for Reducing the Environmental Impact of Fine Tailings from Oil Sand Processing. B.J. Fuhr, Alberta Research Council, D.E. Rose, Dereng Enterprises Ltd., and D. Taplin, Komex International Ltd. 63 pp. ISBN 0-7732-0885-2. \$5.00.

A catalogue containing 22 technologies for reducing the environmental impact of fine tailings derived from oil sands has been assembled. The report consists of an introduction to oil sand processing and fine tailings generation, a simple spreadsheet for comparing the technologies, and a process summary for each technology. The technologies were not evaluated for effectiveness. Rather, a detailed set of questions was prepared that highlights the environmentally-related information a proponent should have. These questions will help to form a basis for comparisons among the technologies.

88. RRTAC 93-4: Organic Materials as Soil Amendments in Reclamation: A Review of the Literature. Land Resources Network Ltd. 228 pp. ISBN 0-7732-0887-9. \$10.00

A review of the literature was conducted to examine the effect of various organic materials when used as amendments to disturbed soil. Organic amendments reviewed included animal manures, crop residues, peat, wood wastes, sewage sludge, municipal yard waste, humates, vermicomposts, and spent mushroom composts. Their effects on soil chemistry, physical properties, and biology were examined. Application methods, costs, longevity of effects, and use in reclamation were also reviewed. Benefits and drawbacks of each were discussed.

89. RRTAC 93-5: Drilling Waste Disposal. T.M. Macyk and S.A. Abboud, Alberta Research Council. 125 pp. ISBN 0-7732-0889-5. \$10.00

An overall perspective and description of the steps involved in the management and land-based disposal of drilling wastes in Alberta. A computer program, available from the Alberta Research Council, has been written to support the data management required for proper disposal. A field manual is in preparation. These three information sources provide technical support for the Energy Resources Conservation Board's Guide G-50: Drilling Waste Management.

90. RRTAC 93-6: Mapping and Characterization of Cutover Peatlands for Reclamation Planning. L.W. Turchenek, Alberta Research Council, W.S. Tedder, Alberta Agriculture, Food and Rural Development, and R. Krzanowski, Alberta Research Council. 100 pp. ISBN 0-7732-6038-2. \$5.00

The report presents a methodology for cost-effective soil survey and sampling of cutover peatlands. It also presents baseline chemical information and data interpretation for peat materials from a cutover peatland site. The report provides background information on classifying and describing peatlands. This information can be used to develop reclamation plans.

